

EVIDENCE • SCATTER • SERIES


quadrant

Native 2×2 scatter chart — items plotted on two continuous axes.

EFFORT 0-10 → REACH 0-100


The quadrant scatters items on two axes.

Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.



EFFORT 0-10 → REACH 0-100

bubble sizes each point by a third value.




EFFORT 0-10 → REACH 0-100

trail shows where each point moved from.




EFFORT 0-10 → REACH 0-100

cohort colors the points by group.




EFFORT 0-10 → REACH 0-100 · TARGETS 5, 50

threshold draws the lines that matter.




COMPLETENESS OF VISION 0-100 → ABILITY TO EXECUTE 0-100

magic draws the four named corners.




EFFORT 0-10 → REACH 0-100

minimal strips the chart to its points.



EFFORT 0-10 → REACH 0-100

Stress test — fourteen initiatives, dense labels, one owner.



EFFORT 0-10 → REACH 0-100

The quadrant scatters items on two axes.

Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.



EFFORT 0-10 → REACH 0-100

The quadrant scatters items on two axes.

Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.



EFFORT 0-10 → REACH 0-100

The quadrant scatters items on two axes.

Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.



When NOT to reach for quadrant.

Static categorical 2x2

If the quadrants are fixed labels (Important × Urgent, Build × Buy × Partner × Defer) and items are placed by category not coordinate, use `matrix-2x2`. `quadrant` is data-driven; `matrix-2x2` is conceptual.

Single axis matters

If one axis is decorative and only the other carries meaning, you have a ranking, not a scatter. Use `progress` for percent-complete or `kpi` for ranked metrics with status.

Coordinates without an audience-shared scale

If `8, 80` requires a footnote to interpret, the slide doesn't pay off. Either label the axis units in the eyebrow (`Effort 0-10 → Reach 0-100`) or normalise to a familiar scale before authoring.

RELATED COMPONENTS

See also.

`matrix-2x2` — the 2×2 is categorical, not coordinate-based

`radar` — items rated across more than two criteria

`progress` — percent-complete on a single axis

`piechart` — part-to-whole, not bivariate position

`verdict-grid` — comparing options against shared categorical criteria