


DIAGRAM SURFACE • ENGINE

Three fixes to the diagram surface

The band a diagram bakes for, the map it is coloured from, and the box it is drawn in.

#1340 · THE DECK SAYS DARK

A slide that names its own `_class:` keeps the deck's canvas.




WHY IT HIT EVERY DECK

The bake asked the wrong question.

- Two answers, one question
 - Print inherited the deck. Dark threw it away the moment a slide named any `_class:` — and that is how every component is selected.
- What you saw
 - Light-mode ink on a dark canvas, and connectors that vanished into it.
- What decides it now
 - One kernel: print wins, a slide naming a scheme owns it, everything else inherits.


RULE TWO, INTACT

A slide that pins `light` still renders light.



THE CONTAINMENT BOX

A subgraph is a surface, so it is shaped like one.




CORNER AND PADDING

Two numbers, each in the space it is actually read in.

- The corner is `rx`, not `border-radius`
 - One CSS rule reaches the export and the preview alike.
- The radius is in the diagram's own space
 - Never a container unit — geometry is read in diagram coordinates.
- Padding is one constant now
 - Export and preview each had their own, so nodes came out two sizes.

LEFT ALONE, DELIBERATELY

The categorical band keeps the shape Mermaid gives it.



ONE MAP, TWO READERS

The two renderers stopped answering the same question twice.

- What drifted
 - Each path kept its own copy. A gate watched the key sets; nobody watched the values, and thirty-eight had come apart.
- Where it showed
 - Node ink on the accessibility palettes in dark, and the gitgraph tag chip.
- What replaces it
 - One map, two readers. A parity test fails on any divergence not named and justified.