

A TUTORIAL FOR NEW ENGINEERS

How to Think About Systems

We start with one engineer's Tuesday. We design Instagram, then run the whole method again on a parking app you could ship this month.



This deck runs in eight parts, gathered here into six.

- 01 A Tuesday — one engineer, wake to sleep
- 02 The words — naming what you just watched
- 03 Protagonist and antagonist — where a design starts
- 04 Solution types — which answer is wanted
- 05 Six kits — data, compute, network, scale, reliability, security
- 06 Two designs, then the map back — Instagram, a parking app, and what you keep

PART ZERO

Before anything is a
system, it is a Tuesday.

THE RULES OF THIS PART

Maya has been an engineer for seven months. Today she wants one thing.


She wants pull request 482 merged before the release window closes at four o'clock.

Watch her Tuesday. This part uses no systems-design words on purpose.

Everything Part one names happens here first, so you see each idea before you have a word for it.

MORNING

Five things happen to Maya before she reaches her desk.



09:15 • STANDUP

Four people met twice this week, and only one meeting worked.

On Monday each person reported to the manager in turn. That meeting ran twenty minutes and settled nothing. Today they talked to each other instead, and Maya learned in one sentence that Priya had already read the code she was about to start.

The four people did not change. Only who talked to whom changed.

Get 482 merged before the window closes.

MAYA WROTE THIS ON A STICKY NOTE AT 09:30. NOTHING ELSE IS WRITTEN ON IT.

09:45 · IN THE WAY

Four limits shape Maya's day, and she chose none of them.

The build takes twelve minutes

Every push costs twelve minutes. Maya cannot shorten that or skip it.

The team is three people

Nobody on the team is free to review her code this morning.

The one reviewer is asleep


He is six time zones away and will not read anything before three o'clock.

Production data stays in production

She may not copy it to her laptop, even to reproduce the bug.


MIDDAY

By lunchtime, other people decide what Maya works on.



AFTERNOON

Maya spends the afternoon answering questions about the work she is not doing.



22:40 • THE REVEAL

You just watched a system run for sixteen hours.

Her day had a purpose it did not meet, and one hour that decided it. Two things ran in circles: the shower, and the questions about 482. Something she never thinks about held the day up until the registry stopped at nine. And main stayed deployable throughout — the one promise that held.

The reviewer woke at three and the window shut at four. Everything Maya did that day reached the outcome only through that hour. She spent twenty of its sixty minutes answering questions about 482, instead of waiting ready to act on whatever came back.

Ten ideas ran through that day. Part one gives you the words for them.

01

PART ONE

Now we give each of
those things its name.

WORD ONE • SYSTEM

A system is parts, connected, doing something together.

Maya's morning is one. The shower, the train, the laptop and the registry between them do what none of them does alone: put Maya at a desk, able to work, at nine.

IN MAYA'S DAY

Nothing on that list is a system. The order she does them in is.



LISTING THE PARTS IS EASY

Shower, train, laptop, registry. Anyone can write that list.

THE CONNECTIONS ARE THE SYSTEM

Change what depends on what, and the behavior changes with the same parts.

Rewire a system without changing a single part, and it behaves differently.



KEY INSIGHT

Nothing changed but who waits on whom. Monday settles nothing in twenty minutes; Tuesday saves a morning with one sentence.

WORD TWO • PURPOSE

A purpose becomes visible at the moment you miss it.

Maya wrote it on a sticky note at nine thirty: get 482 merged before four. At four o'clock it had not merged, and the gap between those two facts is the clearest thing in her whole day.

IN MAYA'S DAY

She wrote hers down at 09:30, which is why she could tell at 16:00 that she had missed it.

WRITE IT DOWN OR YOU WILL DRIFT

An unwritten purpose gets quietly replaced by whatever arrived most recently.

A SYSTEM'S PURPOSE IS WHAT IT DOES

Not what its owners say it does. Watch the outputs, not the mission statement.

WORD THREE • BOUNDARY

The boundary is the line between what you change and what you ask for.

At ten fifteen another team asked Maya to fix a flaky test in their repository. She said no. That refusal is the boundary, and she could feel exactly where it was because saying no was uncomfortable.

IN MAYA'S DAY

She could decline the favor. She could not decline the release window.

INSIDE IS WHAT YOU CHANGE

Your code, your schema, your deploys, the alerts that wake you.

OUTSIDE IS WHAT YOU NEGOTIATE

The reviewer's time zone, the registry, the build, another team's repository.

WORD FOUR • ENVIRONMENT

The environment is everything that arrives without asking.

A signal failure held her train for nine minutes. A page pulled her into an outage in a service she does not own. Neither was load, neither was a bug, and neither was hers.

IN MAYA'S DAY

She had no say over either. She did have a say over what happened to 482 while she was gone, and had not decided it in advance.

IT IS NOT THE SAME AS LOAD

Regulation, a partner's outage and a colleague's time off are environment too.

YOU DESIGN FOR IT, NOT AGAINST IT

You cannot stop the page. You can decide what happens to 482 when it comes.

WORD FIVE • PROCESS

A process is a repeatable transformation, and it runs at a rate.

Push, wait twelve minutes for the build, read a comment, fix, push again. Maya ran that loop twice. Every process has inputs, a transformation, outputs, a rate, and something it leaves behind.

IN MAYA'S DAY

Twenty-four minutes of her day were spent waiting for a machine, and she chose none of them.

THE RATE IS PART OF THE DEFINITION


"Run the tests" is not a process until you say twelve minutes, and how often.

LEFTOVER STATE IS WHERE BUGS LIVE

Her abandoned branch is the same shape as a half-applied database migration.

11:00 • THE LOOP, DRAWN

Every process leaves something behind, and that is the part nobody draws.

**KEY INSIGHT**

Nothing in this loop deletes the branch. That is why it is still there at 22:40.

WORD SIX • MODEL

A model leaves things out on purpose. What beats you is the thing you left out by accident.

Maya's plan for Tuesday was a model. It held the build time, the review, and the four o'clock window. It did not hold the fact that her reviewer sleeps six time zones away, and that one gap decided the day.

IN MAYA'S DAY

Her plan was right about everything in it and silent about the thing that beat her.

EVERY DIAGRAM IN THIS DECK IS
A MODEL

Each one throws away something true so you can see one thing clearly.

SAY WHAT YOU LEFT OUT

An omission you can name is a simplification. One you cannot name is a bug.

WORD SEVEN • CONSTRAINT

A constraint is a limit that removes options rather than adding caveats.

Four limits shaped Maya's day, and each came from somewhere different. A twelve-minute build. A team of three. A reviewer asleep six time zones away. A rule about production data.

IN MAYA'S DAY

Physical, economic, human and legal limits, all four of them landing before ten in the morning.

REAL CONSTRAINTS CARRY NUMBERS

"The build is slow" is a complaint.

"Twelve minutes" is something you can design against.

SOME YOU CHOSE, AND CAN REVISIT

A team of three is a decision. The speed of the build is arithmetic.

WORD EIGHT • INVARIANT

An invariant is a claim that stays true on the day everything else fails.

Main was deployable every minute of Maya's Tuesday. It was true while the registry was down, while she was paged, and at four o'clock when 482 did not land.

IN MAYA'S DAY

She missed her goal and broke no invariant, and those are two different kinds of bad day.


WRITE THEM AS SENTENCES

"Main is always deployable." "A balance is never negative." Then name the alert.

THEY CONSTRAIN OTHER PEOPLE

A real invariant changes what your teammates are allowed to merge.

Two loops look identical until you ask which way each one pushes.



KEY INSIGHT

Find the sign before you touch anything. One loop needs damping, the other needs a brake.

★ A balancing loop pushes back toward a target, and the eight-second delay in the pipe is exactly why she overshoots. A reinforcing loop pushes harder in the direction it is already going.

Infrastructure is what you only notice on the day it stops.

Wifi, the VPN, the package registry, the build fleet, the identity provider. Maya used every one of them before nine o'clock and thought about none of them until 09:05, when the registry went down and three teams stopped.

THE TEST

If it vanishing stops several unrelated things at once, it is infrastructure.

BORING IS THE REQUIREMENT

It earns its place by being predictable, never by being interesting.

IT IS SOMEONE ELSE'S SYSTEM

Your infrastructure is another team's product, with its own boundary and invariants.

17:00 • THE LAST WORD

Emergence is a pattern the parts fall into, that none of them contains.

Nothing merges on Thursdays. Maya checked six weeks. It is a rhythm, and nobody built a rhythm.

Four things feed each other rather than add up. Work that misses the window waits at the front of tomorrow. A review that comes back with comments sends the same change to the back of the queue. The queue is served one hour a day. And nobody ships into a weekend, so Thursday is the last window of the week — the day the backlog is deepest and the day it has to clear.

No policy names Thursday. You find it by watching the queue for six weeks.

These five words name what a system is made of.

You did not learn these from a definition. You watched each one happen first, which is the order that sticks.

01	System	Parts, connected, with a purpose.	The whole morning.
02	Purpose	What it does, not what it says.	The gap at four o'clock.
03	Boundary	What you change, not ask for.	The favor she declined.
04	Environment	What arrives uninvited.	The page.
05	Process	A transformation with a rate.	Push, build, review.

Three more are things you make, not things you find.

You never handle the system itself. You handle a drawing of it, its limits and its promises — standing on infrastructure you notice only when it stops.

01	Model	A simplification you chose.	Her plan for the day.
02	Constraint	A limit that removes options.	Twelve minutes.
03	Invariant	What must never go false.	Main is deployable.

THE TRANSLATION

Every move in Maya's day has a name in software.

IN HER TUESDAY	IN A SYSTEM	WHAT IT DECIDES
Five pull requests, one reviewer	The bottleneck	Where any improvement has to land
Declining the fourth status ask	Admission control	Whether load sheds or the system collapses
A twelve-minute build	A fixed cost per attempt	How many attempts a day can hold
The abandoned branch	Leftover state	What a retry finds when it arrives
Nothing merges on Thursdays	Emergence	What no single owner can fix

YOUR TURN

Take the turnstile at a station and name its parts before you turn the page.

You already know how one works. Write down five things: its purpose, its boundary, one constraint, one invariant, and the infrastructure it stands on. Two minutes, on paper, and cover the next slide until you have them.

Do not hunt for a clever answer. The point is that you now have words for a thing you have walked past a thousand times without ever describing.

ONE ANSWER

Here is a turnstile, in the words you now have.

- 01

Purpose

Let paying people through, stop everyone else. Counting riders is a side effect.
- 02

Boundary

The gate, its reader, the local rules. Not the fare service it asks.
- 03

Constraint

One person at a time, about a second each. That sizes the hall.
- 04

Invariant

Never open without a valid fare. Never close on a person.
- 05

Infrastructure

Power, the link to the fare service, the floor.

02

PART TWO

Every design starts with
someone who wants something,
and something in the way.

THE FRAME

Name the person and the force, and everything downstream has an answer.

Juniors skip both, almost every time. They write "users" instead of one person with one goal, and they write "scale" instead of a force with a number on it. Neither produces a single design decision.

The protagonist is who the system is for. The antagonist is what makes serving them hard. Everything downstream — the purpose, the boundary, the invariants, the first move — falls out of that pair.

THE DRILL

Two sentences take ninety seconds and settle four things you were guessing at.

Protagonist: <name> wants to <do X> so that <Y>.

Antagonist: But $\langle W \rangle$ – and W is $\langle a \text{ number} \rangle$.

Purpose one sentence: what counts as this working

Boundary what is mine when W happens, and what I only ask for

Invariant what must stay true or <name> stops trusting this

First move what W does to the cheapest design that could work

✦ *Run it on a turnstile, then a cash machine, then the thing on your screen right now. It gets fast.*

THE DRILL, ON TUESDAY

Maya is the protagonist of her own day, and the interruptions are the antagonist.

MAYA WANTS 482 MERGED BEFORE FOUR O'CLOCK

So that a bug affecting real users stops affecting them, and so she is not carrying it into next week.



BUT SHE IS INTERRUPTED SIX TIMES

A page, a favor, four status requests. Not one of them unreasonable, and each costs the reload, not just the minute.

THE TRAP

Most systems have several protagonists, and you must say which one loses.

Instagram has at least four: the reader opening the app, the ordinary poster, the celebrity with five hundred million followers, and the engineer carrying the pager. They want incompatible things.

Naming one as the protagonist decides who waits. Say who you are not designing for, out loud, and most of the arguments later in the design turn out to be about that.

INSTAGRAM • THE CASTING

Our protagonist reads on a phone and gives us about a second.

She opens the app a dozen times a day, on a cellular network, usually while doing something else. She wants photographs from the people she chose, recent, ranked, and hers. The poster is a supporting character: he tolerates a spinner, and every time the design has a choice, work goes onto his side.

THE READER'S DEMAND

A page on her phone in under a second, which is 200 ms of server time plus the network.

THE POSTER CAN WAIT

Uploading, transcoding and delivery may all take their time. Nobody is watching.

CASTING DECIDES THE DESIGN

It is why the feed is built when someone posts, not when someone reads.

The antagonist is not scale. It is the shape of the follow graph.

Scale is a quantity, and quantities have a price you can pay. The thing you cannot buy your way out of is a distribution. Follower counts are heavy-tailed: almost everyone has a few hundred, and a handful have hundreds of millions. No single account looks like the average, and the far end sits six orders of magnitude from the middle.

THE NUMBER THAT MATTERS

The median account has about 150 followers. The largest has five hundred million.

ONE ALGORITHM CANNOT SERVE BOTH

That gap is why the design ends up with two paths instead of one.

HOLD ON TO THIS

Every hard decision in Part five is this one fact again.

YOUR TURN

Cast the last app you opened, in the same two sentences.

Pick something ordinary: a maps app, a chat client, the thing your team ships. Fill in both lines, exactly as the drill has them:

Protagonist: <name> wants to <do X> so that <Y>.

Antagonist: But <W> – and W is <a number>.

The second line is the hard one. If you cannot put a number on W, you have just found the first thing worth going and measuring.

ONE ANSWER

A maps app casts the same way, in two sentences.

THE PROTAGONIST

A driver already moving wants the next turn early enough to take it, so that the road and the screen never compete. Everyone else — the person searching, the person saving a place, the person reading reviews — is slower and can wait.



THE ANTAGONIST

The signal drops in the tunnel, and the tunnel is ninety seconds long. That number is the design: ninety seconds of route has to be on the phone before the phone goes quiet.

03

PART THREE

"Design Instagram" is
five different questions.

BEFORE THE BOXES

Before you design anything, say which kind of answer is wanted.

The same words — design a photo sharing app — have five legitimate answers that share almost no architecture. A build that takes a week and a build that takes two years are both correct, for different questions.

Ask for Maya's twelve-minute build to be made faster and you have said three things at three different rungs: rent a bigger runner, profile the slow step, or write a build system that knows this repository. Until somebody says which, nobody does any of them.

Gall's law says it plainly: a complex system that works is invariably found to have evolved from a simple system that worked. You climb this ladder. You do not parachute onto it.

Each rung costs more and commits harder than the one below it.

You move up when the rung you are standing on stops paying, and you move up one rung at a time.

01	MVP	Buys information fast.	Does anyone want this?
02	Scaled	Holds up as load grows.	Will it survive success?
03	Optimized	Cuts cost on a known path.	Where is the money going?
04	Optimal	Provably best, for one model.	What is the real limit?
05	Specialized	An advantage nobody can copy.	What can only we do?

RUNG ONE • MVP

An MVP is an experiment wearing a product's clothes.

Its job is to produce a decision, not to last. Every hour spent making it durable is an hour spent on a system you may correctly delete next month.

THE TELL

The riskiest thing is whether anyone wants it, and being wrong is cheap.

BUY SIMPLICITY, NOT CAPACITY

One database, one service, one region, boring technology, nothing clever anywhere.

NAME THE EXIT IN ADVANCE

Write down the number that means "stop, this now has to be built properly."

RUNG TWO • SCALED

A scaled system survives ten times the load without a rewrite.

You have stopped buying information and started buying headroom. The question moves from "does it work" to "what breaks first, and how do I move that limit." Maya's day had two candidates for that limit — the twelve-minute build and one reviewer — and only one stopped 482.

THE TELL

Growth is real, and the current design has a ceiling you can point at.

A BIGGER BOX FIRST, THEN THE FOUR MOVES

Vertical scaling is not one of the four; it is what buys time before you need them, and it is reversible. Then reduce, duplicate, defer — and spread last, because partitioning is the one you cannot undo cheaply.

COST PER UNIT STARTS COUNTING

Cost per request stops being noise and becomes the second constraint on every choice.

RUNG THREE • OPTIMIZED

Optimizing means moving one measured number on one hot path.

Optimization without a profile is decoration. You need the measurement first, the target second, and a willingness to accept the complexity you are about to add.

THE TELL

A profile shows which tenth of the work is most of the cost.

PREMATURE IS HALF THE QUOTE

Knuth also wrote that we should not pass up the critical three percent. Both halves.

COMPLEXITY IS THE INVOICE

Each optimization narrows the assumptions the system is allowed to break.

RUNG FOUR • OPTIMAL

Optimal means provably best against an objective you wrote down.

Rarer than it sounds. It needs a stated objective, a stated model, and a proof or a bound — and it is optimal only for the assumptions you fixed in place.

THE TELL

The objective is a function and the constraints are inequalities, on paper.

THE PROOF IS AGAINST A MODEL

Change the assumptions and the optimal answer changes underneath you.

IT AGES BADLY

An optimal design pinned to last year's hardware is a legacy system with a certificate.

A specialized system trades generality for something nobody can copy.

Custom silicon, a purpose-built storage engine, a scheduler that knows your physics. You give up flexibility, portability and hiring pool for a capability the market cannot sell you.

THE SIGNAL

The advantage is durable, measurable, and central to why customers choose you.

THE COST NEVER ENDS

You now maintain what everyone else gets free from a vendor, forever.

ALMOST NOBODY IS HERE

Most teams reaching for this rung needed the optimized one and got excited.

THE RULE

Climb one rung at a time, and only on evidence.

MOVE UP WHEN THE CURRENT RUNG FAILS ON A MEASUREMENT

A number, a profile, a named risk.
Not a feeling that things are
getting big.

MOVE UP EXACTLY ONE RUNG

Jumping from MVP to optimal
buys rigor for assumptions
nobody has tested yet.

MOVE BACK DOWN WHEN THE EVIDENCE CHANGES

A rewrite that simplifies is a
legitimate move.

A design is finished when taking one more thing out would break it.

Antoine de Saint-Exupéry wrote that perfection arrives not when there is nothing left to add, but when there is nothing left to take away. Dieter Rams said it in three words: less, but better. Both are tests you can run on a whiteboard at four in the afternoon.

RUN IT ON EVERY BOX

Delete it on paper and follow what happens. If nothing downstream changes, it was never holding anything up.

RUN IT ON EVERY NUMBER

A figure nobody can act on is decoration. Turn it into a threshold or take it out.

LESS, BUT BETTER, IS NOT LESS

Rams designed for decades of use. Removing something the system needs is not restraint, it is a defect.

YOUR TURN

Three requests arrive this week. Name the rung each one is asking for.

One: a founder wants to know whether anybody will pay for something that does not exist yet. Two: a service that works fine is about to take ten times the traffic, and nobody knows what gives first. Three: the bill for a single endpoint is now larger than the team that owns it.

Write a rung for each and one sentence on what it costs. Then turn the page.

ONE ANSWER

The question sets the rung. The size of the company does not.

- 01

Will anybody pay?

MVP. You are buying information and paying for it with everything you will throw away.
- 02

Ten times the traffic


Scaled. You are buying headroom and paying in machines and the coordination they need.
- 03

The bill is too large

Optimized. You are buying back cost and paying in flexibility. Profile first, or you are decorating.

THE ARC

Four movements carry a system from nothing to running, and this deck teaches the first two.



KEY INSIGHT
Every exercise from here works discover, design, or both. Maya's Tuesday sat inside somebody else's design.

04

PART FOUR

Six kits hold sixteen things
you can reach for, and the
invariants behind all of them.

Every constraint in Maya's Tuesday was somebody's kit choice, made before she was hired.

The twelve-minute build is a compute choice. The registry that stopped three teams is an infrastructure choice. The deploy that stayed safe all day is a reliability choice that happened to work.

She made none of them and lived inside all of them. What follows is the menu those choices came from, and the price on each one.

HOW TO READ A KIT

Every entry in every kit answers the same three questions.



One shape for every entry you choose between — a store, a runtime, a delivery tier, a quota — so you can hold two options side by side without re-reading a manual. Scale and reliability are mostly practices rather than choices, so those two kits run on diagrams, patterns and invariants instead. Every kit opens with a diagram and closes with its invariants.

The entries name concepts, not products. Products turn over every few years. The constraint that an append-only store puts on your reads does not.

DATA

**Every storage choice is a bet
about how you will read it later.**

In two of the four, one store answers the question it was written for.





KEY INSIGHT

A cache and a CDN are one idea at two distances: keep the answer nearer than its store.

★ Run Part three's removal test on either shape: take the cache or the CDN out and the system still answers, slower and from further away. The store alone is a working design. A copy that exists to answer a different question — one you could not simply remove — starts on the next slide.

In the other two, a second copy exists so somebody can ask a different question.

**KEY INSIGHT**

The moment you copy data to answer a new question, you own the lag between the copies.

The product name is the last thing you decide about a store.

Answer these before anyone says a brand. Most database arguments are really a disagreement about question two.

01	Shape	How the data is structured.	Rows, documents, or edges?
02	Access	How it is read and written.	Lookups, ranges, or scans?
03	Consistency	What a reader may see.	Must it be the latest?
04	Scale	Size, throughput, growth.	Does it fit one machine?
05	Cost	Money, operations, skill.	Who runs it at 3am?

Those five questions do not all fire at once. The choice runs in three passes.


Pass one takes three of those five — shape, access, and whether it still fits one machine — and picks the store you start from. The next slide draws it as a tree, and for most systems it is the whole decision.

Pass two asks a sixth question the five do not cover: do you need a capability no shape provides? There are six of those, and one can delete a whole tier.

Pass three runs only when two candidates both fit, and settles it on how each behaves at 3am rather than on what it stores.

Consistency is not a pass. You carry it into all three.


Start at relational, and the first question sends most systems home.



KEY INSIGHT


Most systems answer no here. If you are not sure which you are, you are a no.

If you outgrew one machine, the next question is whether you still need joins.

**KEY INSIGHT**

An engine that partitions itself is the cheapest way to keep what relational gave you.


The first two shape questions ask whether a lookup is enough.



KEY INSIGHT

Both of these give up the join to buy a lookup that stays cheap however much you store.

The last two ask whether you are spreading rows or keeping bytes.



KEY INSIGHT

Reaching the last box is not failure. It is what a system with two jobs looks like.

YOUR TURN

Three teams want a new store. Say which of them has actually outgrown relational.

One: a payroll system, four thousand employees, thirty tables, and finance asks a new question every quarter. Two: a metrics pipeline writing four hundred thousand samples a second, read back by series and by time range. Three: a startup with nine thousand users whose engineer says the database will not scale.

Answer the tree's first question for each, and say whether the tree stops there.

Then turn the page.

ONE ANSWER

For two of the three, the first question is the whole answer.

01 Payroll, four thousand employees

No. Thirty tables and questions nobody has asked yet are the case relational was built for, and four thousand rows is not a size. The tree stops here.

02 Four hundred thousand samples a second

Yes. No single machine takes four hundred thousand writes a second, so the tree walks on — joins next, then the shape questions decide the store.

03 Nine thousand users

No, so it stops here too. "Will not scale" is not a measurement — the tree wants a table that outgrew a machine, and you have brought it a feeling.

A relational store is the default until you can name why it is not.

Reach for it when

Entities relate, writes touch several at once, and the questions will keep changing.

Walk away when

One table outgrows one machine's writes, or the schema genuinely differs per row.

The constraint you inherit

Joins and transactions need a coordinator. Self-sharding loses both; a distributed engine charges a round trip.

An engine that partitions itself saves you from sharding by hand.

Reach for it when

One table outgrew one machine and you still want joins, transactions and a schema.

Walk away when

Every query is a single exact key, or the budget cannot carry cross-partition coordination.

The constraint you inherit

A transaction across partitions pays a round trip, so related rows still belong together.

A key-value store is a hash map with an operations team.

Reach for it when

You always know the exact key, and handing the value back is the store's only job.

Walk away when

You need to ask any question at all about what is inside the value.

The constraint you inherit

There is no second way in. Every new query means a new key you write and maintain yourself.

Choosing a document store means choosing to keep one object whole.

Reach for it when

A read fetches one self-contained object, and the shape varies between records.

Walk away when

The same fact lives in many documents and has to stay consistent across them.

The constraint you inherit

Denormalized copies. Every update to a shared fact becomes a fan-out — one write you now owe to many places.

A wide-column store buys enormous write throughput and freezes your queries.

Reach for it when

Writes are relentless, and every read is a partition key plus a sorted range.

Walk away when

Query patterns are still moving, or you need a transaction across partitions.

The constraint you inherit

The primary key is the schema. Changing how you query means rewriting the data.

An object store is the cheapest home for a write-once file.

Reach for it when

Items are large, written once, fetched by key, and must survive for a decade.

Walk away when

You need to modify part of an object, or to list and filter by what is inside it.

The constraint you inherit

Listing is slow and expensive. The index of what you stored belongs somewhere else.

A capability usually adds a store beside the source. Live push and retention replace the one you started from.

CAPABILITY	THE QUESTION IT ANSWERS	WHERE IT LIVES
Similarity	What is closest in meaning to this?	A vector index
Ranked text	Which document best matches these words?	A search index
Proximity	What is within two kilometers?	A geospatial index
Live push	What changed, the moment it changed?	A store that streams
Retention	What did this metric do all month?	A time-series store
Unbounded traversal	Who is reachable from here, however many hops?	A graph store

A graph store is for questions that traverse, not questions that filter.

Reach for it when

The query walks relationships of unknown depth: reachability, paths, recommendations.

Walk away when

You have relationships but only ever join two hops. A relational store does that faster.

The constraint you inherit

Traversals resist partitioning, so scaling out is genuinely harder here than anywhere else.

HALFWAY

Two of the stores on that list look derived, and both are where truth lands.

Nothing regenerates a photograph or last Tuesday's CPU samples, so an object store and a time-series store are where those facts first arrive. They are sources of truth wearing the clothes of a derived tier.

The genuinely derived stores are the search index, the vector index, the cache and the warehouse. Anything derived must be rebuildable, must be allowed to lag, and must never be the only copy.

A cache converts a correctness problem into a timing problem.

Reach for it when

Reads repeat, the source is expensive, and slightly stale is genuinely acceptable.

Walk away when

Staleness is unsafe, or the working set is larger than the cache will ever be.

The constraint you inherit

Invalidation. You now own a second copy whose wrongness is measured in seconds.

A durable log turns "do it now" into "do it reliably, soon."

Reach for it when

Producers outpace consumers, or several systems need to see the same events.

Walk away when

The caller needs the result inside the same request.

The constraint you inherit

At-least-once delivery. Every consumer must be idempotent or you will charge somebody twice.

Four columns settle most arguments about stores.

STORE	ACCESS	CONSISTENCY	SCALES BY	WEAK AT
Relational	Key, range, join	Strong on the leader	Replicas, then partitioning	Cross-shard writes
Distributed SQL	Key, range, join	Strong across partitions	Horizontal	Cross-partition transactions
Key-value	Exact key	Engine-specific	Horizontal	Rich queries
Document	Key, secondary index	Engine-specific	Horizontal	Facts split across documents
Wide-column	Partition plus range	Tunable	Horizontal	New query patterns
Object store	Exact key	Read-after-write, overwrites included	Effectively unbounded	Listing, and changing part of an object

A replica serves reads and always lags the copy it follows.

Reach for it when

Reads outgrow one machine, and a few seconds behind is safe for most of them.


Walk away when

A reader must see their own write, or you hoped the copy would take writes too.

The constraint you inherit

Lag, and promotion. A reader sees a past you have left, and a promoted replica loses whatever never reached it.


When a link breaks, you pick. There is no third answer.



KEY INSIGHT

This is CAP, and it only applies while the link is broken. That is rarer than people think.

The bill you actually pay is the one that arrives when nothing is broken.



KEY INSIGHT

CAP asks a different question. This is the one you answer on every read, for years between outages.

Consistency is not one thing, and most arguments are about which kind you meant.

- | | | |
|----|------------------|---|
| 01 | Linearizable | Every read sees the latest write. Costs a coordination round trip, every time. |
| 02 | Read your writes | You always see your own edits. Anyone who has just typed something expects at least this. |
| 03 | Eventual | Replicas agree in the end. Cheapest, and correct for feeds, counters and presence. |

ACID and BASE answer different questions.

Ask whether coordinating now costs less than reconciling later.

I ACID

Coordinate first, so the data is never observably wrong. You pay in latency and in how far you can partition.



II BASE

Diverge now, converge later. You pay in application code, because every reader must tolerate stale state.

YOUR TURN

A link between two regions breaks for ninety seconds. Say what each write does.

One: a like on a post. Two: the last seat on a flight. Three: "you are now following this account", shown back to the person who just tapped it.

For each, say whether you take the write or refuse it while the link is down, and which level of consistency it needs the rest of the time. Then turn the page.

ONE ANSWER

Only the seat refuses, for ninety seconds — then pays a round trip on every read for years.

01 A like Take it. Eventual is correct: two replicas disagreeing about a count for a second costs nothing, and refusing costs you a user.

02 The last seat Refuse it. Two sides both selling 14C is the divergence CAP is about, and the price the rest of the time is linearizable — a round trip on every read.

03 Your own follow Take it, and read your writes. The person who just tapped will look immediately; nobody else notices for a second.

An index is a second copy of your data, sorted for exactly one question.

Indexes make reads fast by making writes slower and storage larger. Each one is a promise to maintain a sorted structure on every single insert, update and delete, forever.

THE TELL

You can name the exact query each index exists to serve, out loud, right now.


THE BILL ARRIVES ON WRITES

Five indexes mean five extra structures touched on every insert.

HOW MANY ROWS IT REMOVES, NOT HOW MANY VALUES IT HAS

An index earns its keep by how rare a match is. Three evenly spread values narrow nothing; three where one is rare narrow almost everything.

Sharding buys throughput by giving up the questions that cross shards.



KEY INSIGHT

The dotted line is the query you will want in a year and cannot have.

The shard key is the decision you cannot undo cheaply.

By hash of the key

Spreads load evenly and destroys range queries. The safe default.

By range

Keeps ranges fast and invites a hot spot on the newest range.

By tenant or region

Matches both the access pattern and the law, until one tenant grows enormous.

KEY INSIGHT

Name the query that will cross shards. If you cannot, you chose a hash, not a key.

Two machines never agree on the time, so never let a clock alone decide an order.

Reach for it when

Anything is sorted, paged or deduplicated. A sortable id carries time and writer in one value.


Walk away when

One writer owns the sequence and a unique id breaks the ties. Then a clock is enough.

The constraint you inherit

An id you sort by can never change, and every page cursor comes to depend on it.

Changing a column on a running system takes five steps, not one.



A deploy is never atomic, so every change must tolerate the version beside it.

For the minutes or hours a rollout takes, two versions of your code run against one store. Both have to work. That is the entire reason for the five steps: each one is safe while the step before it is still live, which is exactly what a rollout cannot promise you about any bigger jump.

The same rule governs an API other people call. Add fields, never repurpose them. Make anything new optional. Remove nothing until you can show that nobody calls it — and if you cannot show that, you have not earned the right to remove it.

A delete is a fan-out that reaches every copy you ever made.

The row itself

A tombstone, not a gap. Replicas have to learn the row is gone.

Every derived copy

Caches, feeds, search indexes, aggregates. Each holds its own copy and each needs telling.

The backups

You cannot rewrite a backup. Set a retention window and let the copy expire instead.

The bytes at the edge

A CDN serves what it cached. Purging is eventual, so signed URLs need short lives.

KEY INSIGHT

Design the delete when you design the write. Retrofitting one across six stores is a quarter of somebody's year.

Four sentences hold, or the data design is not one you can defend.

01

One source of truth per fact

Every other copy is derived and says so.

02

Every derived copy rebuilds — and deletes

Unattended from the source, and gone from all of them on request.

03

Every queue consumer is idempotent

At-least-once is the only delivery you get.

04

Every write path states its consistency

"Whatever the database does" is not a level.

YOUR TURN

Pick a store for each of these, and name the query that will hurt.

One: a table of orders, ten thousand a day, where support answers questions nobody has asked yet. Two: a session token, looked up on every request and never scanned. Three: eight years of sensor readings, written once, read by device and by day.

Write the store and the one query that will cross a partition. Then turn the page.

ONE ANSWER



One of these never leaves relational. The other two were never relational to begin with.

- | | | |
|----|---------------------------|---|
| 01 | Ten thousand orders a day | Relational, for years. Ten thousand a day is nothing, and the unasked questions are the requirement. Nothing crosses a partition, because nothing is partitioned. |
| 02 | A session token | Key-value. Exact key, no scan, expiry built in. The query that hurts is "which sessions belong to this user". |
| 03 | Eight years of readings | Wide-column by device and time — or a time-series store, which is that shape with retention built in. The query that hurts is one day across every device. |

COMPUTE

Choosing compute is
choosing how much of
the machine you still own.

Two of the four shapes decide whether the caller waits for the work.





KEY INSIGHT

The balancer needs every instance to be interchangeable. The queue needs every worker to be repeatable.

★ The data kit closed owing two things it could not supply itself. A derived copy that rebuilds unattended needs something to run the rebuild, and an idempotent consumer needs something to be a consumer. Both are on this slide: the bounded queue and the worker pool that kit kept assuming.

The other two start from something that happened, not somebody who asked.



KEY INSIGHT

Nobody is on the phone, so the only deadline is one you promised somewhere else.

A virtual machine is what you reach for when the process outlives the request.

Reach for it when

The workload runs continuously, holds state in memory, or needs unusual kernel settings.

Walk away when

Traffic is spiky and idle machines start to dominate the bill.

The constraint you inherit

Patching, capacity planning, and the gap between staging and production are now yours.

A container makes the deployable unit identical everywhere it runs.

Reach for it when

You run many services, deploy often, and want one packaging story across all of them.

Walk away when

You run one small service. The scheduler that places containers on machines costs more than it saves at that size.

The constraint you inherit

The orchestrator is now infrastructure, with its own failure modes and its own pager.

A function is compute you rent by the millisecond, so idle costs you nothing.

Reach for it when

Traffic is spiky or rare, the work is short, and per-request isolation is welcome.

Walk away when

Runs are long, or steady traffic makes per-request pricing more expensive than a machine.

The constraint you inherit

Cold starts, unless you pay to keep instances warm — which is paying for idle again.

Statelessness is what makes a machine replaceable.

A STATEFUL INSTANCE

It holds something no other instance has: a session, a lock, a warm cache, an open connection. Scaling means moving that state, and a crash means losing it.



A STATELESS INSTANCE

Any instance serves any request because the state lives somewhere else. Scaling is arithmetic and failure is a routing change.

Anything you run should satisfy all four before it meets real traffic.

01

Any instance can be killed without a customer noticing

If that is false, you have state you have not named yet.

02

Deployments are reversible

A rollback is a routine operation, not an incident response.

03

Capacity is a number somebody owns

Not "it autoscales" — a ceiling, a cost, an owner. Maya's build had none of the three.

04

Startup does not depend on startup order

Services retry into each other instead of requiring a sequence.

YOUR TURN

Three workloads land on your desk. Say what each one runs on.

One: a nightly job that reads the whole orders table and writes one report file — forty minutes, once a day. Two: an API taking three thousand requests a second, deployed six times a day by four teams. Three: a thumbnail made whenever somebody uploads a photo — a few hundred a day, at no fixed time.

Name what each should run on, and the invariant it fails first if you get it wrong.

Then turn the page.

ONE ANSWER

Idle decides the last one. Neither of the first two is a cost argument.

01 The nightly report

A machine or a container on a schedule; what it is not is a function. Forty minutes outlives most function runtime caps, and one long run is not spiky. The invariant it fails first: capacity is a number somebody owns.

02 Three thousand a second, six deploys a day

Containers behind a balancer — many teams, frequent deploys, one packaging story. It fails "any instance can be killed" the moment somebody keeps a session in memory.



03 A few hundred thumbnails

A function on the upload event. Idle is most of the day and costs nothing, and the cold start it charges for is one nobody is waiting on. The invariant it fails first: startup does not depend on startup order — the event fires whenever it fires, so a function that assumes its index is already up breaks at 3am.

NETWORK

**Distance is the one cost
you cannot optimize away.**

Two of the four patterns decide how far a request travels before your code sees it.




KEY INSIGHT

One of them ends the trip early. The other decides where the rest of it goes.

★ Two of the compute kit's invariants quietly assumed a wire. An instance is only killable unnoticed because something in front of it reroutes, and services only retry into each other across a call that can fail. Here is that wire, and its first bill is distance.


The other two set what the conversation costs once it arrives.



KEY INSIGHT

A deadline is a budget you spend down. A stream is a budget you keep paying.

A tap crosses several hops before your code sees it, and each one spends budget.



KEY INSIGHT

Eighty of those milliseconds are spent before your code runs, and none of them are yours.

Most latency arguments end the moment somebody says the actual numbers.

01	Memory read	100 ns
02	Read from an SSD	100 μ s
03	Datacenter hop	0.5 ms
04	Seek on a spinning disk	10 ms
05	Cross-continent round trip	150 ms

Light in fiber covers about 200 kilometers per millisecond.

Nothing changes that. The measured 150 milliseconds is well above the straight-line floor, because packets do not travel in straight lines and every hop queues.

A design that needs three sequential intercontinental round trips has spent nearly half a second on distance alone, whatever else it does in between. Replication, caching and edge delivery all exist to buy that distance back, and none of them makes it free.

A CDN moves bytes closer to readers, and ends the connection there too.

Reach for it when

The content is large, popular, and identical for many people.

Walk away when

Nothing is shared and nothing is far. A personal response still wins the handshake back.

The constraint you inherit

A second copy with its own staleness. Version immutable URLs; purge the rest, and time the purge.

A request with no timeout is a resource leak waiting for a bad afternoon.

Every waiting request holds a connection, a thread and some memory. Under a slow dependency, unbounded waits turn one struggling service into a queue of stuck callers — which is the shape of the page that pulled Maya in at twenty to eleven.

WHAT GOOD LOOKS LIKE

Every outbound call has a deadline, and the deadline shrinks as it propagates.

RETRIES NEED A BUDGET

Retrying without a cap turns a brief failure into a flood you built yourself.

BACKOFF MUST BE RANDOM

Synchronized retries arrive together and rebuild the spike you just survived.

A call that leaves your process owes you four things.

01

Every remote call has a deadline

Inherited from the caller, and always shorter than the caller's own.

02

Every retry has a budget and jitter

Bounded attempts, randomized delays, and a breaker when the target is down.

03

Every write is idempotent or keyed

The network will deliver your request twice. Decide now what that means.

04

Distance appears in the design

Counted on purpose, not discovered in production. Nobody counted Maya's reviewer, six time zones away.

YOUR TURN

A reader in Frankfurt opens a page served from Virginia. Say where the budget goes.

The page has 400 milliseconds. Loading it costs three sequential cross-continent round trips — the page itself, then an API call it depends on, then an image nothing knew about until the first two came back — plus about 60 milliseconds of work inside your own datacenter.

Add it up, name the one change that buys back the most, and say what that change costs. Then turn the page.

Distance is almost all of that page, and only one move touches it.

01 The bill 3×150 is 450 milliseconds of round trips, and about 60 more of your own work in between them. The budget was 400, so the page is late by more than the work takes.


02 The move End the connection near the reader. A CDN serves the page and the image from the edge; the API call is the one that still has to cross. Three round trips become one.

03 What it costs You now keep the page in two places, and the edge copy is only as fresh as your last purge. The distance did not go away; you stopped paying it three times.

SCALE

Every scaling change
is one of four moves.

The first two moves both add a copy of something you already had.




KEY INSIGHT

Both bills arrive in the same currency: something you are reading is now out of date.

★ You have met both of these already, as stores. The cache was a data choice and the replica was a consistency choice; here they are again as scaling moves. The network kit is why: once distance is counted on purpose, the only way to spend less of it is to keep a copy nearer — and the bill is the one the data kit already named.

The other two move the work instead — to later, or to somewhere else.



KEY INSIGHT

Both bills arrive as an answer you cannot have right now: not yet, or not from here.

Little's law ties concurrency, throughput and latency together.

$$L = \lambda W$$

WHERE

- L — requests in flight at once
- λ — arrivals per second
- W — time each one spends inside

The formula sizes your thread pool before anyone guesses.

At 2,000 requests per second averaging 50 milliseconds each, 100 requests are in flight at any moment. That is your minimum concurrency, and no tuning makes it smaller while the other two numbers hold.

Maya's Tuesday is the same arithmetic at human scale. Two builds a day at twelve minutes each leave the build fleet idle almost all day — which tells you it has spare capacity and nothing else. Low utilization never means off the critical path. The reviewer was her bottleneck because he was serial, had five pull requests queued in front of him, and was awake for one of the hours that mattered.

WHEN IT GOES WRONG

Tripled latency breaks a bounded pool and an unbounded one in opposite directions.

Leave the pool unbounded and the arithmetic runs forward: latency triples, so the requests in flight triple with it, and a machine sized for the good day runs out of memory.

Bound it at 100 and concurrency cannot rise, so throughput falls instead.

`100/0.15s` is about 667 a second against the 2,000 still arriving, and the queue in front grows without limit until something sheds it.

Neither is a tuning problem. The first is why pools have ceilings, and the second is why every queue behind one needs a ceiling too.

The average request is a fiction, and your users live in the tail.

A page that makes 100 parallel calls waits for the slowest one. Give each call a one-percent chance of being slow. Then 63 percent of pages hit at least one slow call. That is $1 - 0.99^{100}$, and you can redo it on a napkin.

THE CHECK

A percentile describes requests. A person makes dozens a day, so far more than one percent of people meet your p99. Report the 99th percentile, and keep the average for capacity only.

FAN-OUT AMPLIFIES IT

More parallel calls turn a rare slow response into a common slow page.

HEDGING BUYS IT BACK, ON A BUDGET

Send a duplicate after the 95th percentile and take whichever answers first. A hedge is a second request, so cap it — a few percent of traffic. Unbudgeted, it is the reinforcing loop again, arriving exactly when you are already slow.

Each caching pattern owns a different failure.

Cache-aside

The app fills the cache on a miss. Simple, and it stampedes on a cold key unless one reader fills it while the rest wait on that one fill.

Read-through

The cache fetches for you. Cleaner code, and now the cache is on the critical path.

Write-through

Write both together. Always fresh, and every write pays the cache's latency.

Write-behind

Write the cache, flush later. Fastest writes, and a crash loses them.

KEY INSIGHT

Choose by which failure you can survive, not by which pattern reads best in code.

Idempotency is what makes a retry safe, and retries are not optional.

Networks duplicate, clients retry, queues redeliver. The only question is whether the second delivery is harmless or charges somebody twice.

THE RULE

Every mutating endpoint takes a client-supplied key and deduplicates on it.

THE KEY COMES FROM THE CALLER

Generated before the first attempt, reused on every retry of that same intent.

STORE THE RESULT, NOT THE FACT

A repeat returns the original answer, not an error saying it already happened.

Nothing here is scalable until the last of the four is true.

01

The bottleneck is named and measured

Not suspected. A number, a graph, and the resource it belongs to.

02

Every queue is bounded

An unbounded queue turns a throughput problem into a memory outage.

03

Admission control sheds load before the system collapses

A balancing loop from Part one, and the move Maya made at 15:50 when she stopped answering.

04

Adding a machine is routine

No manual steps, no rebalancing outage, no cold-cache stampede.

YOUR TURN

Your service takes 1,200 requests a second at 40 milliseconds each. Size it.

First: how many requests are in flight at once? Then a dependency slows and each request now spends 160 milliseconds inside, while the same 1,200 keep arriving.

Second: say what happens with an unbounded pool, and what happens with the pool your first answer sized. Do the arithmetic before you turn the page.

One number, then two failures that look nothing alike.

01 In flight at once $1,200 \times 0.04$ is 48. Arrivals and service time are both givens here, so 48 is arithmetic, not a setting you can tune down.



02 Unbounded $1,200 \times 0.16$ is 192 in flight. The machine you sized for 48 runs out of memory, and nothing warned you on the way.

03 Bounded at 48 Concurrency cannot rise, so throughput falls to `48 / 0.16`, about 300 a second against 1,200 still arriving. Nine hundred a second pile up in front, and nothing stops that except shedding them.

RELIABILITY

**Failure is the environment,
not the exception.**

Two of the four patterns put a wall between what failed and what has not.





KEY INSIGHT

A wall only works if the two sides do not share the thing that broke.

★ The scale kit's third invariant asked for admission control — shed load before the system collapses. That is a reliability pattern doing scale's work, and it is on the next slide. The two kits differ in the question: scale asks what happens when there is more of everything, reliability asks what happens when one part of it stops.


The other two answer anyway, rather than make the caller wait.



KEY INSIGHT

Stale is an answer and refused is an answer. Timing out is neither.

Redundancy only helps when the copies can fail apart.



KEY INSIGHT

Two copies of one mistake are still one copy.

A slow dependency takes the whole building unless something bounds the wait.

STEP 01

Timeout

Bound the wait, so a slow callee cannot hold your resources.



STEP 02

Retry with backoff

Recover from a blip, with a budget and jitter. Retries without them are a reinforcing loop.



STEP 03

Circuit breaker

Stop calling something that is clearly down, and let it recover.



STEP 04

Bulkhead

Give each dependency its own pool, so one queue cannot drain them all.

Four words people use interchangeably decide whether you may ship this week.

- 01 SLI** The measurement: the share of requests served under 300 milliseconds.
- 02 SLO** Your internal target for it, such as 99.9 percent over 28 days.
- 03 SLA** The external promise, with money attached, and always looser than the SLO.
- 04 Budget** What the objective lets you spend. Exhausted, feature work stops.

An availability target is a budget that shrinks fast.

01	99 percent	3.65 days per year
02	99.9 percent	8.8 hours per year
03	99.99 percent	53 minutes per year
04	99.999 percent	5.3 minutes per year

Past three nines the humans stop being fast enough.

Fifty-three minutes a year is about one incident with a page, a login, a look at a dashboard and a decision. So four nines does not mean a faster on-call engineer. It means automatic failover and automatic rollback, because a person is no longer in the loop.

Each nine roughly multiplies the cost. Pick the number the business actually needs, and write down what you are choosing not to buy.

Each signal answers a different question, and none of them replaces another.

Metrics

Cheap, aggregate, always on.
They tell you that something is wrong.

Logs

Detailed, expensive, one event at a time. They tell you what happened in one case.

Traces

One request across every service.
They tell you where the time actually went.

KEY INSIGHT

If you cannot answer "which dependency is slow" inside a minute, you have metrics, not observability.

A well-designed system gets worse in an order somebody chose.

Under pressure something has to give. Either you decided in advance which features degrade, or the system decides at random and drops the one that takes money.

THE RULE

Every feature has a stated tier, and the lowest tier fails first by design.

READ PATHS OUTLIVE WRITE PATHS

Serving something slightly stale beats serving an error page, for almost every product.

THE FALLBACK IS EXERCISED

An untested degraded mode is untested code running in your worst hour.

Production earns trust one of these at a time.

01

Every dependency has a defined failure behavior

Written down: degrade, queue, or fail fast. Three teams found out at 09:05 that nobody had.

02

Redundant copies fail independently

Different zones, different deploys, different upstreams. Otherwise it is one copy.

03

Recovery is practiced

Restores, failovers and rollbacks happen on a schedule, not for the first time at 3am.

04

The system tells you before a user does

Alerts fire on the indicator, never on the complaint.

YOUR TURN

Three dependencies go slow rather than down. Say what the page does.



Your service renders a product page inside a 300-millisecond budget, calling a price service, a recommendations service and a reviews service in parallel. Each in turn starts answering in two seconds instead of forty milliseconds.

For each, say what the page shows and which containment pattern makes it do that. Then turn the page.

SECURITY

Assume the boundary
is already crossed.

Two of the four defenses limit what a caller may do once it is already inside.




KEY INSIGHT

Neither one asks whether the caller is honest. Both are written as if the caller is lying.

★ The reliability kit asked whether your copies fail apart. This kit asks the same question about credentials: when one is stolen, does the damage stop somewhere, or does it reach everything the service can reach? A blast radius is a blast radius, whether the cause is a dead zone or a leaked token.


The last two cover both directions in which data leaves your control.



KEY INSIGHT

Sign what leaves, distrust what comes back: neither runs on a machine you own.

Every arrow that crosses a trust boundary needs a check on the far side.



KEY INSIGHT

The check belongs on the far side of the line, never the near side.

Authentication asks who you are. Authorization asks what you may touch.

AUTHENTICATION

Establishes identity once, at the edge, and hands down a claim anyone downstream can verify. Getting it wrong lets the wrong person in.



AUTHORIZATION

Decides, on every single request, whether this identity may touch this specific object. Getting it wrong lets the right person read somebody else's data.

Least privilege is measured by what one stolen credential can reach.

Assume any single credential eventually leaks. The design question is not whether that happens; it is how far the person holding it can travel, and for how long.

THE CHECK

You can say in one sentence what each service account could reach if stolen.

SCOPE IT AND EXPIRE IT

Narrow permissions, short lifetimes and automatic rotation beat a careful human.

SEPARATE READ FROM WRITE

Most services need one or the other. Almost none needs to delete.

Encryption has three states, and a fourth thing that outranks all of them.

- 01 Transit** TLS everywhere, including between your own services. Networks are untrusted.
- 02 Rest** Disk and backup encryption. Stops a stolen device, not a stolen credential.
- 03 Use** Decrypted in memory to be processed. The hardest state, and the one attacked.
- 04 Keys** A managed store or an HSM, rotated on a schedule, never in the repository.

Six questions find the holes before somebody else does.

- ☐ Can someone pretend to be another identity? spoofing
- ☐ Can data be changed in transit or at rest? tampering
- ☐ Can an actor deny having done something? repudiation
- ☐ Can private data reach the wrong reader? disclosure
- ☐ Can one caller exhaust a shared resource? denial
- ☐ Can a caller gain rights nobody granted? elevation

Most of the code you ship, you did not write and have not read.

Maya's Tuesday stopped when a package registry went down. That same registry is also the shortest path into her build: whoever can publish a version she installs can run their code on her machine, and then inside her deploy.

Pin exact versions and commit the lock file, so the build you tested is the build that ships. Keep an inventory of what you actually depend on, including everything your dependencies pulled in behind you. Take updates on a schedule you chose rather than the moment they appear, and read the diff of anything that touches a credential, a network call, or a build step.

An authorized caller can still take the whole system down.

Reach for it when

Anything is shared: a database, a queue, a paid third party, an image decoder.

Walk away when

The caller is a trusted internal batch you would rather see fail loudly than throttled.

The constraint you inherit

A limit needs an identity to count against. Use the account, the key and the address.

Sign your name to a design only when you can say all five.

01

Every request is authorized against the specific object

Not the endpoint. Object-level checks are where the breaches happen.

02

Secrets never enter the repository or a log line

They live in a managed store, are injected at runtime, and they rotate.

03

All input is untrusted, including from your own services

A compromised internal caller is the ordinary case. Design for it.

04

Every privileged action is attributable

An immutable record of who, what, when, and from where.

05

Every dependency is pinned, inventoried and rate-limited

You did not write most of your code, and an authorized caller can still exhaust you.

YOUR TURN

Run those six questions on one arrow: the presigned upload URL.

A client asks your API for a URL, then writes bytes straight into your object store with it. Nobody on your side sees those bytes until they have landed.

Name three of the six that land on that one arrow, and the limit that stops each.
Then turn the page.

Three of the six land on that arrow, and one grant answers all three.

01 Tampering The client picks its own key and writes over somebody else's photo. The grant names the exact key.

02 Denial One account fills your storage at your expense. The grant carries a size ceiling and a rate per account.

03 Elevation Chosen bytes reach an image decoder that never expected them. The grant names one content type and expires in minutes.

Registration opens at nine. Discover the system before you design any of it.

Twelve thousand students, every one of them refreshing at 08:59. Six thousand courses, most with a hard seat limit. A seat handed to two people is something a human has to unpick, by hand, with an apology.

Write four lines: the protagonist, the antagonist, one invariant that must never break, and the number that describes the antagonist. Then turn the page.

Four lines, and the last two decide the design.

Protagonist A student at 08:59, one course short of a full timetable.

Antagonist Twelve thousand people arriving in the same second.

Invariant A seat is held by one student or by nobody. Never two.

The number ~12,000 requests in the first second, then near zero all term.

The invariant wants one writer and a transaction. The number wants everything spread wide. Those two pulling against each other is the design.

Now design it, on the same four lines.

You have the six kits and everything in them. Name the rung this is asking for, two entries you would reach for and what each one holds up, and one box you would take out on paper.

Do not draw an architecture. Four lines again, then turn the page.

WHAT YOU NOW HOLD

Sixteen entries, six sets of invariants, and one thing worth admitting.

You will not reach for most of these. The bigger design ahead spends six of them, and the smaller one spends five. That is what a kit is: what you own, not what you use.

The entries are concepts, not products, so they outlast the names. What you carry out of here is the sentence you can now say when you did not reach for something.

05

PART FIVE

Now we design the thing Maya opened while the train sat.

You fill in all of these before the first box, except the eighth. That one you discover.

Protagonist	A reader on a phone. Twelve opens a day, on cellular.
Antagonist	The shape of the follow graph – a tail at 5×10^8 edges.
Purpose	A fresh, personal, ranked page in under a second.
Boundary	In: feed, posts, edges, media. Out: the phone, the network, the law.
Environment	Evening peak $\sim 2.5x$ the mean, partitions, duplicate deliveries, people who want in.
Constraints	200 ms p99 · 60 opens per write · media durable forever
Invariants	A post reaches eligible followers · media never lost · a like counts once
Bottleneck	Suspected: filling in each post. Confirm it once the read path exists.
Solution type	Scaled. Not an MVP, not optimal.

The whole product rests on four operations.

01

Post a photo

Upload media, attach a caption, publish it to the people who follow you.

02

Follow an account

Build the directed graph that decides whose posts you are eligible to see.

03

Read a feed

A ranked, paginated page of recent posts from the accounts you follow.

04

React

Like and comment, with counts visible on every post.

What you promise decides the architecture more than what you build.

01

The feed serves in under 200 milliseconds

Server-side, 99th percentile, measured from the reader's own region.

02

Reads dominate writes by about sixty to one

Counted in opens. Push fan-out nearly erases that underneath: 330K feed writes a second against 420K feed reads.

03

Posts, media and the graph are durable forever

Lose any of the three and nothing rebuilds them. Only derived data rebuilds.

04

Eventual consistency is fine on the feed

A late post and a lagging count are fine. A blank count is not.

Two assumptions and some division give you every number that matters.

Assume 500 million daily users opening the feed twelve times a day, and 100 million photos posted a day. The rest is division. Twelve opens each, times five hundred million people, over the seconds in a day: about **70K** feed opens a second. A hundred million posts over the same day: **1.2K** writes. At two megabytes each: **200 TB** a day. The ratio lands near **60:1**.

One of those numbers does less work than it looks. Change the 500 million, holding opens and posts per person fixed, and the ratio does not move at all.

Four numbers decide something here. The 500 million users decide nothing.

- | | | |
|----|--------------------------------|---|
| 01 | Writes · 1.2 K/s | One machine could take the posts. Each one becomes hundreds of feed writes, which is the hard part. |
| 02 | Feed opens · 70 K/s | The number everyone sizes from, and an open is not a request. The real one comes later. |
| 03 | Media · 200 TB a day | An object store, not a database. Settled right here. |
| 04 | Followers · up to 500 M | The only number with no ceiling. Two read paths come from this. |

YOUR TURN

Redo it for a smaller product before you turn the page.

Fifty million daily users, opening the app four times a day, posting two million photos. Work out reads per second, writes per second, and the ratio between them.

Do it now, on paper, in under a minute. Cover the next slide until you have one.

The point is not the answer; it is that you can produce one at all, in the meeting where it is being decided.

THE ANSWER

The ratio moved, and the reason it moved is the lesson.

$50\text{M} \times 4 = 200\text{M reads/day} \div 86,400 \approx 2.3\text{K reads/s}$ · $2\text{M} \div 86,400 \approx 23 \text{ writes/s}$ · $\text{ratio} \approx 100:1$

A thirtieth of the read traffic, and the ratio went from 60:1 to 100:1. It moved because you changed both per-person numbers, opens and posts, not how many people there are. The ratio is opens per user divided by posts per user: it survives being wrong about population, never about behavior.

A daily average is not a capacity number, and two multipliers separate them.


Seventy thousand a second counts opens, averaged across a whole day. A fleet serves neither opens nor averages.

An open is a session: the reader scrolls, and every screenful is another fetch. Call it six, which already puts the mean read rate at 420K a second. Traffic is not flat either — the evening peak runs a few times the daily mean. Call it two and a half.

`70K × 6 × 2.5 ≈ 1M page-fetches a second.` Size against that, and write both multipliers next to it. Leaving them out is how a fleet gets built an order of magnitude too small, and this pair is the pair most often left out.

INSTAGRAM • THE GRAPH

The follow graph is directed, and the two directions are not the same size.



KEY INSIGHT

One of these lists fits in a single request. The other does not fit anywhere.

★ The number of accounts you follow is capped at 7,500. The number who follow you is capped by nothing. Every hard problem in this design sits on that second number.

Your following list is capped. Your followers list is capped by nothing.

Instagram caps your following list at seven and a half thousand accounts. Nobody limits how many people may follow you. An account on the far end of that second number — hundreds of millions of followers — is called a **super node**, and every hard problem here comes from one.

FOLLOWING, PER PERSON

At most 7,500. A read of that list is one partition and a sorted range.

FOLLOWERS, PER PERSON

About 150 for most people. Five hundred million at the top. A million times apart.

EVERYTHING AFTER THIS

Follows from that asymmetry. Nothing else in the design spans that range.

The edge is stored twice, because it answers two different questions.

following

PK (source_id)

CK (target_id)

val bucket, created_at

"does A follow B?" is a point read

capped at 7,500 rows

followers

PK (target_id, bucket)

CK (created_at DESC, source_id)

the follower list, newest first

bucket = hash(source) % B(target)

B = clamp(followers / 10_000, 1, 512)

★ The forward edge stores the bucket its reverse row went into. Without that, an unfollow years later cannot find the row to delete: `B` has grown since, so recomputing `hash(source) % B` lands somewhere else. A background job rebuilds the reverse table from the forward edges and repairs any drift.

B is a high-water mark on the account, not a live follower count.

Counts fall, and B does not follow them down

Someone unfollows and the count drops. Shrink **B** and every edge in the buckets above it is stranded.

A fan-out worker reads B fresh

Never the cached count on a profile page. A stale **B** scans too few buckets and skips the newest followers.

The low buckets run heavy

Edges written while **B** was small crowd the early buckets, until **B** reaches its cap.

Four of these reads are cheap. The fifth is the whole problem.

THE READ	THE PATH	WHAT IT COSTS
Does A follow B?	<code>following (A)</code> then <code>B</code>	One point read
Who does A follow?	<code>following (A)</code> range	7,500 rows, one partition
Who follows B, below the bucket line?	<code>followers (B, 0)</code> range	~10 ⁴ rows, one partition
Follower count	<code>user_edge_stats</code>	One point read, cached
Who follows B, celebrity B?	<code>followers (B, 0..511)</code>	5×10 ⁸ rows, 512 partitions

LET US GET THIS WRONG

Design it the obvious way: when you post, write into every follower's feed.

The reader then does almost nothing. One lookup, one page, no merging, no ranking across sources. It is fast, it is simple, and for an account with two hundred followers it is unambiguously correct: two hundred small writes, and every reader gets a page in a millisecond.

Hold that design in your head. Now a single account with five hundred million followers posts one photograph. Before you turn the page, predict what happens.

ONE POST, ONE CELEBRITY

25 GB

Five hundred million feed inserts at roughly fifty bytes each, from a single API call.

500 seconds to drain, alone

At a million inserts a second with nothing else arriving. Ordinary posts keep coming at 330K, so the real clear is $5 \times 10^8 / (1M - 330K)$, about thirteen minutes.

330K inserts a second

The platform's ordinary load: 1.2K posts times a mean fan-out near 280. Totals need the mean. The median is far lower and would halve your estimate.

25 minutes of everyone else's work

Not a wait — a quantity. One post equals what the whole platform normally produces in twenty-five minutes.

Writing 25 GB from one call is only the first thing that breaks.

The fan-out queue

25 GB of inserts from one call, in front of everybody else's posts.

The hot partition

Unbucketed, those edges are one partition key on one replica set.

The cache

25 GB of churn evicts the working set of readers who did nothing wrong.

The thundering herd

One cache key, invalidated on publish, missed by a million readers at once.

KEY INSIGHT

A skewed key produces a system where one machine is on fire and the rest are idle.

WHY THE HYBRID IS FORCED

Neither strategy is wrong. Each one is wrong somewhere.

Pushing costs one write per follower, and the follower count is unbounded. Pulling costs one read per followee, and the followee count is capped at seven and a half thousand. So push is cheap exactly where the unbounded side is small, and pull is cheap exactly where the bounded side is what you walk.

There is a second reason, and it is the better one: a celebrity's recent-posts list is written once and read five hundred million times. Nothing else in the system has a ratio like that.

DECISION

Push below the threshold, pull above it, and merge at read.

The two strategies fail at opposite ends of the same graph, so the design uses each one where the other breaks.

ONE STRATEGY FOR EVERYONE

- Simple to explain, guaranteed to fail at one end. Push drowns on celebrities; pull costs hundreds of reads per page for everyone else.

SPLIT AT THE THRESHOLD

- Ordinary posts land in a page that is already built; the celebrities she follows are fetched on demand and merged in, so no writer ever fans out to millions. The read costs one lookup plus the celebrity pulls.

RECOMMENDATION

No tuning survives one writer fanning out to five hundred million. That is what sets the line.

Fifty thousand followers is the line, and the honest predicate is a rate.

Fifty thousand puts a fraction of a percent of accounts on the pull path, yet someone following three hundred typically has ten to thirty above it — the accounts a person picks are not a random sample.

Thirty pulls at a one-percent slow call puts the page in trouble, so **cap the pulls at twenty**. Which twenty is the harder question, because nothing on the read path knows when each celebrity last posted.

The better predicate is fan-out work per day, and it is a product of two numbers rather than one.

A follower count is a proxy. The work is followers times how often they post.

ACCOUNT	FOLLOWERS	HOW OFTEN THEY POST	FAN-OUT WRITES A DAY
The busy mid-size one	50,000	Forty times a day	2,000,000
The bigger quiet one	200,000	Once a week	28,600

The smaller account costs seventy times more, and a follower count on its own cannot tell you that. Both numbers are the same multiplication; only one of the two factors is the one everybody quotes.

Capping the pulls at twenty does not meet the promise it was chosen to meet.

At thirty pulls and a one-percent slow call, $1 - 0.99^{30}$ puts twenty-six percent of pages on a slow dependency. Cap at twenty and it is eighteen percent — still eighteen times a 99th-percentile budget. The cap sounded like the answer and fails its own arithmetic, which is exactly why you run the check on your own fixes.

THE CACHE IS WHAT BOUNDS IT

Those pulls hit a cache, so their slow rate is far below one percent — measure it rather than assuming, because at 0.2 percent twenty pulls are still four percent of pages.

THE DEADLINE IS THE BACKSTOP

Fire every pull, render at eighty milliseconds with whatever arrived, and let the stragglers land on the next fetch.

A CAP STILL COSTS SOMEONE

A reader following seven and a half thousand accounts can have hundreds above the line. For them twenty is not trimming the quietest — it is most of their pull path.

The celebrity is a protagonist of the product and the antagonist of your design.

The product exists partly for her. She is the reason a hundred million people opened the app this morning, and the reason the write path cannot be one code path. Both things are true at once, and holding both is what designing feels like.

FOR THE PRODUCT

She is the most valuable account on the platform, and she must post instantly.

FOR THE DESIGN


She is a five-hundred-million-edge node that breaks every uniform assumption.

WHAT YOU DO ABOUT IT

You do not resolve the tension. You build a second path and name why it exists.

INSTAGRAM • THE WRITE PATH


A post is not announced until its bytes are acknowledged.

**KEY INSIGHT**

Step 3 comes after step 2 on purpose. Publish first and the post exists without its picture.

★ Transcoding may still be running — a variant that is not ready falls back to the original — but the original must be there before anybody is told the post exists.


The graph service is the box everyone forgets to draw.



KEY INSIGHT

Steps 4 and 5 commit together. Two separate writes let one crash leave a post that exists and reaches nobody.


For almost everybody, reading the feed is one lookup.

**KEY INSIGHT**

The page is already sitting there, because somebody wrote it at post time.

INSTAGRAM • THE READ PATH, ABOVE THE LINE


A celebrity in your feed is what turns one lookup into four.

**KEY INSIGHT**

The merge runs after the gather, never beside it.

★ The pull goes through a cache, not straight to the store. That box is the whole reason the hybrid is affordable: one celebrity's recent-posts list is written once and read five hundred million times, so it is the most cacheable object in the system.

Hydration costs more than the other three stages together.



THE NUMBER WE MISSED

Every page you serve is eighty lookups behind it, so the read number is eighty million a second.

A twenty-item page needs four lookups an item — the post row, the media variants, the counts, and whether this reader liked it. Eighty a page, against the million page-fetches a second the peak estimate gave you, is eighty million.

That is the number the worksheet left open, and it is larger than every number on it.

THE NUMBER BEHIND THAT NUMBER

Eighty million is rows. The number you size a fleet from is calls.

Batch the four lookups across the whole page and a page costs four calls, not eighty. Four million calls a second against eighty million rows. Rows are the work; calls are what your services receive, and sizing a fleet from the wrong one is a twentyfold mistake.

Do not fold the count into the feed entry; it is written at post time, when the count is zero. Fold the like check at read time: one batched read across the twenty candidates.

Batching is not only about throughput. Eighty parallel calls put fifty-five percent of pages on a slow dependency — that is $1 - 0.99^{80}$, against a 99th-percentile promise.

INSTAGRAM • THE LIKELY BUG

Your own post must appear instantly, or people think the upload failed.

The feed is eventually consistent, which is correct for everyone else's posts and completely wrong for your own. A person who posts and does not see it reads that as data loss, not as staleness, and posts again.

WHERE IT COMES FROM

Read-your-writes, the consistency level from Part four, applied to one reader's own posts.

WRITE YOUR OWN FEED SYNCHRONOUSLY


Inside the POST request, before it returns. One extra write, on one key.

AND LET THE CLIENT HELP

It inserts the post it just created optimistically, and reconciles on the next fetch.

INSTAGRAM • THE UPLOAD


Media never touches your API servers.

**KEY INSIGHT**

Step 2 is the only place an untrusted client writes straight into your storage.

★ So the grant names the exact key it may write. Let the client choose the key and it writes over somebody else's media. It carries four limits besides: one content type, a size ceiling, a short expiry, and a rate per account. Without those four, anyone can fill your storage at your expense, and step 4 hands bytes they chose to an image decoder.

A private photo needs a link that expires.



KEY INSIGHT

The authorizer decides once. After that the CDN only checks a signature, and the link outlives that decision.

One number in this design assumed a two-megabyte photo.

A phone uploads video in parts, because one request that dies at ninety percent would otherwise start over. So the presigned grant covers a multi-part upload rather than a single PUT.

Transcoding stops being "make a few sizes" and becomes a ladder of bitrates cut into short segments, so a player can step down when the signal weakens. The CDN then serves thousands of small objects per video instead of one.

The fallback goes too. You can serve a photo at full size while its variant renders; you cannot serve a source video, so the post stays unreadable until one rendition finishes. And the 200 TB a day becomes petabytes, where "durable forever" starts to cost real money.

INSTAGRAM • THE PATH NOBODY DESIGNS

A million likes on one post is the follower list again, on a different axis.

Every like is a write against the same post id — one key, one partition, one leader — arriving tens of thousands a second. That is the hot spot the data kit warned about, and the queue will sometimes deliver the same like twice.

THE ROW IS THE TRUTH

Store the pair once, keyed by reader and post. The count is an aggregate you rebuild from it, which is what survives a redelivery or an unlike.

SHARD THE HOT COUNTER ONLY

Increment a random one of a hundred sibling keys, but only when the row insert actually created a row. A blind increment double-counts every redelivery, forever.

COMMENTS ARE THE SECOND UNBOUNDED LIST

Bounded per reader, unbounded per post. Page them; never load them with the post.

Every design gets drawn at rest. These four happen while it is running.

A new follow

Their earlier posts fanned out before you followed them. Backfill a few, or state the gap.

An unfollow

Pushed entries do not remove themselves. Filter at read against the current edge.

The same post twice

A crossed threshold leaves it in the pushed page and in the pull. Dedupe at the merge.

A cold celebrity key

A million readers miss it at once. Serve them one refill, not a million reads.

KEY INSIGHT

A feed is a cache of a relationship. Change the relationship, leave the cache, and the reader sees a lie.

Three of these are certainties and one is only likely. Each already has its answer.

Celebrity post

The fan-out queue floods. Answer: the pull path above the threshold.

Feed cache eviction

Cold readers cost a rebuild. Answer: the same render deadline, then rebuild behind the request.

Redelivery

The queue delivers twice. Answer: the feed entry is keyed on reader and post.

Zone loss

A whole zone disappears. Answer: media replicated, every derived store rebuildable.

Six sentences have to hold, or the design is not finished.

- ☐ A post is visible to every eligible follower who reaches it — except past the pull cap, where ten of your celebrities are dropped on every page. order the cap, rotate it, or say it out loud
- ☒ Media is never lost once an upload is acknowledged. durable
- ☒ A like counts exactly once per reader and post. idempotent
- ☒ A feed page never repeats or skips an item. stable cursor + dedupe at merge
- ☐ A blocked account is filtered at read — but a signed media URL outlives the check. keep the TTL short
- ☒ Every derived store rebuilds from posts and edges. rebuildable

06

PART SIX

Now run the whole method again, on something you could ship this month.

A lot owner wants drivers to scan a sticker on the bay and pay to park.

No app to download. No account to create. A driver walks up, points a phone at a sticker, pays, and walks away.

Instagram was one design at one rung, and it was already enormous when we met it. This one starts at nothing and climbs, which is what your first year actually looks like.

The driver has one hand free and about thirty seconds of patience.

THE PROTAGONIST

A driver who has already parked, standing in the rain with a phone in one hand. They want to pay and walk away. They will not install anything and they will not make an account.



THE ANTAGONIST

The garage is underground and the signal is poor. A driver whose page hesitates taps Pay again, so the same park can be charged twice.

You fill in eight of the nine before a single box goes on the board.

Protagonist	A driver at the bay. One hand, thirty seconds, no app.
Antagonist	Poor signal underground, and a second tap on Pay.
Purpose	The car is paid for before the driver walks away.
Boundary	In: bays, sessions, payments, enforcement. Out: the card network.
Environment	Rain, cold hands, a low battery, a sticker somebody peeled.
Constraints	physical: no signal economic: card fees human: thirty seconds legal: refunds on request
Invariants	One park charges once • an expiry never extends by accident
Bottleneck	Suspected: none yet. Confirmed once wardens start asking.
Solution type	MVP. Nobody knows yet whether drivers scan the sticker.

Rung one is one lot, a printed sticker per bay, and the provider's card form.

What you build

A sticker per bay whose link carries the lot and bay. The card goes to the provider's form, not your server.

What it buys

The only answer you need this month: do drivers scan the sticker, and do they finish paying.

What it charges

A warden walks the lot typing bay numbers into a phone. That holds at one lot and gives out at ten.

One table holds all of it: no partitioning, no cache, no queue.

sessions	
id	uuid. also what you send in the provider's metadata
idem_key	unique. one attempt, one key, however many taps
lot_id, bay	unique while status is waiting. two scans cannot both be live
status	waiting, then paid, declined, refunded, or written off
created_at	set on insert. how you tell a stale wait from a fresh one
minutes	what the driver bought. on insert, so expires_at can be computed
amount_cents	what that costs. on insert, so a retry sends the same request
started_at	when the payment cleared, read off the charge, not your clock
expires_at	started_at plus minutes
payment_ref	the provider's id for the charge

Two hundred lots of forty bays turning over four times a day is 32,000 rows — one machine, for years.

Traffic breaks nothing here. Two other things break anyway.

Thirty-two thousand rows a day is a rounding error, so scale is not your problem and will not be for a long time. Say that out loud, because it stops a team building for a load that never arrives.

Nothing that broke Maya's Tuesday was load either — a registry, a build and a sleeping reviewer, and not one of them was traffic.

The first break is a double charge. The page hesitates on a weak signal, the driver taps Pay again, and one park costs them twice. That reaches a human the same day.

The second is the signal itself. The card form sits on the far side of a network that keeps disappearing.

PARKING • RUNG ONE, CHARGING ONCE

Two taps on Pay have to produce one charge, and a retry must not add another.

The second tap is a different request that means the same thing. So the page mints one key for this attempt and keeps it across reloads, and the unique index decides — not your code.

THE TELL

The page hesitates on a weak signal, and the driver taps Pay a second time.

INSERT FIRST, THEN CHARGE

The key sits in a unique column, so the second tap conflicts instead of paying again. Read the row: paid hands back the receipt, waiting waits for the first answer.

ONE KEY, ONE STORED ANSWER

The provider replays the first result, so a crash costs nothing. It replays a decline too, so the page mints a fresh key before the driver can try again.

The phone can drop off after the card is charged, and it often does.

The card network answers your payment provider, not the driver's phone. So the provider calls you back on a webhook, and that call is what marks the session paid when it arrives.

The row flips to paid and the warden sees a paid bay, whether or not the phone ever came back.

A decline is an answer, not a gap: the webhook writes it down and the bay frees at once. Only a row that got no answer at all — a closed tab, a webhook that never came — is one you sweep. Sweep every few minutes, because a waiting row holds the bay against the next driver.

PARKING • RUNG ONE, WHAT THE SWEEP
DOES

A sweep is a second writer, and it writes on a guess about what silence means.

Ask the provider what happened and write the answer down — the webhook is the fast path to paid, not the only one. But you are writing rows another process writes too, and you are doing it without being sure the driver has gone.

THE TELL

A row has sat waiting fifteen minutes — far longer than a payment takes, even on a bad signal — and nobody has told the driver anything.

WRITE ONLY IF IT IS STILL WAITING

The same guard the webhook needs, for the same reason: two writers on one row, and the later must not bury what the earlier learned.

TO FREE A BAY, CANCEL FIRST

A timeout is not the same answer as nothing was taken. An open payment can still complete, so cancel it at the provider before writing the row off — or you free the bay and take the money afterwards.

PARKING • RUNG ONE, THE DRIVER'S
OWN RETRY

**The warden can see
the bay is paid. The
driver cannot, so the
driver rescans.**

A spinner tells the driver that nothing
landed. They close the tab and scan the
sticker again — a fresh page, a fresh key,
which is exactly why the key does not stop
the second charge.

THE TELL

A driver taps Pay, watches nothing land, and starts over from the sticker.

THE KEY CANNOT STOP THIS

It was minted for one attempt, and a
rescan is a new one. There is nothing
for it to conflict with.

THE BAY CAN

Read the live session first, and hand
back its receipt if it is paid. A unique
index on lot and bay stops a second
scan inserting while the first is still
waiting.

PARKING • RUNG ONE, THE CALLBACK YOU DID NOT WRITE

Anyone on the internet can call that webhook, and your provider will call it twice.

Check the signature your provider sends before you believe a single field in it. Skip that and you have built a free parking machine: anyone who can post to the endpoint can mark any bay paid.

Then expect the same call more than once, because a provider retries until you answer. Find the row by the key the charge carried, and write only if it is still waiting. An update with no condition lands on a row you already refunded and quietly marks it paid again.

PARKING • RUNG ONE, THE KEY EXPIRES

A key only works for a day, so a stuck row is a deadline.

Every provider puts a lifetime on the key — Stripe's is twenty-four hours. Inside that window a retry is free; past it the same key buys a second charge, so look yours up and sweep well inside it.

THE TELL

A row still says waiting the morning after the park, and nobody has told the driver anything.

INSIDE THE WINDOW, THE KEY STILL HOLDS

The provider replays its first answer to that key and those parameters, so a retry inside the day cannot charge twice.

PAST IT, RECONCILE

Never re-send. Look for the charge by the id in the provider's metadata. Refund what you cannot deliver; write the row off if there is nothing there.

YOUR TURN

Wardens arrive. Say what they ask, how often, and what answers it.

Two hundred lots have gone live. A warden walks a lot of forty bays and needs to know which cars are paid for right now.

Write down the one question they ask the system, roughly how often it is asked, and the one index that answers it. Then turn the page.

The warden asks one small question, and it stays small.

- | | | |
|----|-----------------|--|
| 01 | The question | Is bay 12 in lot 40 paid at this moment. One row, never a list. |
| 02 | How often | Two bays a minute per warden, two hundred lots: about 400 a minute. Under ten a second. |
| 03 | What answers it | An index on lot, bay and expiry, over the paid rows only. The question is a point read and it stays one. |

Two hundred lots, and the manual parts give out before the machine does.

What actually changed

Not the traffic. The manual work. A warden typing bay numbers gave out at ten lots; Maya's team, at one reviewer.

Give the warden a list, not a keyboard

The point read becomes one range scan per walk: every live session in this lot. Their phone already knows the bays.

Move slow work off the path a driver waits on

Owner reports go to a read replica. Receipts and nightly payouts go behind a bounded queue.

PARKING • RUNG THREE, OPTIMIZED

13%

What the card fee takes from a three-dollar park, at thirty cents plus 2.9 percent.

Servers cost pennies

Thirty-two thousand rows a day runs on the smallest machine sold. Tuning it saves nothing worth having.

The fee is the bill

Thirty-nine cents of every three dollars, and most of it is a flat charge per transaction.

So batch the regulars

Hold one driver's card and capture their four parks as one twelve-dollar charge: 65 cents, not a dollar fifty-five. Four different drivers are still four charges.

And a capture is not free

The fee rides the capture, never the authorization, so charging a car that has already left is a decline to chase, and it needs the account this product does not have yet.

A junior would build these first, and only one of them has arrived yet.

REFUSED	WHY	WHAT WOULD EARN IT
A mobile app	A driver in the rain will not install one	Regulars who park daily, once they exist
Accounts and login	A screen between the sticker and the money	Rung three's settlement earned it
A live map of free bays	Needs a sensor in every bay	Somebody willing to pay for the sensors
Knowing which car is in the bay	The session is keyed to the bay, so the next driver parks on what the last one paid for	A plate or a sensor, once the free parks cost more than the hardware

One product climbed three rungs, and we skipped nothing on the way up.

01	MVP	One lot, one table, a card form. Bought the answer to "will anyone scan this".
02	Scaled	Two hundred lots. A replica for reports, a queue for receipts. Nothing sharded.
03	Optimized	Batched charges, because the profile said the fee was the bill and the servers never were.

Five moves carried this design, and every one of them came out of a kit.

Relational, because nothing here outgrows one machine and the questions keep changing — pass one ended there. Indexes doing three jobs: the key that stops a second tap, the bay that stops two scans racing, and the one a warden's question needs. Idempotency behind the first, and behind a webhook your provider will send again. A read replica, to keep reports off the path a driver waits on. A bounded queue, for the work nobody is waiting for.

The security kit arrived as practice, not a card: the provider's form keeps card numbers off your servers, and a signed webhook keeps a stranger from marking bays paid. Not one of those is a product name, and not one of them was a guess.

07

PART SEVEN

**Now map the feed design
back to the kits, including
the entry we refused.**

Every store-and-run entry landed somewhere specific in the feed design.

KIT ENTRY	WHERE IT LANDED	WHAT IT CHARGES YOU
Wide-column	The two edge tables	The primary key is the schema. A new question means rewriting the data
Object store	Photo bytes and variants	Listing is slow, so the index of what you stored lives somewhere else
Key-value	The feed cache	No second way in. Every new question is a new key you maintain
Durable log	Post events into fan-out	At-least-once. Every consumer here has to be idempotent
Stateless services	Feed and post service	Nothing may be remembered in the process, so state moves and costs a hop
Bounded queue	Fan-out and transcode	A bound means shedding. When it fills, something waits or is dropped

The network, scale, reliability and security kits landed here too.

KIT ENTRY	WHERE IT LANDED	WHAT IT CHARGES YOU
Reduce	One cached list per celebrity	A second copy whose wrongness is measured in seconds
Spread	Posts by author, edges by bucket	Any question that crosses a bucket, forever
Defer	Fan-out on write, below the threshold	The follower who is not in the page yet
CDN with versioned URLs	Every photo variant	Purging is eventual, so a signed link outlives the decision behind it
Bulkhead	Fan-out workers kept off the read path	Reserved capacity that sits idle on a normal day
Object-level authorization	Every hydration	A check on the read path, on every item of every page

The most useful entry here is the one we refused.

Most juniors asked to design Instagram reach for a graph database, because the words "social graph" are right there. The data kit already answered it, nearly ninety slides before this design began.

WHAT THE CARD SAID

Walk away when you have relationships but only ever join two hops.

WHAT THE FEED ACTUALLY DOES

Walks one graph hop, me to the people I follow, then a keyed lookup that is not a traversal.

WHY THE REFUSAL MATTERS MOST

A kit that only says yes is a catalog. One that says no is a tool.

Take one box out on paper, and follow what happens to the rest.

Part three set the test. Saying where each piece landed proves nothing about whether it is needed. Deleting pieces on paper is what tells you the design is finished.

THE CELEBRITY LIST CACHE

Remove it and every reader of every celebrity post reads the store directly. It stays.

THE EVENT LOG BEFORE FAN-OUT

Remove it and the write waits for the whole fan-out before returning. It stays.

THE FOLLOWER COUNT CACHE

Remove it and every display of a profile counts rows. Keep it for display, and read **B** fresh.

THE ARTIFACT

This is the whole method, and it fits on one page.

Protagonist	_____ wants to _____ so that _____
Antagonist	But _____ – and it is this big: _____
Purpose	_____
Boundary	In: _____ Out: _____
Environment	_____
Constraints	physical _____ economic _____ human _____ legal _____
Invariants	1 _____ 2 _____ 3 _____
Bottleneck	_____ measured at _____
Solution type	MVP • scaled • optimized • optimal • specialized

THE REVIEW

Run these six on any design, starting with your own.

- ☐ Who is the protagonist, and who are we not designing for? casting
- ☐ What is the antagonist, and what number describes it? evidence
- ☐ Which rung of the ladder is this, and does everyone agree? frame
- ☐ What breaks first at ten times the load? scale
- ☐ What happens when each dependency is slow rather than down? failure
- ☐ What can one stolen credential reach? security

YOUR TURN

Run the six review questions on the parking app, from memory.

You have both designs and the six questions. Take the smaller one: a driver, a sticker, one table, a card form.

Answer four of the six without turning back. Then turn the page.

ONE ANSWER

Four of the six, on a system you could build this month.

01	The protagonist	A driver in the rain, one hand, thirty seconds. Not the lot owner, and not the warden.
02	The antagonist	A weak signal underground, and a second tap on Pay. The number is one park charged twice.
03	Ten times the load	Nothing. Traffic was never the constraint; the manual warden was, and rung two fixed him.
04	One stolen credential	The webhook signing secret. With it a stranger marks any bay paid, which is why that endpoint checks a signature.

The two movements this deck skipped are the only real check on the two it taught.

Design is where the thinking lives, which is why the deck stops here. Building is where you find out whether the thinking held: the boundary you drew turns out to cut through another team, the invariant you wrote needs a lock nobody planned for, the number you estimated is wrong by ten.

So take one design you made in these pages and build the smallest version of it that actually runs. Not to ship it. To find out which of your nine fields was a guess.

482 was not blocked by the build. It was blocked by a queue.

- 01

The queue had one server

Five pull requests, one reviewer, one waking hour: a bounded pool of one. Throughput is capped, so the queue in front grows, and nothing Maya did after lunch could move any of the three.
- 02

Nothing inherited a deadline

The window shut at four, and nothing downstream of it carried a shorter one. The network kit's first invariant says a call inherits its deadline from the caller, and inherits a shorter one. The review never got one, so nothing said it was late until it was.
- 03

The one move she had, she made late

At 15:50 she stopped answering and batched the replies — admission control, from the scale kit. The spiral had run since 15:30, and those twenty minutes came out of the one hour that decided the day.

WHAT TO DO ON MONDAY

The last of these four is the one that teaches you.

STEP 01

Pick the unglamorous system

Not a famous one.
The service you were debugging on Thursday, or the pipeline nobody wants to own.

STEP 02

Cast it before you draw it

Protagonist and antagonist first, one sentence each. If you cannot name them, you do not understand it yet.

STEP 03

Fill the other seven fields

Let them argue with you. A field you cannot answer is the design question you have been avoiding.

STEP 04

Bring the page to your one-on-one

Ask the person across from you which field you got wrong. That conversation is the whole point of learning this.

HOW TO THINK ABOUT SYSTEMS

Learn the concepts and how
they connect. The technology
will change under you.

*Name the person, name the force, and the design
follows. Maya never designed anything on Tuesday, and
she met every word in Part one before she went to bed.*

Glossary

A – T

TERM	DEFINITION
ACID	All of it happens or none does, the rules hold, and a commit survives a crash.
API	The contract one system offers another: the operations and what they promise.
BASE	ACID's loose counterpart: answer under failure, let replicas converge later.
CAP	Split by a network fault, answer with stale data or refuse to answer.
CDN	Caches near readers, so bytes travel a short distance instead of an ocean.
MVP	The smallest build that puts a real answer in front of a real user.
SLA	The external promise, with money attached, always looser than the objective.
SLI	The measurement: the share of requests served inside your target.
SLO	Your internal target for that measurement, over a stated window.
TLS	The encryption any connection crossing a network you do not own should have.