

IMAGERY · ADAPTIVE COMPOSITION

# The image layout that thinks for you


You hand it any rectangle. It reads the asset's shape, weighs the deck it's on, and resolves a boardroom composition — no modifier to pick.

THE PREMISE

Every other layout  
controls its content's  
shape. Image is the one  
exception — so it  
adapts to yours.

## Activation is where the trial is won or lost.

Two-thirds of trials that reach the first generated report convert; the ones that stall almost never do. A moderate photo gets the **clean** default — a floated card shaped to the asset, so the crop is  $\approx$  zero.



## The signal, framed and centered.


The card adapts: a squarish photo sits in a square card. One default, every moderate shape, no letterboxing and no lost subject.



## Built for the long climb.

An extreme aspect would waste a card, so the resolver upgrades to **split** — a full-height column that shows the whole portrait photo, the argument running alongside.






## A panorama earns the full frame.

When the photo already matches the canvas, **spotlight** lets it go full-bleed — and the message rides a solid card, so legibility never depends on the photo.



### **Exhibit 1 — the network, contained.**


Two treatments stay opt-in because they can't be safe for a photo we can't see. **gallery** contains the whole asset on a matte — for diagrams and screenshots where the whitespace is the point.



# The setup step is the real funnel.

~~statement~~ rides the title on the photo over a scrim — a deliberate, editorial moment you reach for when you know the image carries it.





## And when you want the crop, you just say so.

The resolver protects an author who doesn't think about it. Name a composition and it yields — *image spotlight* forces a full-bleed cover on this tall photo, accepting the crop.

`<!-- _CLASS: IMAGE -->` *+ a photo. The layout does the rest.*

**One markdown. Five  
compositions. Both  
orientations.**