LATTICE · INLINE ICONS

An icon is a drawing the size of a word.

Written like a spark, colored by the deck, and never a font glyph or an emoji.

One icon, three looks, framed or bare.

LOOK	DATABASE	BUCKET	SHIELD	ROCKET
`pigment`, the default				
`etching`				
`tone`				
`rounded`				
`bare`				

Framed by default, bare when a line needs it quiet.

Framed, the default

Raw files land in  S3, a  Lambda reads each one, and 
Snowflake holds the model.

S3 Lambda Snowflake

Bare, the same words, on request

Raw files land in  S3, a  Lambda reads each one, and 
Snowflake holds the model.

S3 Lambda Snowflake

Uploads reach the warehouse in under a minute.

Gateway

Hands out the URL and rate-limits each customer.

Ingest

One function run per upload, under 400 ms.

Raw store

Every file kept 30 days, then archived.

Warehouse

The reporting model, refreshed each minute.

A cloud service is a role icon and its name.

ROLE	AWS	AZURE	GOOGLE CLOUD
Object storage	S3	Blob Storage	Cloud Storage
Functions	Lambda	Functions	Cloud Functions
Warehouse	Redshift	Synapse	BigQuery
Queue	SQS	Service Bus	Pub/Sub
Identity	Cognito	Entra ID	Identity Platform

An icon takes the size of the text around it.

WHERE	SM	MD	LG
In a sentence	Alerts go to  on-call.	Alerts go to  on-call.	Alerts go to  on-call.
Bare			
Beside a spark			

One class sets every icon on a slide.

This slide carries `_class: icon-bare`, so every icon on it drops its tile:

.

An icon's own word still wins: keeps its tile here.

A deck sets the same thing for every slide with `icon: bare` in its front matter,
and a slide's own `icon-framed` takes it back, on that axis only.

On a sketch slide, the tile is drawn by hand.

Framed icons    and a spark  share one hand.

The drawing inside stays crisp, and a bare icon  has no tile to ink.

`mode: sketch` does the same for a whole deck.

A name that is not in the set stays code, and lint says why.

WRITTEN	`LINT:DECK` SAYS
`^{s3}`	`s3` is a service, not an icon: use the role icon `bucket` and put S3 in the text beside it
`^{databse}`	not an icon: did you mean `database` or `dataset`?
`^{bucket, c13}`	`c13` is past the limit: this takes `c1`–`c12`
`{X, icon=lambda}`	the same coaching for a pill: use `icon=function` and keep Lambda as the label

The backslash in front keeps the notation literal, which is how this slide shows it.