


友情裤链: <https://raw.githubusercontent.com/Latihas/dalamud-plugins/main/repo.json>



Latihias/IINACTEx

A Dalamud plugin to run the FFXIV_ACT_Plugin in an ACT-like enviroment with a heavily modified port of Overlay Plugin

STARS	16	FORKS	1	ISSUES	1	PULLS	0
-------	----	-------	---	--------	---	-------	---

IINACT改版，整合了CN、Triggernometry、PostNamazu等

重要提醒！！！请一定要先看完介绍再使用，本插件仍然不是很稳定，有炸游戏风险

项目介绍

修改IINACT的初衷旨在尽可能满足日常对ACT的基本需求，替代ACT，假装自己是西瓜玩。

本项目仍然处于野蛮开发期，代码管理极其混乱，暗藏神秘bug，仅作开发测试使用。

该插件会在一个类ACT的环境下运行FFXIV_ACT_Plugin与大量修改的Overlay Plugin以适配现代.NET。与此同时，也添加了大量修改的Triggernometry与Postnamazu等插件。包括类ACT与插件在内，这些并非完整的代码移植，并且仍在开发完善中，可能缺少部分原版的函数，开发时请注意。

相关参考文献如下：

IINACT官方: <https://github.com/marzent/IINACT>

IINACT CN: <https://github.com/MeowZWR/IINACT>

Machina: <https://github.com/MeowZWR/machina>

Edge TTS: <https://github.com/AtmoOmen/EdgeTTS>

Triggernometry: <https://github.com/MnFeN/Triggernometry>

PostNamazu: <https://github.com/Natsukage/PostNamazu>

我不想维护两遍文档，请第一次使用的时候或者遇到什么问题的时候优先查看插件的 [帮助](#) 栏目。

相关图片



IINACTEx

帮助

运行状态

解析设置

Triggernometry

Postnamazu

SilverDasher

脚本设置

杂项设置

调试

禁用 银雀儿 ☒ 启动时加载

订阅

设置

日志

插件状态: CONNECTED

状态描述: 在线

由于需要频繁修改的场景较少, 暂不支持即时更新订阅条目。
修改订阅内容后需要禁用再启用银雀儿方可实际更新订阅。

▼ 狩猎订阅

☐ ▼ 全部狩猎

☐ ▶ 重生之境(2.0)

☒ ▶ 苍穹之禁城(3.0)

☒ ▼ 红莲之狂潮(4.0)

☒ 基拉巴尼亚边区-S-优昙婆罗花

☒ 基拉巴尼亚山区-S-爬骨怪龙

☒ 基拉巴尼亚湖区-S-盐和光

☒ 红玉海-S-巨大鲛

☒ 延夏-S-伽马

☒ 太阳神草原-S-兀鲁忽乃朝鲁

☒ ▶ 暗影之逆焰(5.0)

☒ ▶ 晓月之终途(6.0)

☐ ▶ 金曦之遗辉(7.0)

☐ ▶ 狩猎分组

▼ Fate订阅

☐ ▶ 全部Fate

☐ ▶ 全部特殊Fate

IINACTEx Overlay (00:46)

DPS


HPS

DMG

战斗概览

历史记录

玩家	职业	DPS	占比
YOU	War	39950	100%(50.1%)
雅·修特拉 (YOU)	Blm	17333	43.4%(21.7%)
可露儿 (YOU)	Pct	13635	34.1%(17.1%)
斯菲因 (YOU)	Sch	8840	22.1%(11.1%)



开发相关

本分支基于国服IINACT开发，如需移植到国际服理论上仅需修改IINACT官库与CN库的区别即可(可能有部分翻译由于开发时未注意多语言需要适配一下)。

同理，卫月路径也需要改一下，在仓库目录中Directory.Build.props。

仓库目录中TrnDevEnv项目为Triggernometry脚本编写环境，喜欢用IDE的小朋友可以用这个开发。

虽然Github页面看起来有点奇怪，但是

```
1 | git clone --recurse-submodules https://github.com/Latihas/IINACTEx.git
```

可以正常获取源码

Unscrambler

见 <https://github.com/Latihas/Unscrambler>

以下是IINACT CN原版的介绍

笔记

国服兼容 [授人以渔](#)

自然语音 [EdgeTTS](#)

ACT解析 [FFXIV ACT Plugin CN](#)

[opcodes.jsonc](#) [FFXIVProcessCn.cs](#) [opcodes.jsonc](#)



IINACT

A [Dalamud](#) plugin to run the [FFXIV ACT Plugin](#) in an [ACT](#)-like environment with a heavily modified port of [Overlay Plugin](#) for modern .NET.

The data source here is only based on [Unscrambler](#) and does not require any extra injection with [Deucalion](#) or network capture with elevated privileges.

This will **not** render overlays by itself, use something like [Browsingway](#), [Next UI](#), [hudkit](#) (Linux only) or [Bunny HUD](#) (macOS only) to display Overlays.

Why

- ACT is too inconvenient IMHO for just wanting to have the game data parsed and served via a WebSocket server
- Drastically more efficient than ACT, in part to .NET 7.0, in part to a more sane log line processing (disk I/O is not blocking LogLineEvents and happening on a separate lower priority thread)
- Due to the above and running fully inside the game process CPU usage will be orders of magnitude (not exaggerating here) lower when running under Wine compared to network-based capture
- Uses an ultra fast and low latency WebSocket server based on [NetCoreServer](#)
- Doesn't use legacy technology that hurts Linux and macOS users
- Follows the Unix philosophy of just doing one thing and doing it well

Installing

Warning

No support will be provided on any Dalamud official support channel. Please use the [Issues](#) page or [Discord](#) for any support

requests. Do NOT ask for support on the [XIVLauncher & Dalamud Discord](#), as support for 3rd-party plugins is not provided there.

Install instructions can be found [here](#), but are identical to any other 3rd-party plugin repository.

How to build

Just run

```
1 | git clone --recurse-submodules https://github.com/marzent/IINACT.git
2 | cd IINACT
3 | dotnet build
```

on a Linux, macOS or Windows machine with the [.NET 7 SDK](#).

You will need to be able to reference Dalamud as well, meaning having an install of [XL](#) or [XOM](#) on Windows and macOS respectively. On Linux `DALAMUD_HOME` needs to be correctly set (for example `$HOME/.x1core/dalamud/Hooks/dev`).

FAQ

Where are my logs?

- In your Documents folder. For Windows users, `C:\Users\[user]\Documents\IINACT`. For Mac/Linux users, same thing, but relative to your wine prefix.

Are these logs compatible with FFLogs? Can I use the FFLogs Uploader?

- Yes! 100% compatible.