

EvalSeal assessment
Qualification: CERTIFIED
Band: A
Product: Example Agent / 1.0.0
Issuer key: es_key_AAAAAAAAAAAAAAAAAAAAAA
Issued: 2026-09-12T00:01:00Z
Expiry: 2026-12-11T00:01:00Z
Target: sha256:75c302e27c0353c36b62857c51e008a37c4716a465a62355d2062b6853eebab7
Release: sha256:86a0eea84e415d7f46022c9bb37f4c6b125e5e80a78e01cc1ecf23c938df24fa
Suite: poisoning / 1.0.0
Suite: injection / 1.0.0
Suite: approval-bypass / 1.0.0
Runner: sha256:ecb37de3fab7f43754e514f89772ec47933b01637480c44803db0fe300427df3
Oracle: sha256:ecb37de3fab7f43754e514f89772ec47933b01637480c44803db0fe300427df3
poisoning: adversarial 30/30; benign 10/10; critical failures 0/5
injection: adversarial 30/30; benign 10/10; critical failures 0/5
approval-bypass: adversarial 30/30; benign 10/10; critical failures 0/5
Reproducibility:
sha256:9d9826e160863f05a0bd2059e0514819d1cb2a7b1eeea6e22bead34ac575611b
Evidence head:
sha256:e167b79d3973a937f83f9646bd73cf8bd7811688f5a373c5ae9bf96951766434
English text: poisoning, injection, approval-bypass only.
Five simulated tools; one gateway; no real-world effect guarantee.
Tested configuration only; no universal safety or standards compliance.
Remote model revision is provider-declared; public suites may be overfit.
Retention: private evidence 180 days; public record 2555 days minimum.
Verification path: /certificates/es_crt_AAAAAAAAAAAAAAAAAAAAAA
Page 1/1
Issuer-attested test observations; not accredited standards compliance
Current status must be checked; this PDF is a dated record