QUESTION NO 01 [CHEATS OF DBMS]

Q.1 Design College database with three entities student(rollno,sname,address,mobileno,branch,emailadd,Marks) Teacher(id,name,sub_taught,Qualification,Designation,Salary) Placements(rollno,branch,placedstudent_name,company_name,package_offered)

Design DB using DDL Statements which demonstrates the use of SQL Objects such as Table, View, Different constraints (check constraint, NULL, Not Null etc)

ANSWER:---

mysql> show databases;
++ Database
++
Ass_views
Pravin
information_schema
joint
library_model
mysql
operators
performance_schema
student
sys
++
10 rows in set (0.00 sec)
mysql> create database college;
Query OK, 1 row affected (0.01 sec)
mysql> create table student(rollno int primary key,sname varchar(20) not null,a varchar(255) mobileno long not null branch long not null emailadd varchar(255)

address 255), mobileno long not null, branch long not null, emailadd varchar(255), marks int); Query OK, 0 rows affected (0.10 sec)

mysql> desc student;

```
+----+
| Field | Type | Null | Key | Default | Extra | +-----+
          | NO | PRI | NULL | |
| rollno | int
sname | varchar(20) | NO | NULL |
| address | varchar(255) | YES | NULL | |
| mobileno | mediumtext | NO | NULL |
| branch | mediumtext | NO | NULL | |
| emailadd | varchar(255) | YES | NULL |
| marks | int
           |YES | NULL | |
```

```
+----+
7 rows in set (0.01 \text{ sec})
mysql> insert into student
values(03,"Meghraj", "shardanagar", 9405060504, "IT", "meghrajbhosale@gmail.com", 99);
Query OK, 1 row affected (0.06 sec)
mysql> insert into student
values(01,"ismail","tambenagar",9405456897,"IT","ismailsayyed@gmail.com",97);
Ouery OK, 1 row affected (0.07 sec)
mysql> select * from student;
+-----+
| rollno | sname | address | mobileno | branch | emailadd | marks |
+-----+
   1 | ismail | tambenagar | 9405456897 | IT | ismailsayyed@gmail.com | 97 |
   3 | Meghraj | shardanagar | 9405060504 | IT | meghrajbhosale@gmail.com | 99 |
+-----+
2 \text{ rows in set } (0.00 \text{ sec})
mysql> create table Teacher(id int primary key,name varchar(20) not null,sub_tought long,qualification
long, designation long not null, salary int);
Query OK, 0 rows affected (0.03 sec)
mysql> insert into Teacher values(2,"panchar sir","DSA AND CG","ME","PROFESSOR","80000");
Query OK, 1 row affected (0.02 sec)
mysql> insert into Teacher values(8,"salve sir","LDCO","ME","PROFESSOR","75000");
Query OK, 1 row affected (0.07 sec)
mysql> SELECT * FROM Teacher;
+---+-----+
| id | name | sub_tought | qualification | designation | salary |
+---+----+
| 2 | panchar sir | DSA AND CG | ME | PROFESSOR | 80000 |
8 salve sir | LDCO | ME | PROFESSOR | 75000 |
+---+-----+-----+
2 \text{ rows in set } (0.00 \text{ sec})
mysql> create table placement(rollno int,branch long,placedstudent_name long,company_name
varchar(50), package offered int);
Query OK, 0 rows affected (0.10 sec)
mysql> drop table placement;
Query OK, 0 rows affected (0.09 sec)
mysql> create table placement(rollno int,branch long,placedstudent_name long,company_name
varchar(50),package_offered int,CONSTRAINT FK_STUDENT FOREIGN KEY (rollno)
```

REFERENCES student(rollno));

```
Query OK, 0 rows affected (0.10 sec)
mysql> insert into placement values(3,"IT","MEGHRAJ","TCS",50000);
Ouery OK, 1 row affected (0.01 sec)
mysql> SELECT * FROM placement;
+----+
| rollno | branch | placedstudent name | company name | package offered |
+-----+
  3 | IT | MEGHRAJ
                    | TCS
                            50000 |
+-----+
1 row in set (0.00 sec)
mysql> ALTER TABLE student ADD CONSTRAINT CHK Marks CHECK (Marks >= 0 AND Marks
<= 100);
Ouerv OK. 2 rows affected (0.09 sec)
Records: 2 Duplicates: 0 Warnings: 0
mysql> select * from table;
ERROR 1064 (42000): You have an error in your SOL syntax; check the manual that corresponds to
your MySQL server version for the right syntax to use near 'table' at line 1
mysql> select * from student;;
+-----+
| rollno | sname | address | mobileno | branch | emailadd
                                             | marks |
+-----+
  1 | ismail | tambenagar | 9405456897 | IT | ismailsayyed@gmail.com | 97 |
  3 | Meghraj | shardanagar | 9405060504 | IT | meghrajbhosale@gmail.com | 99 |
2 \text{ rows in set } (0.00 \text{ sec})
ERROR:
No query specified
mysql> create view topstudent as
 -> select * from student where marks>98;
Query OK, 0 rows affected (0.07 sec)
mysql> select * from topstudent;
+-----+
| rollno | sname | address | mobileno | branch | emailadd | marks |
+-----+
  3 | Meghraj | shardanagar | 9405060504 | IT | meghrajbhosale@gmail.com |
+-----+
1 row in set (0.00 sec)
mysql>
```