## QUESTION NO 19 [CHEATS DBMS]

Q.19 Design College database with three entities student(rollno,sname,address,mobileno,branch,emailadd) teacher(id,name,sub\_taught,qualification,designation,salary) Placements(rollno,branch,placedstudent\_name,company\_name,package\_offered) a)create PL/SQL explicit cursor which will display student name, branch

ANSWER :-
Enter password: ********
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 26
Server version: 8.0.36 MySQL Community Server - GPL
Copyright (c) 2000, 2024, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> show databases;
++
Database
++
cheat5
college
information_schema
member
mysql

```
| performance_schema |
| sakila
student
sys
| test
world
11 rows in set (0.01 sec)
mysql> use college;
Database changed
mysql> show tables;
+----+
| Tables_in_college |
+----+
| customer
| customer1
| customers
| employee
| message
| old_emloyee
orders
| placement
| result
| retire
| sal_cal
| student1
| teacher
13 rows in set (0.01 sec)
```

```
mysql> select * from student1;
+-----+
| rollno | sname | address | mobileno | branch | emailadd | marks | age |
Admission_date |
+-----+
  3 | raviraj | shardanagar | 9405060708 | comp | meghrajbhosale@gmail.com | 99 | NULL |
2023-07-14
  5 | Ankit | malkapur | 8010112818 | COMP | ankitbharambe@gmail.com | 98 | NULL |
2023-07-18
| 15 | pravin | solapur | 9449944949 | IT | prrathod@gmail.com | 72 | NULL | 2023-
07-28
16 | rushikesh | pandharpur | 9449944994 | IT | rushikeshW@gmail.com | 79 | NULL |
2023-07-22
| 37 | varad | vaibhavvadi | 9494949494 | AIDS | varadb@gmail.com | 89 | NULL |
2023-07-20 I
+-----+
5 rows in set (0.00 sec)
mysql> select * from placement;
+-----+
| rollno | branch | placedstudentname | companyname | packageoffered |
+-----+
| 3 | IT | meghraj | TCS | 500000 |
| 37 | AIDS | varad
               | TCS | 1000000 |
| 27 | mech | ajinkya
                 | mahindra | 700000 |
| 48 | ENTC | rachit
                | vipro | 750000 |
               | cognizant | 750000 |
 75 | IT | ismail
+-----+
5 rows in set (0.00 sec)
mysgl> select * from teacher;
+---+
```

```
| 4 | bhagawat sir | PA AND OOP | PHD | PROFESSOR | 80000 |
| 5 | kokare mam | DBMS | ME | ASS.PROFESSOR | 75000 |
| 8 | sakhare mam | SE AND BCN | ME | ASS.PROFESSOR | 75000 |
+----+
4 rows in set (0.01 sec)
mysql> delimiter $$
mysql> create procedure p12()
 -> begin
 -> declare n varchar(50);
 -> declare b varchar(50);
 -> declare c1 cursor for select sname, branch from student1;
 -> open c1;
 -> aa: loop
 -> fetch c1 into n,b;
 -> select n,b;
 -> end loop aa;
 -> end;
 ->
 -> $$
Query OK, 0 rows affected (0.01 sec)
mysql> call p12();
 -> $$
+----+
|n |b |
+----+
| raviraj | comp |
+----+
1 row in set (0.00 sec)
```

++
n  b
++
Ankit   COMP
++
1 row in set (0.01 sec)
++
n  b
++
pravin   IT
++
1 row in set (0.01 sec)
++
++   n   b
n  b
n   b   +
n
n
n
n
n   b   ++   rushikesh   IT   ++ 1 row in set (0.01 sec) ++
n   b   ++   rushikesh   IT   ++ 1 row in set (0.01 sec) ++   n   b
n   b   ++   rushikesh   IT   ++ 1 row in set (0.01 sec) ++   n   b   ++

mysql>