
Pathways enriched between GC proteome subtypes
(preranked GSEA, q < 0.1)
R:NONSENSE_MEDIATED_DECAY_NMD
R:EUKARYOTIC_TRANSLATION_ELONGATION
R:EUKARYOTIC_TRANSLATION_INITIATION
R:RESPONSE_OF_EIF2AK4_GCN2_TO_AMINO_ACID_DEFIC
K:RIBOSOME
R:INFLUENZA_INFECTION
GO:CYTOPLASMIC_TRANSLATION
R:REGULATION_OF_EXPRESSION_OF_SLITS_AND_ROBOS
R:PROCESSING_OF_CAPPED_INTRON_CONTAINING_PRE_M
R:SELENOAMINO_ACID_METABOLISM
R:ACTIVATION_OF_THE_MRNA_UPON_BINDING_OF_THE_C
R:RRNA_PROCESSING
R:SIGNALING_BY_ROBO_RECEPTORS
R:SRP_DEPENDENT_COTRANSLATIONAL_PROTEIN_TARGET
GO:MITOCHONDRIAL_TRANSLATION
K:CARDIAC_MUSCLE_CONTRACTION
GO:AEROBIC_RESPIRATION
GO:OXIDATIVE_PHOSPHORYLATION
GO:CELLULAR_RESPIRATION
R:RESPIRATORY_ELECTRON_TRANSPORT
FATTY_ACID_METABOLISM
GO:SMALL_MOLECULE_CATABOLIC_PROCESS
GO:MITOCHONDRIAL_GENE_EXPRESSION
R:RESPIRATORY_ELECTRON_TRANSPORT_ATP_SYNTHESIS
R:THE_CITRIC_ACID_TCA_CYCLE_AND_RESPIRATORY_EL
GO:ORGANIC_ACID_CATABOLIC_PROCESS
OXIDATIVE_PHOSPHORYLATION
R:MITOCHONDRIAL_TRANSLATION
q=0.013
−3
−2
−1
0
1
2
3
GSEA NES (positive = higher in EMT, negative = higher in Metabolism)