

Prendido

UnoArduSim v1.2.1: [simple.ino]

File Find Execute Options Configure VarUpdates Windows Help

```
*/
int count;

void wheeltic()
{
  count++;
}

void loop()
{
  delay(2000);//will get interrupte inside here
  count =0;
  digitalWrite(dirPin, LOW);//reverse
  delay(2000);//will get interrupte inside here
  count =0;
  digitalWrite(dirPin, HIGH);//reverse
}

//the "int main()" below is IMPLICIT in Arduino
//but is shown here EXPLICITLY by UnoArduSim
int main()
{
  setup();
  while(true)
  {
  }
```

PARSE ERROR: 'count': used without having been explicitly initialized

Apagado

UnoArduSim v1.2.1: [simple.ino]

File Find Execute Options Configure VarUpdates Windows Help

```
*/
int count;

void wheeltic()
{
  count++;
}

void loop()
{
  delay(2000);//will get interrupte inside here
  count =0;
  digitalWrite(dirPin, LOW);//reverse
  delay(2000);//will get interrupte inside here
  count =0;
  digitalWrite(dirPin, HIGH);//reverse
}

//the "int main()" below is IMPLICIT in Arduino
//but is shown here EXPLICITLY by UnoArduSim
int main()
{
  setup();
  while(true)
  {
  }
```

PARSE ERROR: 'count': used without having been explicitly initialized