CDFW Recreational Season Lengths and Depth Restrictions for Select California Groundfish (1999-2022)

The following are summarized recreational season and depth limit regulations for select California groundfish from 1999 through 2022, including most inseason changes. Information was compiled from California's sport fishing booklet and supplemental booklets, as well as some emergency rulemakings or press releases.

Nearshore rockfish is defined as: black, black-and-yellow, blue, brown, calico, China, copper, gopher, grass, kelp, olive, quillback, and treefish rockfishes.

Shelf rockfish is defined as: bocaccio, canary, cowcod, widow, yelloweye, yellowtail, shortbelly, bronzespotted, chameleon, chilipepper, dwarf-red, flag, freckled, greenblotched, greenspotted, greenstriped, halfbanded, honeycomb, Mexican, pink, pinkrose, pygmy, redstripe, rosethorn, rosy, silvergrey, speckled, squarespot, starry, stripetail, swordspine, tiger, and vermilion rockfishes.

Table 1. Key to information and visual formatting found in subsequent tables in this document.

| Key | Meaning |
|--------|--------------------------------|
| | Fishing allowed in all waters |
| 20 | Depth closed greater than 20fm |
| 30 | Depth closed greater than 30fm |
| 40 | Depth closed greater than 40fm |
| 50 | Depth closed greater than 50fm |
| 60 | Depth closed greater than 60fm |
| 30-60 | Depth open between 30-60fm |
| | Fishery Closed |
| Number | In-season change to depth |
| | Inseason closure to fishery |

CALIFORNIA RECREATIONAL REGULATORY HISTORY, 1999

Prior to the year 2000, the recreational groundfish fishery in California had few restrictions. The fishery was open year-round for the federally managed groundfish such as rockfishes, lingcod, cabezon, greenlings (kelp and rock), California scorpionfish, sanddabs, and for the groundfish associated species like California sheephead and ocean whitefish. There were no depth restrictions for any of these species.

Statewide groundfish and associated species season and depth restrictions prior to the year 2000.

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|-----------------------------------|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California | | | | | | | | | | | | |
| scorpionfish, California | | | | | | | | | | | | |
| sheephead, Cabezon, Greenlings | | | | | | | | | | | | |
| (rock, kelp), Ocean whitefish, | | | | | | | | | | | | |
| Shelf rockfish, Lingcod, Sanddabs | | | | | | | | | | | | |

CALIFORNIA RECREATIONAL REGULATORY HISTORY, 2000

Beginning in the year 2000, following the overfished status declaration of the lingcod stock, and some of the rockfishes changes to season lengths began occurring to restrict access to the resource for parts of the year. Additionally, geographic management areas were implemented to allow for more adaptive management of fish stocks.

Beginning in 2000, three management areas were implemented, and included: the Northern Management Area, which covered the area between the California/Oregon border (42° N lat.) to near

Cape Mendocino (40°10' N lat.); the Central Management Area, which covered the area between near Cape Mendocino to Lopez Point (36°00' N lat.); and the Southern Management Area, which covered the area between Lopez Point and the border with Mexico.

Northern Management Area

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | | | | | | | | | | |
| Lingcod ¹ | | | | | | | | | | | | |
| Sanddabs | | | | , | | | | | | | | |

Central Management Area

Near Cape Mendocino (40° 10' N lat.) to Lopez Point (36° 00' N lat.)

| Species | Jan | Feb | Mar | Apr | Mav | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-------|------|-----|------|-----|-------|------|-------|-----|-----|-------|-----|
| California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean Whitefish | - Cui | . 02 | | 7.01 | uy | - Cui | ou.y | 7.009 | Jop | 301 | , nov | |
| Nearshore rockfish, Shelf rockfish | | | | | | | | | | | | |
| Lingcod ¹ | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area

Lopez Point (36° 00' N lat.) to US/Mexico Border

| | | | - (| | -, | | | | | | | |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish | | | | | | | | | | | | |
| Nearshore rockfish, Shelf rockfish | | | | | | | | | | | | |
| Lingcod ¹ | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2000:

CALIFORNIA RECREATIONAL REGULATORY HISTORY, 2001

Northern Management Area 1, 2, 3

California/Oregon Border to Near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish | | | | | | | | | | | | |
| Shelf rockfish ³ , Lingcod ³ | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | |

Central Management Area 1, 2, 3

Near Cape Mendocino (40° 10' N lat.) to Point Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish | | | | | 20 | 20 | | | | | 20 | 20 |
| California sheephead, Ocean whitefish | | | | | | | | | | | | |
| Cabezon, Greenlings (rock, kelp) | | | | | | | | | | | 20 | 20 |
| Shelf rockfish³, Lingcod³ | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | |

^{1.} Statewide emergency lingcod closure in November and December; closure applied to boat-based anglers, but not to shore-based anglers.

Southern Management Area 1, 2, 3 Point Conception (34° 27' N lat.) to the U.S./Mexico border

| Total College of the | | | | | | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|--|--|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec | | |
| Nearshore rockfish | | | | | | | | | | | 20 | 20 | | |
| California scorpionfish, Ocean whitefish | 20 | 20 | | | | | | | | | 20 | 20 | | |
| California sheephead | | | | | | | | | | | | | | |
| Cabezon, Greenlings (rock, kelp) | | | | | | | | | | | 20 | 20 | | |
| Shelf rockfish ³ , Lingcod ³ | | | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | | | |

Notes for 2001:

- 1. Emergency action was taken by the Commission in order to conform to federal regulations; closures did not apply to shore-based anglers.
- 2. Inseason emergency closure on October 29 prohibited angling for shelf and slope rockfishes and lingcod. Possession of these fishes was prohibited in state waters. In waters less than 20 fathoms, fishing for nearshore rockfishes, California scorpionfish, cabezon, and greenlings continued to be permitted (including waters around offshore rocks and islands less than 20 fathoms). Fishing for California sheephead continued to be permitted in all waters except the Cowcod Conservation Areas.
- 3. On January 1, 2000 the California Fish and Game Commission adopted regulations to be effective through 2002 that closed lingcod, nearshore, and shelf rockfishes as follows: south of Lopez Point to the Mexico border Jan. Feb.; and north of Lopez Point to Cape Mendocino Mar. Apr. New regulations that superceded the regulations adopted January 1, 2000 went into effect Mar. 5, 2001. These new regulations included a different regional management boundary between the central and southern management areas Point Conception instead of Lopez Point. Because of the delay in implementation (March instead of January), the area between Lopez Point and Point Conception was closed from Jan. 1 Feb. 28, 2001 (as part of the southern area under the 2000 regulations). This area then was open to fishing from March 1- 4, 2001 (as part of the 2000 open fishing period for the southern area). However, once the 2001 regulations took affect on Mar. 5, 2001, this section of coast was closed again from Mar. 5 Apr. 30 (as part of the central area under the 2001 regulations).

CALIFORNIA RECREATIONAL REGULATORY HISTORY, 2002

Northern Management Area 1, 2, 3

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Camorina Oregon Border to hear Cape Mendocino (40 10 N lat.) | | | | | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|--|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec | |
| Nearshore rockfish, California scorpionfish, Ocean whitefish, Shelf rockfish, Lingcod | | | | | | | | | | | | | |
| California sheephead ¹ | | | | | | | | | | | | | |
| Cabezon ¹ | | | | | | | | | | | | | |
| Greenlings (rock, kelp) 1 | | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | | |

Central Management Area 1, 2, 3

Near Cape Mendocino (40° 10' N lat.) to Point Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| California sheephead ¹ | | | | | | | | | | | | |
| Cabezon ¹ | | | | | | | | | | | | |
| Greenlings (rock, kelp) 1 | | | | | | | | | | | | |
| Ocean whitefish ² | | | | | | | 20 | 20 | 20 | 20 | 20 | 20 |
| Shelf rockfish ² , Lingcod ² | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area ^{1, 2, 3}
Point Conception (34° 27' N lat.) to the U.S./Mexico border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish ² | | | | | | | 20 | 20 | 20 | 20 | | |
| California sheephead ¹ | | | | | | | | | | | | |
| Cabezon ¹ | | | | | | | | | | | | |
| Greenlings (rock, kelp) 1 | | | | | | | | | | | | |
| Ocean whitefish ² | | | | | | | 20 | 20 | 20 | 20 | 20 | 20 |
| Shelf rockfish ² , Lingcod ² | | | | | | | 20 | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2002:

- 1. Inseason emergency closure took effect for greenlings on July 1, cabezon on July 29, and California sheephead on November 1. Closures do not apply to shore-based anglers, or spearfishing from shore or a manmade structure.
- 2. The emergency closure for shelf rockfish, lingcod, California scorpionfish, and ocean whitefish went into effect July 1. Nearshore fishing was still allowed in waters shallower than 20 fathoms for nearshore rockfishes, California scorpionfish, and ocean whitefish. There was a special allowance for two shelf rockfish ONLY if taken incidental to nearshore fishing in less than 20 fathoms EXCLUDING bocaccio, canary, cowcod, and yelloweye rockfish, which could not be taken.
- 3. Management Area boundaries changed January 10, 2002.

CALIFORNIA RECREATIONAL REGULATORY HISTORY, 2003

Northern Management Area 2,3

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| | | -9 | | | Jupo . | | (| | , | | | |
|--|-----|-----|-----|-----|--------|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish ³ , California scorpionfish ³ | | | | | | | | | | | | |
| California sheephead ² , Cabezon ² , Greenlings (rock, kelp) ² | | | | | | | | | | | | |
| Ocean whitefish | | | | | | | | | | | | |
| Shelf rockfish ³ , Lingcod ³ | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | |

Central Management Area 2,3

Near Cape Mendocino (40° 10' N lat.) to Point Conception (34° 27' N lat.)

| itoui oup | o | 000 | (0 .0 | , | | | Option | (∪: | , | | | |
|--|-----|-----|-------|-----|-----|-----|--------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| California scorpionfish ³ | 20 | 20 | | | | | 20 | 20 | 20 | 20 | 20 | |
| California sheephead ² | | | | | | | | | | | | |
| Cabezon ² , Greenlings (rock, kelp) ² | | | | | | | 20 | 20 | 20 | | | |
| Ocean whitefish | | | | | | | 20 | 20 | 20 | 20 | 20 | 20 |
| Nearshore rockfish ³ , Shelf rockfish ³ , Lingcod ³ | | | | | | | 20 | 20 | 20 | 20 | 20 | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area 1, 2, 3

Point Conception (34° 27' N lat.) to the U.S./Mexico border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| California scorpionfish ^{1, 3} | 20 | 20 | | | | | 20 | 20 | 30 | 30 | 30 | |
| California sheephead ² | | | | | | | | | | | | |
| Cabezon², Greenlings (rock,kelp)² | | | | | | | 20 | 20 | 30 | | | |
| Ocean whitefish | | | | | | | 20 | 20 | 30 | 30 | 30 | 30 |
| Nearshore rockfish ³ , Shelf rockfish ³ , Lingcod ³ | | | | | | | 20 | 20 | 30 | 30 | 30 | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2003:

- 1. Fishing for California scorpionfish was allowed in less than 50 fathoms during July and August, only in the area of Huntington Flats, as defined by California Code of Regulations, Title 14, subsection 27.82(d)(7).
- 2. Inseason emergency closures on October 8 for cabezon, greenlings, and California sheephead to all recreational take in all waters at all depths.

3. Inseason emergency closure on December 8 for nearshore rockfishes, California scorpionfish, shelf rockfishes, and lingcod.

California Recreational Regulatory History, 2004

Northern Management Area 1, 2

California/Oregon Border to near Cape Mendocino (40°10'N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Black rockfish ¹ | | | | | | 30 | 30 | 30 | | | | |
| Lingcod ² | | | | | 30 | 30 | 30 | 30 | 30 | 30 | | |
| Sanddabs | | | | | | | | | | | | |

North-Central Management Area_2,3

Near Cape Mendocino (40°10'N lat.) to Lopez Point (36°00'N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | 30 | 30 | | | | | | 20 | 20 | 20 | | |
| Lingcod ² | 30 | 30 | | | | | | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

South-Central Management Area²

Lopez Point (36° 00' N lat.) to Pt. Conception (34° 27' N lat.)

| | P | (55 | | u., | •••• | 55pt.5. | . (~ | | , | | | |
|--|-----|-----|-----|-----|------|----------------|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | 30 | 30 | | | 20 | 20 | | 20 | 20 | 20 | 20 | 20 |
| Lingcod ² | 30 | 30 | | | 20 | 20 | | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area²

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| | Ft. G | nicepu | 1011 (3 4 | 21 IN | ai.) io i | | ICO DOI | uei | | | | |
|--|-------|--------|----------------------|-------|-----------|-----|---------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | 60 | 60 | 60 | 60 | 60 | 60 | 30 | 30 | 60 | 60 |
| California scorpionfish | | | 60 | 60 | | | | | | | 60 | 60 |
| Lingcod ² | | | 60 | 60 | 60 | 60 | 60 | 60 | 30 | 30 | | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2004:

- 1. Inseason change on May 16 reduced rockfish bag limit to zero in May, and September through December.
- 2. Inseason change on April 1 decreased lingcod bag limit from two to one fish and increased size limit from 24 to 30 inches.
- 3. Inseason change on March 1 closed rockfish, lingcod and associated species on Cordell Bank (Marin County).

California Recreational Regulatory History, 2005

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, Black rockfish, California sheephead, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Cabezon ¹ | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | |
| Lingcod | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | |
| Sanddabs | | | | | | | | | | | | |

North-Central Management Area¹

Near Cape Mendocino (40° 10' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | | | | | 20 | 20 | 20 | 20 | 20 | 20 |
| Cabezon ¹ | | | | | | | 20 | 20 | 20 | 20 | 20 | |
| Lingcod | | | | | | | 20 | 20 | 20 | 20 | 20 | |
| Sanddabs | | | | | | | | | | | | |

Monterey South – Central Management Area¹ Pigeon Point (37° 11' N lat.) to Lopez Point (36° 00' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | | | | | 20 | 20 | 20 | 20 | 20 | 20 |
| Cabezon ¹ | | | | | | | 20 | 20 | 20 | 20 | 20 | |
| Lingcod | | | | | | | 20 | 20 | 20 | 20 | 20 | |
| Sanddabs | | | | | | | | | | | | |

Morro Bay South – Central Management Area¹ Lopez Point (36° 00' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon ¹ , Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | | | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area¹
Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-------|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Greenlings, Ocean whitefish, Shelf rockfish | | | 30-60 | 60 | 60 | 60 | 60 | 60 | 30 | 30 | 60 | 60 |
| California scorpionfish | | | | | | | | | | 30 | 60 | 60 |
| Cabezon ¹ | | | 30-60 | 60 | 60 | 60 | 60 | 60 | 30 | 30 | 60 | |
| Lingcod | | | | 60 | 60 | 60 | 60 | 60 | 30 | 30 | 60 | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2005:

1. Inseason change on November 18 closed cabezon statewide for December.

California Recreational Regulatory History, 2006

Northern Management Area ¹
California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, Black rockfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Lingcod | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | |
| Sanddabs | | | | | | | | | | | | |

North-Central Management Area 2, 3

Near Cape Mendocino (40° 10′ N lat.) to Pigeon Point (37° 11′ N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | | | | | 30 | 30 | 30 | 30 | 30 | 30 |
| Lingcod | | | | | | | 30 | 30 | 30 | 30 | 30 | |
| Sanddabs | | | | | | | | | | | | |

Monterey South – Central Management Area ^{2,3} Pigeon Point (37° 11' N lat.) to Lopez Point (36° 00' N lat.)

| | 900 | . • (| • | , | ··p· | | . , | , | | | | |
|--|-----|-------|-----|-----|------|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | | | | | 30 | 30 | 30 | 30 | 30 | 30 |
| Lingcod | | | | | | | 30 | 30 | 30 | 30 | 30 | |
| Sanddabs | | | | | | | | | | | | |

Morro Bay South – Central Management Area ⁴ Lopez Point (36° 00' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area 5,6
Pt. Conception (34° 27' N lat.) to US/Movice Border

| | Pt. C | oncep | นบท (34 | + <i>21</i> IN | 1al.) lo | US/IVIE | XICO DO | luei | | | | |
|---|-------|-------|---------|----------------|----------|---------|---------|------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean Whitefish, Shelf rockfish | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Lingcod | | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2006:

- 1. Inseason change on March 28 decreased the fishing depth limit from 40 to 30 fathoms in the Northern management area, and opened the months of November and December to recreational fishing (except for lingcod which was closed).
- 2. Inseason change on March 28 kept depth limit at 20 fathoms in the North-Central and Monterey South-Central management areas, but opened December to recreational fishing (except for lingcod which was closed).
- 3. Inseason change on July 1 liberated the fishing depth limit from 20 fathoms to 30 fathoms in the North-Central and Monterey South-Central management areas (except for lingcod which was closed).
- 4. Inseason change on July 1 opened October to recreational fishing in the Morro Bay South-Central management area.

- 5. Inseason change on March 28 allowed recreational fishing in the Southern Management area during October (with 30 fathom depth limit), November (60 fathom depth limit), and December (60 fathom depth limit), except for lingcod which was closed to all fishing.
- 6. Inseason change on July 1 liberated the fishing depth limit from 30 fathoms to 60 fathoms in the Southern Management area for the remainder of the season (except for lingcod which remained closed in December).

Northern Management Area 1

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, Black rockfish, Cabezon, Greenlings (rock, kelp), Shelf rockfish, Lingcod | | | | | 30 | 30 | 30 | 30 | 30 | | | |
| California sheephead, Ocean whitefish | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Sanddabs | | | | | | | | | | | | |

North-Central Management Area ¹

Near Cape Mendocino (40° 10' N lat.) to Pigeon Point (37° 11' N lat.)

| | | | | | , | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, Cabezon, Greenlings (rock, kelp), Shelf rockfish, Lingcod | | | | | | 30 | 30 | 30 | 30 | | | |
| California sheephead, Ocean whitefish | | | | | | 30 | 30 | 30 | 30 | 30 | 30 | |
| Sanddabs | | | | | | | | | | | | |

Monterey South – Central Management Area Pigeon Point (37° 11' N lat.) to Lopez Point (36° 00' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
| Sanddabs | | | | | | | | | | | | |

Morro Bay South – Central Management Area Lopez Point (36° 00' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area ²
Pt. Conception (34° 27' N lat.) to US/Mexico Border

| | r t. C | oncep | นบน (จฯ | . <i>41</i> 11 | 1at.) to | COLINIC | VICO DO | iuei | | | | |
|--|--------|-------|---------|----------------|----------|---------|---------|------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings (rock, kelp), Ocean whitefish, Shelf rockfish | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 40 | 40 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Lingcod | | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2007:

- 1. Inseason emergency closure on October 1 north of Pigeon Point (37°11'N. lat) for nearshore rockfish, black rockfish, cabezon, greenlings, shelf rockfish and lingcod.
- 2. Cowcod Conservation area (west of San Diego) was open to recreational fishing from March through December from shore to 20 fathoms

Northern Management Area 1,3

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, Black rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish | | | | | 20 | 20 | 20 | 20 | | | | |
| Lingcod | | | | | 20 | 20 | 20 | 20 | | | | |
| Sanddabs | | | | | | | | | | | | |

North-Central North of Point Arena Management Area^{1, 2, 3} Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | | 20 | 20 | 20 | | | | |
| Sanddabs | | | | | | | | | | | | |

North - Central South of Point Arena Management Area^{1, 2} Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | | 20 | 20 | 20 | 20 | 20 | 20 | |
| Sanddabs | | | | | | | | | | | | |

Monterey South – Central Management Area Pigeon Point (37° 11' N lat.) to Lopez Point (36° 00' N lat.)

| | .900 | | • • • • | | | | 100 | | | | | |
|--|------|-----|---------|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
| Sanddabs | | | | | | | | | | | | |

Morro Bay South – Central Management Lopez Point (36° 00' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area ⁴
Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 40 | 40 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Lingcod | | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2008:

- 1. Inseason change on May 9 decreased depth limit from 30 fathoms to 20 fathoms in the Northern and North-Central Management Areas.
- 2. Inseason emergency change on September 2 split the North-Central Management Area into two areas: North-Central North of Point Arena, and North-Central South of Point Arena.
- 3. Inseason emergency closure on September 2 for nearshore rockfish, California sheephead, California scorpionfish, cabezon, greenlings, Ocean whitefish, shelf rockfish and lingcod for the Northern and North-Central North of Point Arena Management areas.
- 4. Cowcod Conservation area (west of San Diego) was open to recreational fishing from March through December from shore to 20 fathoms.

California Recreational Regulatory history, 2009

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, Black rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | | | |
| Sanddabs | | | | | | | | | | | | |

North-Central - North of Point Arena Management Area Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| | ou. oup | | | (| | | , | | , | | | |
|---|---------|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, | | | | | | | | | | | | |
| California scorpionfish, California sheephead, | | | | | | | | | | | | |
| Cabezon, Greenlings, | | | | | 20 | 20 | 20 | 20 | | | | |
| Ocean whitefish, Shelf | | | | | | | | | | | | |
| rockfish, Lingcod | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | |

North-Central South of Point Arena Management Area Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, | | | | | | | | | | | | |
| California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | | 20 | 20 | 20 | 20 | 20 | 20 | |
| Sanddabs | | | | | | | | | | | | |

Monterey South – Central Management Area Pigeon Point (37° 11' N lat.) to Lopez Point (36° 00' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |

| Sanddabs | | | | | | |
|----------|--|--|--|--|--|--|

Morro Bay South - Central Management Area

Lopez Point (36° 00' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| | | ••• | · • • • • • • • • • • • • • • • • • • • | (~ . – . | , | | OXIOO D | 0. 0.0. | | | | |
|--|-----|-----|---|------------------|-----|-----|---------|---------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 40 | 40 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Lingcod | | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | |
| Sanddabs | | | | | | | | | | | | |

California Recreational Regulatory history, 2010

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, Black rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | | | | |
| Sanddabs | | | | | | | | | | | | |

North-Central - North of Point Arena Management Area Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | | | | |
| Sanddabs | | | | | | | | | | | | |

North-Central South of Point Arena Management Area Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| | | | - (| | , | 9 | (| | ·- <i>,</i> | | | |
|---|-----|-----|-----|-----|-----|-----|------|-----|-------------|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | | 30 | 30 | 30 | 30 | 30 | | |
| Sanddabs | | | | | | | | | | | | |

Monterey South – Central Management Area Pigeon Point (37° 11' N lat.) to Lopez Point (36° 00' N lat.)

| Species Ja | n Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|------------|-------|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|

| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
|--|--|--|----|----|----|----|----|----|----|--|
| Sanddabs | | | | | | | | | | |

Morro Bay South – Central Management Area Lopez Point (36° 00' N lat.) to Pt. Conception (34° 27' N lat.)

| | _op | <i>-</i> | . 100 0 | o itiat. | , | -0 | JEIOII (O- | , ., | | | | |
|---|-----|----------|---------|----------|-----|-----|------------|------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| | | | Option | (∪ | | | OKIOO D | 0.40. | | | | |
|--|-----|-----|--------|-----|-----|-----|---------|-------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 40 | 40 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Lingcod | | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | |
| Sanddabs | | | | | | | | | | | | |

California Recreational Regulatory History, 2011

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, Black rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| | 20 | 20 | 20 | 20 | | | | |
|--|----|----|-------|----------|-------------|-------------|-------------|-------------|
| | | 20 | 20 20 | 20 20 20 | 20 20 20 20 | 20 20 20 20 | 20 20 20 20 | 20 20 20 20 |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| | | , | | , | | | (| | -, | | | |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Sanddabs | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Lingcod | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Sanddabs | | | | | | | | | | | | |

Notes for 2011:

- 1. As part of the biennial management specification process, the North-Central North of Point Arena Management area was renamed the Mendocino Management Area, the North-Central South of Point Arena Management Area was renamed the San Francisco Management Area, and the Monterey South-Central and Morro Bay South-Central Management Areas were combined into the Central Management Area.
- 2. Due to a delay in the federal regulatory process, recreational regulations for 2011 in California did not go into effect until June 11, 2011.

California Recreational Regulatory History, 2012

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| _ | | o : - g | | | | | , | | , | | | |
|--|-----|---------|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, Black rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| | nou. Oup | 0 1110111 | 4001110 | (-10 10 | 14 141., 10 | | , w | 00 01 11 | · u, | | | |
|---|----------|-----------|---------|---------|-------------|-----|------|----------|------|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | | | | |
| Sanddabs | | | | | • | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Sanddabs | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 50 | 50 |
| California scorpionfish | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 50 | 50 |
| Lingcod | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 50 | 50 |
| Sanddabs | | | | | | | | | | | | |

Notes for 2012:

- 1. Sub-bag limit for greenling increased from two fish to 10 fish within the 10 fish daily RGC bag limit.
- 2. High encounter rates for cowcod in the SMA lead to inseason action to restrict anglers' maximum fishing depth from 60fm to 50fm.

California Recreational Regulatory History, 2013

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| | Juiii Oi i i | u, 0.09 | O., DO. | uo. 10 | noui oup | <i>-</i> | 000 | -0 .0 | | | | |
|--|--------------|---------|---------|--------|----------|----------|------|-------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, Black rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| | ou. oup | •• | | , | | | / | | , | | | |
|--------------------------|---------|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, | | | | | | | | | | | | |
| California scorpionfish, | | | | | | | | | | | | |
| California sheephead, | | | | | 20 | 20 | 20 | 20 | | | | |
| Cabezon, Greenlings, | | | | | 20 | 20 | 20 | 20 | | | | |
| Ocean whitefish, Shelf | | | | | | | | | | | | |
| rockfish, Lingcod | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| | . • | , | ,55 5. | , | to i igo | ••••• | (| | ••, | | | |
|--------------------------|-----|-----|--------|-----|----------|-------|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, | | | | | | | | | | | | |
| California scorpionfish, | | | | | | | | | | | | |
| California sheephead, | | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Cabezon, Greenlings, | | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Ocean whitefish, Shelf | | | | | | | | | | | | |
| rockfish, Lingcod | | | | | | | | | | | | |
| Sanddabs | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| 900 | | ν. | | u., | | 0 0 0p | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | · | | , | | |
|---------|-----|-----|-----|-----|-----|---------------|---|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |

| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
|--|--|--|----|----|----|----|----|----|----|----|--|
| Sanddabs | | | | | | | | | | İ | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| California scorpionfish | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Lingcod | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Sanddabs | | | | | | | | | | | | |

Notes for 2013-2014:

- 1. Season in Mendocino Management Area was extended two weeks from previous years.
- 2. More optimistic results from 2011 bocaccio stock assessment allowed increase of daily sub-bag limit from two fish to three fish, and removal of minimum size limit.

California Recreational Regulatory History, 2014

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfsh, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | | | | |
| Sanddabs | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|--------|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish; California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 7 (0.1 | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Sanddabs | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--------------------------------|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California | | | | | | | | | | | | |
| sheephead, Cabezon, | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| Greenlings, Ocean whitefish, | | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| Shelf rockfish, Lingcod | | | | | | | | | | | | |

| California scorpionfish | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | |
|-------------------------|----|----|----|----|----|----|----|----|----|----|--|
| Sanddabs | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| California scorpionfish | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| Sanddabs | | | | | | | | | | | | |

Notes for 2014:

1. Based on projected estimates for 2014, it was predicted that the California scorpionfish annual catch limit would be exceeded unless closed. Thus, in-season action was taken to close the fishery from November 15 through the end of year.

CALIFORNIA RECREATIONAL REGULATORY HISTORY, 2015

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| California scorpionfish | | | | | 20 | 20 | 20 | 20 | | | | |
| Sanddabs | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Nearshore rockfish, | | | | | | | | | | | | |
| California sheephead, | | | | | | | | | | | | |
| Cabezon, Greenlings, | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| Ocean whitefish, Shelf | | | | | | | | | | | | |
| rockfish, Lingcod | | | | | | | | | | | | |
| California scorpionfish | | | | | 30 | 30 | 30 | 30 | | | | |
| Sanddabs | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| California scorpionfish | | | | 40 | 40 | 40 | 40 | 40 | | | | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | | | | |

| Sanddabs | | | | | | |
|----------|--|--|--|--|--|--|

Notes for 2015:

Final federal regulations published on March 9, 2015, with state regulations effective March 10. Changes
to regulations included new season dates, a statewide five fish sub-bag limit for black rockfish, reduced
boat based season for California scorpionfish in the Southern Management Area, and liberalizing the
depth restriction from 50 to 60 fathoms in the Southern Management Area. A statewide increase to a 3
fish daily bag limit for Lingcod.

CALIFORNIA RECREATIONAL REGULATORY HISTORY, 2016

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| Sanddabs | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | | |
| California scorpionfish | | | | | 20 | 20 | 20 | 20 | | | | |
| Sanddabs | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| California scorpionfish | | | | 30 | 30 | 30 | 30 | 30 | | | | |
| Sanddabs | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| California scorpionfish | | | | 40 | 40 | 40 | 40 | 40 | | | | |
| Sanddabs | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | | | | |
| Sanddabs | | | | | | | | | | | | |

California Recreational Regulatory History, 2017

Northern Management Area
California/Oregon Border to near Cape Mendocino (40° 10′ N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | 0 | ct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|----|----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 30 | 30 | 30 | 30 | 30 | 30 | 20 | 20 | 20 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| | ui Oup | | 4001110 | (-10 .0 | · 14 141. | | | (00 0 | | , | | | |
|---|--------|-----|---------|---------|-----------|-----|------|-------|-----|----|----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | 0 | ct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| California scorpionfish | | | | | 20 | 20 | 20 | 20 | | | | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| | . Опп | Ai Ciiu | 100 01 | it iat., to | , i igov | ,,,, | 10 (01 | 11 14 1 | u., | | | | |
|---|-------|---------|--------|-------------|----------|------|--------|---------|-----|----|----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | 0 | ct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 30 | 30 | 30 |
| California scorpionfish | | | | 40 | 40 | 40 | 40 | 40 | | | | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| | rigeon | r Ollit | (31 1 | i in iat | <i>)</i> 10 F 1 | . Conc | epuon (| J4 21 | 14 iai. <i>j</i> | | | | |
|--|--------|---------|-------|----------|-----------------|--------|---------|-------|------------------|----|----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | 0 | ct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 40 | 40 | 40 |
| California scorpionfish | | | | 50 | 50 | 50 | 50 | 50 | | | | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | | | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Notes for 2017:

1. Inseason action was taken from the Oregon/California border to Point Conception to revert fishing depths to those in effect during 2016 effective October 16. This change was made due to high catches of yelloweye rockfish during the summer.

California Recreational Regulatory History, 2018 Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 30 | 30 | 30 | 30 | | 20 | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | | 20 | | |
| California scorpionfish | | | | | 20 | 20 | 20 | 20 | | | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| | . • | , | ,55 5. | | | • | (| | ~ <i>,</i> | | | |
|---|-----|-----|--------|-----|-----|-----|------|-----|------------|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 40 | 40 | 40 | 40 | 40 | | 30 | | |
| California scorpionfish | | | | 40 | 40 | 40 | 40 | 40 | | | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| | 9 | | | | | | - p , | | | | | |
|--|-----|-----|-----|-----|-----|-----|-------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 50 | 50 | 50 | 50 | 50 | | 40 |) | |
| California scorpionfish | | | | 50 | 50 | 50 | 50 | 50 | | | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| | | -0 | P V | | | | UN. UU - | | | | | |
|--|-----|-----|-----|-----|-----|-----|----------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| California scorpionfish | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 | | | | |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Notes for 2018:

1. Inseason action was taken from the Oregon/California border to Point Conception to revert fishing depths to those in effect during 2016 effective August 25. This change was made due to high catches of yelloweye rockfish during the summer.

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-------|------|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 30 | 30 | 30 | 30 | 30 | 30 | All D | epth |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Mendocino Management Area Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-------|------|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 20 | 20 | 20 | 20 | 20 | 20 | All C | epth |
| California scorpionfish | | | | | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| | . • | | , | | | | (| | , | | | |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| California scorpionfish | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| Species | Jan | Feb | Mar | Ápr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| California scorpionfish | | | | 50 | 50 | 50 | 50 | 50 | 40 | 40 | 50 | 50 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| California scorpionfish | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Notes for 2019:

1. Inseason action was taken effective June 1, 2019 to modify bag or sub-bag limits for lingcod (1->2 S 40 10), canary (2->3) and black rockfish (3->4). See separate bag limit regulation document for details.

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| | | | | | u. Jupi | | | | , | | | |
|--|-----|-----|-----|-----|---------|-----|------|-----|-----|-----|-------|-------|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 30 | 30 | 30 | 30 | 30 | 30 | All E | Depth |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| ••• | | | a o o o | , | | | | ,00 | | , | | |
|----------------------------|-----|-----|---------|-----|-----|-----|------|-----|-----|-----|-------|--------|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, | | | | | | | | | | | | |
| California sheephead, | | | | | | | | | | | | |
| Cabezon, Greenlings, | | | | | 20 | 20 | 20 | 20 | 20 | 20 | All D | epth (|
| Ocean whitefish, Shelf | | | | | | | | | | | | |
| rockfish, Lingcod | | | | | | | | | | | | |
| California scorpionfish | | | | | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Sanddabs, Starry Flounder, | | | | | | | | | | | | |
| Petrale Sole | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| California scorpionfish | | | | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| | J | - (- | | / | | | | | | | | |
|--|-----|-------|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| California scorpionfish | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| | | -0 | P O / | · | | | UN. UU - | 0.40. | | | | |
|--|-----|-----|-------|-----|-----|-----|----------|-------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| California scorpionfish | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Notes for 2020: Fishery participation was disrupted by the COVID-19 pandemic, beginning in mid-March. Stay at home orders throughout the state resulted in closures of many ocean access points, and most businesses were closed and/or had severely reduced operations. No changes to regulations were made in response to the pandemic.

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-------|-------|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 30 | 30 | 30 | 30 | 30 | 30 | All E | epth) |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| | mon cape menacen | | | | | | , | | | | | |
|--|------------------|-----|-----|-----|-----|-----|------|-----|-----|-----|-------|------|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, | | | | | | | | | | | | |
| Cabezon, Greenlings, | | | | | 30 | 30 | 30 | 30 | 30 | 30 | All D | epth |
| Ocean whitefish, Shelf | | | | | | | | | | | | |
| rockfish, Lingcod | | | | | | | | | | | | |
| California scorpionfish | | | | | 30 | 30 | 30 | 30 | 30 | 30 | All D | epth |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| California scorpionfish | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| | y | - · · | | · · · / · · | | | · · · | _ | | | | |
|--|--------------|-------|-----|-------------|-----|-----|-------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| California scorpionfish | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| | r. | COLICE | ριιστί (- | 34 ZI | in ial.) i | O OS/IVI | CXICO D | oruei | | | | |
|--|-----|--------|-----------|-------|------------|----------|---------|-------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| California scorpionfish | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Notes for 2021: New biennial specifications cycle resulted in increased depths in the Mendo and Southern MAs. Also, removal of sub-bag limits for canary and black rockfishes, and cabezon. New sub-bag limit for vermilion rockfish of 5-fish.

Northern Management Area

California/Oregon Border to near Cape Mendocino (40° 10' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-------|-------|
| Nearshore rockfish, California scorpionfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | | 30 | 30 | 30 | 30 | 30 | 30 | All E |)epth |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Mendocino Management Area

Near Cape Mendocino (40° 10' N lat.) to Point Arena (38° 57' N lat.)

| modi dapo monadomo (10 10 mail) to 1 omit mona (00 or 11 mail) | | | | | | | | | | | | |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-------|--------|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, | | | | | | | | | | | | |
| California sheephead, | | | | | | | | | | | | |
| Cabezon, Greenlings, | | | | | 30 | 30 | 30 | 30 | 30 | 30 | All D | epth (|
| Ocean whitefish, Shelf | | | | | | | | | | | | |
| rockfish, Lingcod | | | | | | | | | | | | |
| California scorpionfish | | | | | 30 | 30 | 30 | 30 | 30 | 30 | All C | epth |
| Sanddabs, Starry Flounder, | | | | | | | | | | | | |
| Petrale Sole | | | | | | | | | | | | |

San Francisco Management Area

Point Arena (38° 57' N lat.) to Pigeon Point (37° 11' N lat.)

| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
|--|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| California scorpionfish | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Central Management Area

Pigeon Point (37° 11' N lat.) to Pt. Conception (34° 27' N lat.)

| | y | - · · | | · · · / · · | | | · · · | _ | | | | |
|--|--------------|-------|-----|-------------|-----|-----|-------|-----|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| California scorpionfish | | | | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Southern Management Area

Pt. Conception (34° 27' N lat.) to US/Mexico Border

| | r. | COLICE | ριιστί (- | 34 ZI | in ial.) i | O OS/IVI | CXICO D | oruei | | | | |
|--|-----|--------|-----------|-------|------------|----------|---------|-------|-----|-----|-----|-----|
| Species | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec |
| Nearshore rockfish, California sheephead, Cabezon, Greenlings, Ocean whitefish, Shelf rockfish, Lingcod | | | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| California scorpionfish | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Sanddabs, Starry Flounder, Petrale Sole | | | | | | | | | | | | |

Notes for 2022: Reduced sub-bag limits statewide for quillback rockfish (1-fish), copper rockfish (1-fish), and vermilion rockfish (4-fish) were effective Jan 1 in federal regulations, and Jan 6 in state regulations.