COMP 3550

5.4 — SOLID (PART 2: ISP, DIP)

Week 5: Design Principles & Refactoring

REMINDER:








SRP

OCP

LSP

I — INTERFACE SEGREGATION PRINCIPLE (ISP)

Clients shouldn't be forced to depend on things they don't use



Credit: Sergey Podgornyy

I — INTERFACE SEGREGATION PRINCIPLE (ISP)


```
public interface IMechanic {
    public void oilChange();
    public void tireRotation();
    public void carWash();
    public void checkTirePressure();
    public void changeSnowTires();
    public void vaccuumInterior();
    public void fixWindshield();
```

I — INTERFACE SEGREGATION PRINCIPLE (ISP)

```
public interface ITire {
    public void tireRotation();
    public void checkTirePressure();
    public void changeSnowTires();
public interface IGlassRepair {
    public void fixWindshield();
public interface IOil {
    public void oilChange();
public interface ICleaning {
    public void carWash();
    public void vaccuumInterior();
```

D — DEPENDENCY INVERSION PRINCIPLE (DIP)

High-level modules shouldn't depend on low-level ones. Both should depend on abstractions (interfaces)



D — DEPENDENCY INVERSION PRINCIPLE (DIP)

```
class Lamp {
    Halogen bulb;
    public Lamp() {
        bulb = new Halogen();
    public void turnOn() {
        bulb.turnOn();
    public void turnOff() {
        bulb.turnOff();
```

D — DEPENDENCY INVERSION PRINCIPLE (DIP)

```
class Lamp {
    IBulb bulb;
   public Lamp(IBulb bulb) {
        this.bulb = bulb;
    public void turnOn() {
        bulb.turnOn();
    public void turnOff() {
        bulb.turnOff();
class Halogen implements IBulb { }
class Incandescent implements IBulb {}
class Fluorescent implements IBulb {}
```

WIRING IT TOGETHER

• One of the most common ways to solve the DIP violations is with Dependency injection

Let's look at one more code example

TYING SOLID TOGETHER

- We've now seen SOLID violations in lot's of different examples.
- Sometimes our code violates MANY principles/patterns but BIG refactors are a nightmare.
 - What do we do?
- Refactoring code to SOLID = small steps
 - Add interfaces
 - split responsibility slowly
 - tests that run before AND after



PAUSE & PROJECT REFLECT

Go an explore your own project.

Consider adding an interface to a business layer class or abstract class to a DSO

Take this new abstraction and use it for **complete true** isolated unit test

Let me show you how this might help us