
A.
Host genera:
vOTUs:
Coord. 2 (9.1%)
Coord. 1 (24.9%)
Coord. 2 (2.5%)
Coord. 1 (5.0%)
ET2-like cluster
ET1-like cluster
B.
Host genera
vOTUs
0.78
0.56
0.0
0.2
0.4
0.6
0.8
1.0
Agreement between clusters and enterotypes
C.
Enriched in ET2-like ←
→ Enriched in ET1-like
Bacteroides
Prevotella
Flandersviridae
Alpha/Gamma-crassviridae
Salasmaviridae
Zeta-crassviridae
vFAM-00066
vFAM-00048
vFAM-00001
Delta-crassviridae
vFAM-00023
Winoviridae
vFAM-00005
vFAM-00028
−3
−2
−1
0
1
2
3
log10 ET1-like / ET2-like ratio
D.
Number of countries
Number of samples
Winoviridae
Carjivirus communes
Alpha/Gamma-crassviridae
Hyperprevalent (n: 328)
Typically prevalent (n: 37,289)
vOTU taxonomy
Caudoviricetes (unnamed)
Caudoviricetes (named)
Inoviridae
Microviridae
Other
E.
Host range breadth
Host tree
Host prediction
0.00
0.02
0.04
0.06
Relative evolutionary divergence
F.
Typically prevalent
Hyperprevalent
0.00
0.02
0.04
0.06
0.08
0.10
0.12
Host range breadth