VACCINATE OR REGULAR TEST REGIME FOR PRIVATELY-FUNDED SCHOOLS

1. With effect from 1 October 2021, Privately-Funded schools (PFSs) 1 ("Enterprises") are required to implement the Vaccinate or Regular Test ("VoRT") regime. Enterprises must comply with the mandatory requirements that are set out in this notice. For avoidance of doubt, the mandatory requirements are specified in the paragraphs below prefaced with the words '[Mandatory]'

Background

- 2. The purpose of the VoRT regime is to increase the vaccination rate among the selected sectors and to enable us to detect possible infections early among unvaccinated persons, so as to keep our workplaces and community safe.
- 3. For avoidance of doubt, the VoRT regime will apply concurrently with any existing Polymerase Chain Rection Rostered Routine Testing ("PCR RRT") or Fast and Easy Testing Rostered Routine Testing ("FET RRT") regime that these persons are currently subject to (see paragraph 9 below for more details).
- 4. Under the VoRT regime, Enterprises are required to ensure that all their employees and persons who work under their direction (e.g. contractors and subcontractors), including those in non-public facing roles, are Fully Vaccinated (as defined in paragraph 9 below) or undergo regular testing if they are not.
- 5. The VoRT regime and the mandatory requirements set out in this notice are imposed on Enterprises under the COVID-19 (Temporary Measures) (Control Order) Regulations 2020. Failure to comply with the requirements set out herein may result in prosecution and/or other enforcement action, including suspension/closure of operations. Checks will be conducted by enforcement teams to verify if Enterprises have complied with the mandatory requirements set out in this notice.

VoRT Requirements for Enterprises

6. **[Mandatory]** All Enterprises must ensure that all their employees² and persons who work under their direction or at their premises (collectively, "Workers") are (a) Fully Vaccinated (as defined in paragraph 9 below); <u>or</u> (b) undergo a COVID-19 Polymerase Chain Reaction Test ("PCR") or COVID-19 Antigen Rapid Test ("ART")³ twice a week ("VoRT Requirement") and on separate days within that week.

¹ The PFSes are Hwa Chong International School, Anglo-Chinese School (International) and St. Joseph's Institution International High School.

² This includes both full and part time employees, as well as staff who are contractors, subcontractors, employees of contractors and subcontractors who work at the workplace of the Enterprise.

³ The ART test <u>must</u> be carried out (1) by an approved test provider under the Infectious Diseases (Antigen Rapid Test Providers); or (2) via ESSS (refer to paragraphs 14 to 22 below). For avoidance of doubt, unsupervised self-swabs by Workers are not recognised.

Table 1: Persons subject to VoRT Requirements

(e.g. canteens and gyms)

Teachers teaching Physical Education (PE) or other sports-related activities in unmasked settings
Teachers teaching Music or Drama subjects who encounter students in unmasked settings at least once a week
Canteen Vendors
Contract Cleaners
Cleaners hired directly by Enterprises, if they clean settings where there are unmasked staff or students

- 7. Enterprises should guide their Workers who are not Fully Vaccinated to maintain a 3 to 4 day interval between their weekly tests (e.g. if a Worker's first test of the week is carried out on Monday, his or her second test of the week should be carried out on a Thursday or Friday).
- 8. Enterprises whose Workers are subject to existing PCR RRT or FET RRT regimes can recognise any PCR test or ART undergone by those Workers under those regimes during a given week as counting towards the Enterprises' testing requirement for those Workers (if they are not Fully Vaccinated) under the VoRT Requirement for that same week. For example, if an Enterprise has a Worker who is not Fully Vaccinated that underwent a PCR/ART test as part of the PCR/FET RRT regime once during a week, the Enterprise is allowed to recognise that Worker's PCR/ART test as satisfying one of the twice weekly testing requirements for that Worker under the VoRT.
- 9. For the purposes of the VoRT Requirement and this notice, a Worker is considered to be "Fully Vaccinated" for the periods set out in the third column of <u>Table 2</u> below if he or she fulfils the relevant requirements for those periods as set out in the corresponding second columns.

Table 2: Workers considered to be Fully Vaccinated

Category		Requirement(s)		Period
(1)	Vaccinated with no prior	(a)	Individual must not have had a history of COVID-19 infection;	Starting 14 days after the day the individual was so
	history of COVID-19 infection	(b)	Individual must have been vaccinated against a COVID-19 infection by the administration of the appropriate regimen of any approved vaccine ⁴ ; and 14 days or more have elapsed after the day the individual was so vaccinated.	vaccinated and ending 365 days later.
(2)	Recovered from COVID- 19 infection without prior vaccination	(a) (b)	Individual must not have been vaccinated against COVID-19 infection; and Individual must have recovered from COVID-19 infection.	Starting the day the individual first tested positive for SARS-CoV-2 via a PCR test and ending 270 days later.
		(a)	Individual must not have been vaccinated against COVID-19 infection; and	Starting the day the individual first tested positive for SARS-CoV-2

⁴ These are limited to: (1) Tozinameran (Pfizer-BioNTech COVID-19 vaccine or Comirnaty COVID-19 vaccine); (2) Moderna COVID-19 vaccine; (3) Vaxzevria (AstraZeneca COVID-19 vaccine); (4) Covishield COVID-19 vaccine; (5) Johnson & Johnson's (J&J) Janssen COVID-19 vaccine; (6) Sinopharm COVID-19 vaccine; (7) Sinovac-CoronaVac COVID-19 vaccine; or (8) any other vaccine regimen as approved by the Ministry of Health (MOH). Where the individual is vaccinated under (3) to (8), their vaccination records must have been ingested into MOH's national IT systems before they will be recognised.

		(b)	Individual must have recovered from	upon via a PCR test for the
			COVID-19 infection; and	second COVID-19 infection
		(c)	Individual had a second COVID-19	and ending 270 days later.
			infection and recovered from it.	
(3)	Recovered	(a)	Individual must have recovered from	Starting 14 days after the
	from COVID-		COVID-19 infection	day the individual was so
	19 infection	(b)	Individual must have been vaccinated	vaccinated and ending 365
	and		against a COVID-19 infection by the	days later.
	subsequently		administration of one dose of any	
	vaccinated		approved vaccine ⁵ in Singapore; and	
		(c)	14 days or more have elapsed after the	
			day the individual was so vaccinated.	

- 9. [Mandatory] When verifying if a Worker is Fully Vaccinated, Enterprises shall:
 - (1) only recognise the proofs of vaccination as set out in **Annex A**; and
 - (2) regard Workers who decline or are unable to produce the proofs of vaccination as set out in <u>Annex A</u> as being <u>not</u> Fully Vaccinated for the purposes of the VoRT Requirement and this notice.
- 10. **[Mandatory]** In the event that a Worker is not Fully Vaccinated and has undergone PCR/ART as part of the Enterprises' VoRT Requirement, Enterprises shall:
 - (1) verify⁶ the PCR/ART test results obtained by their Workers;
 - (2) not allow any Worker that has obtained an "AG+" or "AG Invalid", "Double Invalid" ART test result (please refer to <u>Annex B</u> on details of these various test results) or positive PCR test result to continue working, or enter or remain in the workplace;
 - (3) direct any Worker that has obtained an "AG+" or "Double Invalid' test result to undergo a PCR test and self-isolate at home; and
 - (4) only allow the Worker described in paragraph 10(3) to resume work, or enter or remain in the workplace if the PCR test undergone by the Worker pursuant to paragraph 10(3) has disclosed a test result that shows that he or she is **negative for COVID-19 infection**.
- 11. The Government will also give further support for enterprises that conduct ESSS by providing ART test kits to enterprises for persons who have been certified by a medical practitioner in Singapore as medically ineligible to receive mRNA COVID-19 vaccines and are still required to undergo testing twice a week under the VoRT regime ("Medically Ineligible Worker(s)" or "MIW(s)"). Enterprises should verify a person's status as a MIW by checking against the original certification or memo that was issued to that person by a medical practitioner in Singapore or the SMS notification sent to that person (please refer to Annex C for more details). The Government's provision of ART

⁵ Please refer to footnote 4.

⁶ Enterprises are required to inspect any physical test result slip, SMS or test kit evidencing the test result of the Worker. It would not be sufficient for Enterprises to rely on oral statements by Workers to fulfill this obligation.

test kits to enterprises for these MIWs will continue through 31 December 2021. Enterprises must not distribute, supply, or sell the ART test kits provided by the Government to any third party. For avoidance of doubt, all other persons who are not Fully Vaccinated are ineligible for these Government-provided ART test kits and enterprises should make arrangements to comply with the requirements set out in the VoRT Notice

12. To meet the twice weekly testing requirements for Workers that are not Fully Vaccinated under the VoRT Requirement, Enterprises should conduct Employer-Supervised Self-Swab ("ESSS") for their Workers. Details on how to conduct ESSS are set out in paragraphs 13 to 20 below.

Requirements for Enterprises that conduct ESSS

- 13. ESSS involves Workers using an ART kit and performing a swab on themselves under the supervision of a trained supervisor ("**Supervisor**"). The swabbing and supervision can be done either at the workplace or virtually using digital tools such as video conferencing.
- 14. [Mandatory] Enterprises conducting ESSS for their Workers are required to ensure that:
 - (1) they have appointed an adequate number of Supervisors to supervise every Worker whenever they carry out the swabs on themselves;
 - (2) the Supervisor has satisfied the training requirements set out under paragraph 14 below and properly performs his supervisory role⁷;
 - (3) Workers comply with the steps set out in paragraph 17 below and properly perform the swabs on themselves:
 - (4) the test results obtained by Workers from ESSS are uploaded on the Swab Registration System ("SRS") in accordance with the requirements set out under paragraph 18 below; and
 - (5) Workers who obtain 'AG+' or 'Double Invalid' test results while conducting ESSS are managed by the Enterprise in accordance with the requirements set out under paragraph 19 below.
 - (6) the ART test kits used for ESSS are those that are set out on the Health Sciences Authority's website at https://www.hsa.gov.sg/consumer-safety/articles/covid19_ARTselftests

Training for Supervisors

15. [Mandatory] Enterprises conducting ESSS shall ensure that their Supervisors have

⁷ This includes wearing adequate personal protective equipment and maintaining appropriate infection prevention control procedures while conducting supervision.

attended the 4-hour virtual Supervisory Training in ART Self-Swab that is conducted by the Ministry of Health's ("MOH") appointed training provider, HMI Institute of Health Sciences Pte. Ltd. ("HMI") before they perform their supervisory role. If a Supervisor is above 50 years old, Enterprises must ensure that he or she is Fully Vaccinated against COVID-19⁸ (refer to paragraph 8 for the definition of Fully Vaccinated) before they can perform any supervisory role.

- 16. Enterprises conducting ESSS are advised to nominate at least two Workers per outlet to undergo training to be a Supervisor. The training provided by HMI will equip Supervisors with the knowledge needed to supervise the conduct ESSS and a certificate of attendance will be issued to those who have completed it. The training provided by HMI is carried out daily from (a) 8am to 12pm, (b) 2pm to 6pm and (c) 6pm to 10pm on a first-come-first-served basis. Enterprises are advised to book their training slot directly with HMI at VirtualCampus (wizlearn.com) as soon as possible.
- 17. Upon successful registration and confirmation of the course, HMI will send an email notification with the web link for supervisors to attend the virtual training session. Please visit HMI's website at https://hmi-ihs.com/supervisory-training-in-art-self-swab/ for latest details on the ESSS training details.

Conduct of ESSS by Workers

- 18. **[Mandatory]** Enterprises are required to ensure that their Workers comply with the following when carrying out ESSS:
 - (1) Workers must be supervised⁹ by a Supervisor whenever they carry out ESSS;
 - (2) Workers who obtained an "AG Invalid" test result are to undertake a follow-up ART test;
 - (3) Workers who obtained an "AG+" or "Double Invalid" test result are to undertake a follow-up PCR test;
 - (4) Workers must use new ART test kits whenever they carry out ESSS; and
 - (5) Workers must properly dispose of used ART test kits after they have carried out ESSS¹⁰.

Uploading of Test Results onto the Swab Registration System ("SRS")

19. **[Mandatory]** Enterprises are required to upload the test results obtained by their Workers from ESSS onto SRS in accordance with the following:

⁸ Enterprises can consider asking Supervisors to verify their vaccination status via TraceTogether.

⁹ This can be done in person or virtually.

¹⁰ Used test kits should be double-bagged and tied before disposing them in closed bins (e.g. pedal bins).


- (1) if the test result is "AG+" or "Double Invalid", Enterprises are to upload the test result of that Worker onto SRS **no later than 30 minutes** after the ESSS for that specific Worker is completed;
- (2) if the test result is "AG-", Enterprises are to upload the test result of that Worker **no later than 24 hours** after the ESSS for that specific Worker is completed; and
- (3) the requirements set out under paragraphs 4 and 5 of **Annex B**.

Management of Workers with 'AG+' or 'Double Invalid' Test Result

20. **[Mandatory]** If any Worker obtains an 'AG+' or 'Double Invalid' test result from ESSS, the Enterprise shall comply with all the requirements set out under paragraphs 6 to 7 of **Annex B.**

Recognised Proofs of Vaccination

Enterprises can establish how many workers are Fully Vaccinated by checking their vaccination status using the methods as set out on https://go.gov.sg/acceptabledocs (refer to the "For fully vaccinated individuals" and "For individuals who have recovered from COVID-19" sections).



Reference Image(s) **Category of Fully** Description Vaccinated (see Paragraph 8) (1) and (3) Vaccination Status on **HealthHub application Vaccination Records** Enterprises are to ensure that the 'Vaccinated' icon as shown in the picture on the right. Enterprises are to ensure it is not a screenshot by asking Vaccinated the individual to click on other icons within the app. Effective starting 14 Jun 2021 COVID-19 PFIZER-BIONTECH/ **COMIRNATY (A-COV)** 31 MAY 2021 RAFFLES MEDICAL VACCINATION CENTRE -TECK GHEE CC RAFFLES MEDICAL VACCINATION CENTRE -TECK GHEE CC View more > (1) and (3) **Physical Vaccination** Card/Slip COVID-19 VACCINATION CARD Information about COVID-19 Vaccination The COVID-19 vaccine you have received consists of two doses. The second dose must be completed to achieve the best possible protection, and for the protection to be as long-lasting as possible. MINISTRY OF HEALTH Enterprises are to only accept original the hardcopy card/slip. COVID-19 VACCINATION CARD The vaccine has been assessed to be safe for use. However, just like other vaccines, you may experience some side effects such as headache, body aches, tiredness and soreness at the injection site, or fever. These usually get better after 1-3 days and may be a sign that your immune system is making a protective response against COVID-19. PERSONAL PARTICULARS Enterprises are to ensure that the card/slip belongs to the individual by checking against the his/her Government-issued photo identification. Enterprises are to ensure that more than 2 weeks have passed since the final dose of the vaccine (e.g. if your final dose was on 1 July 2021 (Day 1), you would be considered to be fully vaccinated from 15 July 2021 (Day 15)). Note. Hard-copy and digital overseas vaccination certs

are not recognised.

Category of Fully Description Reference Image(s) Vaccinated (see Paragraph 8) (1) and (3) **Vaccination Sticker** Sample Enterprise may refer to the /accinated VS 000 001 tamper-proof vaccination Serial (outside Singapore) sticker to be affixed onto the number passport of employees who 9 vaccinated were fully overseas with a World Health Organisation Emergency Use Listing (WHO-EUL) vaccine. ICA & MOH logos Please note that the validity of the sticker is until the end of their Short-Term Visitor Pass validity or until 30 September 2021, 2359hrs, whichever is earlier. After which, employers may refer to the TraceTogether application to verify vaccination status. (2) **Discharge Memo** MINISTRY OF HEALTH Enterprises are to only accept the original hardcopy memo. DISCHARGE MEMO Name of Patient: Enterprises are to ensure that NRIC/FIN: the memo belongs to the individual checking by To whom it may concern, against the his/ her The abovementioned patient first tested positive for SARS-CoV-2 (COVID-19) via a PCR test on _____ and was isolated under the Infectious Diseases PCR test on _____ and was isola Act. The abovementioned patient was discharged on Government-issued photo identification. The abovementioned patient has since completed the necessary period of isolation for the treatment of COVID-19 and is **no longer infectious**. He is exempted from Pre-Event Testing until <date>. To ensure that the duration of [Please indicate N.A if not applicable] The abovementioned patient has also been given a leave of absence¹ to rest and recover at his/her place of residence until _______. the activity is within the 270 days exemption period calculated from the date of For any queries, please contact the MOH Emergency Line at 1800 333 9999 or email the 1st PCR test. to moh qsm@moh.gov.sg. Older versions of memo that do not indicate the exemption DR DERRICK HENG DEPUTY DIRECTOR OF MEDICAL SERVICES PUBLIC HEALTH GROUP period or the date of the PCR positive test result will not be accepted. During the point of the Lawe of Absence, you should remain in your place of accommodation' rasidance as much as possible, occommodation/toidiness for essentials (e.g., food and processes, urgest medical beatment). If you have a prior ross-pressing und still your healthcare provider and inform them that you are on Louve of Absence, so that they can assist to reschedule your appoints

Category of Fully Vaccinated (see Paragraph 8)	Description	Reference Image(s)
(2)	Enterprises are to only accept the original hardcopy memo. Enterprises are to ensure that the memo belongs to the individual by checking against the his/ her Government-issued photo identification.	MINISTRY OF HEALTH PRE-EVENT TESTING (PET) EXEMPTION NOTICE Full Name: (as per NRIC/FIN/Passport) NRIC/FIN/Passport Number: Country of Passport Issue (only for foreigners without FIN): To whom it may concern, This is to certify that the abovementioned first tested positive for SARS-CoV-2 (COVID-19) via a Polymerase Chain Reaction (PCR) test* on ≪date>. He/She is exempted from Pre-Event Testing (PET) till ≪date> (inclusive). 2. For further details, please contact [Name of Clinic (and Branch if applicable), email, phone number]. Thank you. Stamp/ Signature/Date Name: Designation: Clinic Name (and Branch if applicable): * Recovered travelers/ returning SCa/PRs with overseas PCR+ results with local S+ result must provide GP with proof of overseas PCR+ result for the issuance of the PET Exemption Notice.

ART Test Results and the Management of Workers after ESSS

A. ART Test Results

- 1. ART test kits will return one of three possible test results:
 - (1) negative or "AG-";
 - (2) positive or "AG+"; or
 - (3) invalid or "AG Invalid".
- Workers that obtain an "AG Invalid" test result are required to immediately undergo a
 follow-up ART. Workers that obtain a second "AG Invalid" test result from this follow-up
 ART will be regarded as having a "Double Invalid" test result.
- 3. If a Worker undergoes ART at a QTC, they will receive an SMS stating their test result within 1-2 hours. Alternatively, the test results of these Workers can also be found on their TraceTogether or HealthHub phone applications.
- 4. If a Worker undergoes ART as part of ESSS, <u>Image 1</u> below illustrates how the different test results will be shown on the Abbott Panbio and SD Bio Sensor ART test kits (which are the ART test kits that is distributed to Enterprises). Please note that the lines on the test kit cassette will appear in 15 20 minutes ("**Checking Window**") after the specimen buffer has been added to the test well. Enterprises shall only upload the test results that are shown on the test kit cassette <u>during</u> the Checking Window onto SRS.

Image 1: Test results on the Abbott Panbio and SD Bio Sensor ART test kit

Negative Test Result ('AG-')	Positive Test Result ('AG+')	Invalid Test Result ('AG Invalid')
C T	C T	C T
Bold marking at 'C' and <u>No</u> marking at 'T'	<u>Bold</u> marking at 'C' and <u>Bold</u> marking at 'T'	<u>No</u> marking at 'C' and <u>Bold</u> marking at 'T'
	CIT	C T
	<u>Bold</u> marking at 'C' and <u>Faint</u> marking at 'T'	<u>No</u> marking at 'C' and <u>No</u> marking at 'T'

- 5. If a Worker undergoes ART as part of ESSS and uses an ART test kit other than the SD Bio Sensor and Abbott Panbio ART test kit, Enterprises are to refer to the manufacturer's instructions on how to interpret the test results obtained by their Workers and only upload the test results that are obtained pursuant to these instructions onto SRS.
- 6. If the Enterprise had wrongly submitted a "AG+" or "Double Invalid" result for a Worker on SRS, Enterprises must use this form to submit the details and updated result of the Worker https://go.gov.sg/artpositivenoncompliance.
- B. Management of Workers after ESSS
- 7. If a Worker obtains an "AG+" or "Double Invalid" test result from ESSS <u>AND</u> shows signs of acute respiratory infection ("ARI") (e.g. cough, sore throat, runny nose, loss of sense of smell), Enterprises are required to, as soon as possible:
 - (1) contact the Ministry of Health's Case Management Task Group (CMTG) at 6435-4060¹¹ to arrange for conveyance of that Worker to a Swab Isolation Facility (SIF) for further isolation and confirmatory PCR tests; and
 - (2) notify that Worker that he will be conveyed to a Swab Isolation Facility for the purposes stated in (1) above and to self-isolate in the interim.
- 8. If a Worker obtains an "AG+" or "Double Invalid" test result from ESSS <u>AND</u> does not show signs of ARI, Enterprises are required to, as soon as possible:
 - (1) contact and make an appointment for that Worker to visit a doctor for a confirmatory PCR test at a Swab and Send Home Public Health Preparedness Clinic ("SASH PHPC")¹²;
 - (2) fill in the referral note¹³ set out in <u>Appendix I</u> ("Referral Note") in accordance with the requirements set out in <u>Image 2</u> below and hand a copy of the Referral Note to that Worker;


[This part is intentionally left blank]

¹¹ Please note that this is NOT a general enquiry hotline and is to be used ONLY for its intended purpose to activate conveyance for an AG+ or double invalid individual with ARI symptoms.

¹² The list of SASH PHPCs can be found at http://phpc.gov.sg

¹³ In place of a referral note, the Worker can also present his/her NRIC, Employment Pass, S Pass or Work Permit (whichever is relevant) together with the Worker's ART Result SMS for verification at the SASH PHPC for their confirmatory PCR test.

Image 2: Information to be stated by Enterprises on Referral Note



- (3) arrange for that Worker to be conveyed to the SASH PHPC that he or she will be taking his confirmatory PCR test at in accordance with **Appendix II**;
- (4) notify that Worker that he is required to consult with a doctor at a SASH PHPC for a confirmatory PCR test, to bring his NRIC, Employment Pass, S Pass or Work Permits (whichever is relevant) for verification at that SASH PHPC, and to selfisolate in the interim; and
- (5) notify that Worker that he or she has to self-isolate at home until the PCR test result has returned.
- 9. Enterprises should remind Workers who have obtained an "AG+" or "Double Invalid" test result to go for their confirmatory PCR swab on a daily basis. After 72 hours have elapsed from the time of their ART, Enterprises must check if these individuals have gone for their confirmatory PCR swabs and report those who have yet to do so within the same day via https://go.gov.sg/artpositivenoncompliance.



REFERRAL FOR CONFIRMATORY PCR TEST

Full Name: ABCDEF

(as per NRIC/FIN/ Passport)

NRIC/FIN/Passport Number: \$1234567A

Date & Time of Test: 22/10/2020, 16:45

Type of COVID-19 Test: Antigen Rapid Test

Brand of COVID-19 Test: BD Veritor/ SD Biosensor/ Standard Q/ Panbio

COVID-19 Test Result: ANTIGEN POSITIVE / INVALID¹

To whom it may concern,

The abovementioned is required to obtain a Government-funded COVID-19 polymerase chain reaction (PCR) test* to confirm if he/she is infected with COVID-19.

- 2. For further details, please contact:
 - i. [Name of employer/contractor (and branch if applicable), email, phone number]; and/or
 - ii. [Name of Antigen Rapid Test Provider (and branch if applicable), email, phone number]

Stamp/Signature/Date	

Name and Designation of Swab Supervisor/Trained Swabber:

Name of Antigen Rapid Test ("ART") Provider/Worksite (including branch if applicable):

Name of Employer/Contractor (including branch if applicable):

*Confirmatory COVID-19 PCR tests for ART-positive and ART-invalid results are available at Swab-and-Send-Home (SASH) Public Health Preparedness Clinics (PHPCs), fully subsidised by the Government. A list of SASH PHPCs can be found at http://phpc.gov.sg. Individuals must call the clinic to make an appointment and confirm that they are able to obtain a confirmatory COVID-19 PCR test during their visit. Confirmatory COVID-19 PCR tests can also be obtained from non-SASH PCR test providers at the individual's own expense. Individuals must self-isolate at home until notification of a negative COVID-19 test result.

¹ An 'ART-invalid' test result means that the sample(s) has been tested twice and in both instances, there was no conclusive finding as to whether the individual is tested positive or negative. An individual who tests ART-invalid is subject to the same requirements as the individual who tests ART-positive.

Conveyance of Workers to SASH PHPC for Confirmatory PCR Test

- 1. Enterprises must arrange for private transport (e.g. car or taxi with windows wound down and air conditioning switched off) for the Worker to be sent to a SASH PHPC. The conveyed Worker should be reminded to wear a surgical mask and sit alone in the back seat (on the other side from driver).
- 2. Enterprises may wish to consider the following private transport service providers that are available for booking. The transport cost is to be borne by Enterprises.

S/N	Service Provider	Contact Number / Mobile Application
1	ComfortDelGro Taxi (Comfort & CityCab taxis)	6333 1133 or via ComfortDelGro app
2	Trans-cab	6213 0997
3	SMRT	6477 5971
4	Prime	6776 7553
5	Premier	6681 9462
6	GrabSHN, Go-Jek, Ryde, MVL(TADA)	Via respective providers' app

3. When arranging for private transport to convey Workers to SASH PHPCs, the Enterprise must inform the private transport hotline operator that the said worker is going to a SASH PHPC for his or her confirmatory PCR test. For booking through mobile apps, Enterprises must key in "SHN" in the chat / note / comment box or check the SHN checkbox (if provided within the app) to notify the private transport provider of the same.

Verification of Medically Ineligibility Status

Individuals who are medically ineligible for mRNA COVID-19 vaccines includes:

- 1. Person who developed an allergic reaction to a previous dose of any mRNA COVID-19 vaccine;
- 2. Person who developed myocarditis or pericarditis following administration of any mRNA COVID19 vaccine;
- Person who developed a severe adverse reaction to a previous dose of any mRNA COVID-19 vaccine and had been determined that he/she should not receive a second mRNA vaccine dose;
- 4. Person who has not taken any COVID-19 mRNA vaccine but has been determined to be allergic to polyethylene glycol (PEG)/ polysorbate through a positive skin prick/intradermal test; or
- 5. Person with/ under the following condition(s)/ treatment¹⁴:
 - (1) Transplant within past 3 months; and/or
 - (2) Aggressive immunotherapy; and/or
 - (3) Active cancer on treatment.

MIW would need to be certified by doctors and provide a doctor's memo. Image 1 below illustrates a sample of the doctor' memo to certify the medically ineligible status. Individuals who lost their doctors' memo could go to a Public Health Preparedness Clinic (PHPC) clinic or other General Practitioner (GP) clinics to re-obtain a memo at their own charge. MIW could also provide the SMS notification that they are allergic to mRNA COVID-19 vaccine. sent to that person.

[This part is intentionally left blank]

¹⁴ Refers to patients in the listed groups who have been previously assessed by a doctor to be unsuitable to take the mRNA COVID-19 vaccines. This is however not an absolute contraindication to mRNA COVID-19 vaccinations. Please refer to MOH Circular No. 101/2021 for updated recommendations on contraindications and indications to mRNA COVID-19 vaccines.

Image 1: Sample of Certification of Medically Ineligibility Status

%			
MINISTRY OF HEALTH SINGAPORE			
CERTIFICATION OF MEDICAL INELIGIBILITY FOR mRNA COVID-19 VACCINES			
Full Name (as per NRIC/FIN/Passport):			
NRIC/FIN/Passport Number:			
Contact Number			
To whom it may concern,			
This is to certify that the ab vaccines because he/she is a: (Please tick where appropriate)	ove-mentioned person is medically ineligible for mRNA COVID-19		
	ic reaction to a previous dose of any mRNA COVID-19 vaccine; or		
	litis or pericarditis following administration of any mRNA COVID19		
Person who developed a severe adverse reaction to a previous dose of any mRNA COVID-19 vaccine and had been determined that he/she should not receive a second mRNA vaccine dose; or			
Person who has not taken any COVID-19 mRNA vaccine but has been determined to be allergic to polyethylene glycol (PEG)/ polysorbate through a positive skin prick/ intradermal test; or			
Person with/ under the following	* *		
☐ Transplant within past 3 mo ☐ Aggressive immunotherapy			
Active cancer on treatment.			
Please indicate the date when	the above criteria will cease (where applicable):		
Additional comments:			
Thank you.			
Stamp/ Signature/ Date:			
Name and MCR No of Certifying Medical Practitioner:			
Clinic/ Hospital Name:			
Contact Number:			
COVID-19 vaccines. This is however not an	o have been previously assessed by a doctor to be unsuitable to take the mRNA absolute contraindication to mRNA COVID-19 vaccinations. Please refer to MOH ndations on contraindications and indications to mRNA COVID-19 vaccines.		