

```
create database customer_behavior;
```

```
use customer_behavior;
```

```
select * from customer;
```

-- Q1. What is the total revenue generated by male vs. female customers?

```
select gender,sum(purchase_amount) as "total_revenue" from customer group by  
gender;
```

-- Q2. Which customers used a discount but still spent more than the average purchase amount?

```
select customer_id,purchase_amount from customer  
where discount_applied="yes" and purchase_amount >= (select avg(purchase_amount)  
from customer);
```

-- Q3. Which are the top 5 products with the highest average review rating?

```
select item_purchased,round(avg(review_rating),2) as "average review rating" from  
customer  
group by item_purchased order by avg(review_rating) desc limit 5;
```

-- Q4. Compare the average Purchase Amounts between Standard and Express Shipping.

```
select shipping_type,round(avg(purchase_amount),2) as "Average purchase amounts"  
from customer  
where shipping_type in ("Standard","Express") group by shipping_type;
```

-- Q5. Do subscribed customers spend more? Compare average spend and total revenue

-- between subscribers and non-subscribers.

```
select subscription_status,count(customer_id) as
"total_customers",round(avg(purchase_amount),2) as "average spend",
sum(purchase_amount) as "total_revenue" from customer
group by subscription_status order by avg(purchase_amount),sum(purchase_amount);
```

-- Q6. Which 5 products have the highest percentage of purchases with discounts applied?

```
select item_purchased,round(100*sum(case when discount_applied = "yes" then 1 else
0 end)/count(*),2) as "discount_rate" from customer
group by item_purchased order by discount_rate desc limit 5;
```

-- Q7. Segment customers into New, Returning, and Loyal based on their total number of previous purchases, and show the count of each segment.

```
with customer_type as ( select customer_id,previous_purchases,
CASE
    when previous_purchases = 1 then "new"
    when previous_purchases between 2 and 10 then "returning"
    else "loyal"
end as customer_segment
from customer)
```

```
select customer_segment,count(*) as "No.of.Customers" from customer_type group by
customer_segment;
```

-- Q8. What are the top 3 most purchased products within each category?

```
with item_counts as (  
  select category,item_purchased,count(customer_id) as total_orders,  
  row_number() over(partition by category order by (count(customer_id)) desc) as  
  item_rank  
  from customer group by category,item_purchased)  
select item_rank,category,item_purchased,total_orders from  
item_counts where item_rank<=3;
```

-- Q9. Are customers who are repeat buyers (more than 5 previous purchases) also likely to subscribe?

```
select count(customer_id) as "repeat_buyers",subscription_status from customer  
where previous_purchases >5 group by subscription_status;
```

-- Q10. What is the revenue contribution of each age group?

```
select age_group,sum(purchase_amount) as "revenue_contribution" from customer  
group by age_group order by sum(purchase_amount) desc;
```