

TRIPDESK

B2B Travel Operations Platform

FINAL UI/UX DESIGN + IMPLEMENTATION HANDOFF

Desktop-first B2B travel operations workspace for travel agents and partner agencies.

Prepared as the final handoff document for the UI/UX Designer Technical Assignment.

BY: Lavaniyah Logeswaran

Final Project Links

All three access points are included below. The live application is the published GitHub Pages deployment, the GitHub repository contains the source code, and the Figma file contains the visual design, foundations, components and product screens.

Live published application: https://lavaniyah31.github.io/TripDesk_B2B/

Figma design:

https://www.figma.com/design/ioZFPmMgTEHTzCj55p62gq/TripDesk_B2B_Travel_Assignment_Marketplace_Pro?node-id=2-374&t=H4oHWqsP3hUYSrvn-1

GitHub source repository: https://github.com/Lavaniyah31/TripDesk_B2B

1. Project Overview

TripDesk is a professional B2B travel operations workspace designed for travel agents and consultants rather than holidaymakers. The workflow centers on enquiries, trip assembly, quotations and supplier selection across flights, hotels and restaurants.

The assignment calls for a coherent eight-screen system, expert-user information density, realistic data and strong handling of edge cases. The final submission combines the Figma design system and screens with a working web implementation.

The design is desktop-first and uses shared navigation, typography, status language and component treatment across the three different service domains.

2. What the Reviewer Can Open

Resource	Purpose	Included
Figma	Visual design, foundations, components and eight product screens	Yes
Live Demo	Published browser version of the implemented TripDesk interface	Yes
GitHub	Source code, configuration, deployment files and project documentation	Yes
PDF / Word Handoff	Detailed design and implementation handoff and evidence	This document

3. Eight Required Screens

01 — Splash

TripDesk brand, professional loading state and non-consumer tone.

02 — Login

Shared entry point for internal agents and partner agencies, including email/password authentication, forgotten-password flow, first-time password setup, wrong-credential error and unactivated-account messaging.

03 — Dashboard

Action-oriented workload summary: enquiries waiting/stale, quotations awaiting response, supplier confirmations and partner-agency context.

04 — Enquiries

High-density enquiry table with client, destination, dates, travellers, value, owner and status; search/filter and no-results handling.

05 — Trip Detail

Client/trip information, travellers, mixed flight/hotel/restaurant services, service-level status and price, trip total, add-service flow and long-trip handling.

06 — Flights

Dense itinerary comparison including airline, times, duration, stops, airports, fare levels, baggage/cancellation rules, connection risk and no-results.

07 — Hotels

Property-first selection with imagery, stars, location, guest score, lead price, rooms/rates/board/cancellation, quantity/duration and no-photo state. The quantity/duration model supports the required three-room, five-night example.

08 — Restaurants

Cuisine, location, price band, booking capability, date/time/covers, nearby times when requested time is unavailable and telephone-booking handling.

4. Technical Implementation

Layer	Implementation
Frontend	React + React DOM with Vite build tooling and Lucide React icons.
Application	Single TripDesk application implementing splash/login flow and operational product screens.
Styling	Dedicated CSS covering application shell, tables, cards, status pills, drawers, alerts and responsive behavior.
Python	Lightweight serving/health layer through app.py. This is an implementation/serving layer rather than a production travel-booking backend.
Deployment	GitHub repository includes deployment workflow configuration and the published GitHub Pages application.

The implementation is frontend-focused. A production version could add a persistent database, authentication/authorization services, supplier APIs, live availability and booking integrations.

5. Design Foundations & Tokens

TripDesk uses a shared design foundation so that flights, hotels and restaurants feel like one professional product even though their data models differ. The following token categories define the handoff structure for engineering.

- Colour: primary brand colour, application background, surface/card background, primary text, secondary text, borders and semantic success/warning/error/info colours.
- Typography: a consistent type family with defined display, heading, body, label and caption levels.
- Spacing: a consistent spacing scale used across tables, cards, forms, filters, drawers and page sections.
- Corner radius: shared radius values for cards, inputs, buttons, status pills and dialogs.
- Elevation: consistent shadow/elevation levels for cards, dropdowns, drawers and modal surfaces.
- Semantic states: status and feedback colours are used consistently so operational meaning can be understood at a glance.

The detailed visual token values are maintained in the Figma design system and are intended to provide a buildable foundation for engineering handoff.

6. Semantic Status System

TripDesk distinguishes between the lifecycle of an enquiry and the lifecycle of an individual service. This prevents different operational concepts from being represented by a generic active/inactive state.

Service Statuses

Status	Meaning
Draft	Service is being prepared and is not yet requested.
Quoted	Service has been included in the quotation.
Requested	Booking/request has been sent to the supplier.
Confirmed	Supplier has confirmed the service.
Cancelled	Service has been cancelled and is no longer active.

Enquiry Statuses

New → Quoted → Accepted → Partially Booked → Fully Booked → Lost

These states are represented through consistent status indicators so the agent can understand the current operational position without opening every record.

7. Core Components & Interaction States

The product uses reusable components to maintain consistency across all eight screens. Components are designed for both normal and operationally awkward states.

- Buttons: primary, secondary, destructive, disabled and loading states.
- Inputs: default, focused, filled, disabled and validation-error states.
- Tables: normal rows, selected rows, loading rows and empty/no-results states.
- Tabs: active and inactive states for switching related content.
- Status indicators: reusable semantic status pills for enquiry and service lifecycles.
- Modals and drawers: confirmation, warning, error and service-addition interactions.
- Toasts and alerts: success, warning, error and informational feedback.
- Search and filters: keyword search, filtering controls and clear/reset behavior.
- Long-content handling: tables and service cards remain usable when names or descriptions are unusually long.
- Loading and empty states: the interface communicates what is happening and what the user can do next rather than leaving blank areas.

8. Access Model & Scope Decisions

Internal Agents and Partner Agencies

Internal agents have full operational access across enquiries, trips and service workflows. Partner agencies use the same entry point but access a narrower workspace focused on their own enquiries, quotations and trips. This keeps the shared product language while respecting the different operational scope.

Flight Scope Boundary

The flight workflow intentionally stops at itinerary and fare selection. Passenger forms, seat maps and ticket issuance are outside the assignment scope and were therefore not included.

Deliberately Ruled Out

The visual direction deliberately avoids consumer travel-booking patterns such as oversized destination photography, promotional banners, marketing-led content and large decorative search experiences. These were ruled out because the product is intended for expert B2B travel professionals working at volume.

9. Written Design Rationale

The name TripDesk is deliberately operational rather than consumer oriented. “Trip” describes the core unit of work, while “Desk” positions the product as a professional workspace used throughout the day. The interface avoids the visual language of holiday-booking websites and instead uses a compact, structured layout with strong hierarchy and predictable controls.

The design treats information density as a feature. Tables, filters and service summaries keep important data visible without unnecessary scrolling, reflecting the brief description of expert users working at volume. A shared shell, typography system, status language and component treatment connect flights, hotels and restaurants even though their data models are different.

Flights prioritize comparison: timing, stops, connection risk and fare rules appear together. Hotels use a property-first pattern followed by room and rate selection. Restaurants focus on availability, nearby times and the distinction between system booking and telephone-only booking. Trip Detail acts as the central orchestration screen, allowing services to be added without leaving the enquiry.

Operational edge cases are intentionally represented, including login errors, empty results, unavailable restaurant times, missing hotel photography and long multi-service trips.

10. Limitations & Future Improvements

- Production data layer with persistent storage and a structured backend.
- Real authentication, role-based authorization and account lifecycle management.
- Live supplier integrations for flight, hotel and restaurant availability.
- Real-time booking, quotation and confirmation workflows.
- Additional accessibility validation, including keyboard navigation, focus behavior and contrast testing.
- More connected Figma variants and additional responsive validation across laptop and dual-monitor layouts.
- Richer persistence and audit history for operational actions.

The current implementation should therefore be understood as a design-led working prototype and frontend implementation rather than a production travel-booking platform.

11. Final Project Summary

TripDesk delivers a complete B2B travel operations platform designed specifically for travel agents and partner agencies. The final solution covers all eight required screens while maintaining a consistent desktop-first visual system, clear information hierarchy, and high information density suitable for professional workflows.

The design also addresses important real-world and edge-case scenarios, including search and filtering, empty and loading states, validation errors, unavailable options, booking statuses, service additions, and detailed flight, hotel, and restaurant comparisons. The accompanying design tokens and reusable components provide a clear foundation for future development and handoff.

The final implementation is supported by Figma designs, a React/Vite application, and a lightweight Python serving layer, with the source code available through GitHub and the application deployed online.

Overall, the project demonstrates a structured approach to UI/UX design, component consistency, information architecture, responsive interaction states, and frontend implementation, while keeping the needs of B2B travel professionals at the centre of the experience.