## **SOURCE CODE PAGES**

**ID NUMBER: N190727** 

NAME: K.Lavanya

SECTION : CSE-01

ROLL NO : 36

PROJECT : TRAVELLING WEBPAGE

## About:

This travelling website Is about what are the famous places in Andhra Pradesh. To know about this website one should register in my website. For that I maintain a database so that only valid users can visit my website.

We may have some queries about out destination place. For that I create a page where my users can post there queries like user interface. They can modify their post and they can delete their post with only valid user credentials.

### The Technologies I used in the website:

- 1. HTML
- 2. CSS
  - . Inline
  - . Internal
  - . External
- 3. Javascript

### **HTML Files**

#### 1.Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.m
in.css" rel="stylesheet">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bun
dle.min.js"></script>
    <!-- <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.
css"> -->
     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js">
</script>
     <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
    <!-- <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.j
s"></script> -->
    <title>Project</title>
    <link rel="stylesheet" href="CSS files/index.css">
    <script src="JS Files/index.js"></script>
</head>
<body>
    <nav class="navbar navbar-expand-lg navbar-dark bg-dark" style="--</pre>
bs-bg-opacity: .7;">
        <a class="navbar-brand" href="#"><img src="images/logo.jpeg"</pre>
class="img-thumbnail" style="width: 100px;">Explore</a>
        <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navbarNav" aria-controls="navbarNav"
aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
```

```
<a class="nav-link text-white" href="#"><h6>Home
Page</h6><span class="sr-only">(current)</span></a>
          <a class="nav-link text-white" id="visible"</pre>
href="#formid" onclick="document.getElementById('logrex-
box').style.border='2px solid black';"><h6>Destinations</h6></a>
          <a class="nav-link text-white" id="visible1"</pre>
href="#about"><h6>About</h6></a>
          <a class="nav-link text-white" id="visible2" href="#">
            <div class="form-box">
              <form action="registration.html">
                 <input type="submit" class="bg-primary "</pre>
value="Register" >
              </form>
          </div></a>
          </div>
          </div>
   <div class="container-fluid mt-5">
      <div class="row">
      <div class="col-sm-2">
      </div>
      <div class="col-sm-4">
          <div class="jumbotron shadow-1-strong rounded mb-5 text-</pre>
dark">
              <h1>Travel the world with smile</h1>
             Forget Tomorrow<br>Discover somewhere new today
             <b>You can find your destination for your trip here...
              in <mark>ANDHRAPRADESH</mark>
             </b>
              You can ask your queries about
your place after login into our website.Map also available.
          </div>
      </div>
      <div class="col-sm-4">
      <div class="logrex-box">
          <div class="form-box" id="formid">
```

```
<form action="php/check_login.php" method="POST">
                     <legend><h3>Signin</h3></legend>
                     <div class="input-box">
                         <span class="icon"><i class="fas fa-</pre>
envelope"></i> </span>
                         <input type="email" name="email" class="input-</pre>
transparent" autocomplete="off" required>
                         <label>Email</label>
                     </div>
                     <div class="input-box">
                         <span class="icons"><i class="fas fa-</pre>
lock"></i></span>
                         <input type="password" name="password"</pre>
class="input-transparent" autocomplete="off" required>
                         <label>Password</label>
                     </div>
                     <div class="remember-forgot">
                        <label><input type="checkbox">Remember me
</label>
                     </div><br>
                     <a href="forgotpassword1.html" class="text-</pre>
white">Forgot password</a><br><br>
                     <input type="submit" class="bg-primary "</pre>
value="SignIn">
                </form>
            </div>
       </div>
    </div>
    <div class="col-sm-2">
    </div>
  </div>
    <div class="container-fluid mt-5 pt-5">
       <div class="container-fluid mt-5 pt-5">
        <div class="row bg-dark text-white" style="--bs-bg-</pre>
opacity: .7;">
          <div class="col-sm-4" id="about"><u>About</u><br><br>It was
started in 2019 before pandamic.<br>
          <u>Social media icons</u>
          <a href="#" > <span class="icon"><i class="fa fa-</pre>
facebook"></i></span></a>
          <a href="#" class="fa fa-twitter"></a>
          <a href="#" class="fa fa-youtube"></a>
          <a href="#" class="fa fa-instagram"></a>
          <div class="col-sm-4"><u>Address</u><br><br>Road
no:5<br>Nuzvidu,opposite to cinema hall<br>way to
Mailavaram.<br><br><u>Opening time:</u><br>10AM-11PM</div>
```

#### 2. Main.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Summary</title>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">
   <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.
min.css">
    <!-- <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bun
dle.min.js"></script> -->
    <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.
css">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js">
</script>
 <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.j
s"></script>
<link rel="stylesheet" href="CSS_files/main.css">
</head>
<body>
 <div class="background shadow">
        <div class="container-fluid ">
            <nav class="navbar navbar-expand-lg navbar-dark bg-</pre>
secondary p-3 h4">
                <a class="navbar-brand" href="index.html"><b>Home
page</b></a>
                <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
                  <span class="navbar-toggler-icon"></span>
```

```
</button>
              <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
                <a class="nav-link" href="main.html"><b>Index
page</b><span class="sr-only">(current)</span></a>
                  <a class="nav-link"</pre>
href="queries.html"><b>Queries</b>
                      </a>
                  <a class="nav-link dropdown-toggle" href=""</pre>
id="navbarDropdown" role="button" data-toggle="dropdown" aria-
haspopup="true" aria-expanded="false">
                         <b>Select your place</b>
                    </a>
                    <div class="dropdown-menu" aria-</pre>
labelledby="navbarDropdown">
                      <a class="dropdown-item"</pre>
href="#vizag">vizag</a>
                      <a class="dropdown-item"</pre>
href="#rjy">Rajahmundry</a>
                      <a class="dropdown-item" href="#">West
godavari</a>
                      <a class="dropdown-item"</pre>
href="#kakinada">Kakinada</a>
                      <a class="dropdown-item" href="#">Guntur</a>
                      <a class="dropdown-item"</pre>
href="#">Vijayanagaram</a>
                      <a class="dropdown-item"</pre>
href="#krishna">Krishna</a>
                      <a class="dropdown-item" href="#">Kadapa</a>
                    </div>
                  <div class="d-flex flex-row justify-content-</pre>
end">
                      <form class="form-inline my-2 my-lg-0"</pre>
id="search-form">
                         <input class="form-control mr-sm-2"</pre>
type="search" placeholder="Search" aria-label="Search" id="search-
input">
```

```
<button class="btn btn-outline-</li>
primary my-2 my-sm-0 bg-success text-white"
type="submit">Search</button>
                        </form>
                  </div>
            </div>
          </nav>
     </div>
     <section>
  <div class="container-fluid ml-5">
     <div class="row">
         <div class="col-sm-6">
               <div class="jumbotron shadow-1-strong rounded mb-5</pre>
text-dark">
                  <h2>Turn a round around the world</h2>
                  >pleasure to join with us..Now you access the
content and find your destination.
                  This page is about to select your
destination place for your trip.
                  Get into the places mentioned and know more
about the places.
               </div>
          </div>
       <div class="col-sm-5">
         <div id="myCarousel" class="carousel slide" data-</pre>
ride="carousel">
            class="active">
            to="4">
            <div class="carousel-inner">
            <div class="item active">
               <img src="images/beach.jpeg" class="d-block w-100"</pre>
alt="Wild Landscape" style="height: 300px;"/>
               <div class="carousel-caption">
                  <h3>Los Angeles</h3>
                  LA is always so much fun!
           </div>
            </div>
           <div class="item">
```

```
<img src="images/mansoon.jpeg" class="d-block w-</pre>
100" alt="Wild Landscape" style="height: 300px;"/>
                    <div class="carousel-caption">
                        <h3>Los Angeles</h3>
                        LA is always so much fun!
                      </div>
                </div>
                <div class="item">
                    <img src="images/carousel1.jpeg" class="d-block w-</pre>
100" alt="Exotic Fruits" style="height: 300px;"/>
                    <div class="carousel-caption">
                        <h3>Los Angeles</h3>
                        LA is always so much fun!
                      </div>
                </div>
                <div class="item">
                    <img src="images/carousel2.jpeg" class="d-block w-</pre>
100" alt="Exotic Fruits" style="height: 300px;"/>
                    <div class="carousel-caption">
                        <h3>Los Angeles</h3>
                        LA is always so much fun!
                      </div>
                </div>
                <div class="item">
                    <img src="images/carousel3.jpeg" class="d-block w-</pre>
100" alt="Exotic Fruits" style="height: 300px;"/>
                    <div class="carousel-caption">
                        <h3>Los Angeles</h3>
                        LA is always so much fun!
                      </div>
                </div>
                </div>
                <a class="left carousel-control" href="#myCarousel"</pre>
data-slide="prev">
                <span class="glyphicon glyphicon-chevron-left"></span>
                <span class="sr-only">Previous</span>
                </a>
                <a class="right carousel-control" href="#myCarousel"</pre>
data-slide="next">
                <span class="glyphicon glyphicon-chevron-right"></span>
                <span class="sr-only">Next</span>
            </div>
          </div>
        </div>
        </div>
    </div>
<div class="back shadow">
```

```
<div class="container mt-5" id="vizag">
                <div style="color: rgb(231, 106,</pre>
4);"><h2>VIZAG</h2></div>
                <div class="row">
                    <div class="col-md-3">
                        <div class="card">
                            <img src="images/vizag1.jpeg" class="card-</pre>
img-top" >
                            <div class="card-body">
                            <h5 class="card-title">Kailasagiri</h5>
                            Kailasagiri is one of
the tourist place in AP.The major attraction of Kailasagiri is the 40
feet tall statue of Shiva and Parvathi.
href="https://www.tripadvisor.in/Attraction Review-g297588-d3269402-
Reviews-Kailasagiri-
Visakhapatnam_Visakhapatnam_District_Andhra_Pradesh.html" class="btn
btn-primary">Know more</a>
                            </div>
                        </div>
                    </div>
                    <div class="col-md-3">
                        <div class="card" >
                            <img src="images/vizag2_borra.jpeg"</pre>
class="card-img-top" >
                            <div class="card-body">
                            <h5 class="card-title">Borra caves</h5>
                            Borra Caves Vizag
Entry :<br>60 per person for Adults<br>45 per person for Children<br>25
for Phone Camera<br>100 for Digital / Still Camera<br>100 for Video
Camera
                            href="https://www.tripadvisor.in/Attraction_Review-g297588-d1204479-
Reviews-Borra Caves-
Visakhapatnam_Visakhapatnam_District_Andhra_Pradesh.html"                    class="btn
btn-primary">Know more</a>
                            </div>
                        </div>
                    </div>
                    <div class="col-md-3">
                        <div class="card">
                            <img src="images/vizag3_rishikonda.jpeg"</pre>
class="card-img-top" >
                            <div class="card-body">
                            <h5 class="card-title">Rushikonda
Beach</h5>
```

```
Rushikonda beach is a
place that can be visited by young and old people alike. 
href="https://vizagtourism.org.in/rushikonda-beach-
vizag#:~:text=Rushikonda%20beach%20is%20a%20place,a%20paradise%20for%20
nature%20lovers." class="btn btn-primary">Know more</a>
                       </div>
                   </div>
                   <div class="col-md-3">
                       <div class="card">
                           <img src="images/vizag5_temp.jpeg"</pre>
class="card-img-top" >
                          <div class="card-body">
                           <h5 class="card-title">Simhachalam
Temple</h5>
                           It is open for its
visitors from 7:00 AM to 4:00 PM and from 6:00 PM to 9:00 PM on all
days of the week.<br> For special darshan, the temple charges INR 100
per person.
                              href="https://vizagtourism.org.in/simhachalam-temple-vizag" class="btn
btn-primary">Know more</a>
                           </div>
                       </div>
                   </div>
               </div>
           </div>
           <div class="container mt-5">
                           <div class="row">
                               <div class="col-md-3">
                                  <div class="card">
                                      <img
src="images/vizag2_vuda.jpeg" class="card-img-top" >
                                      <div class="card-body">
                                      <h5 class="card-title">Vuda
Park</h5>
                                      One of its
main attractions, here, is a musical waterfall. The park also has a
skating rink and many small playing areas for kids.
href="https://vizagtourism.org.in/vmrda-city-central-park-
vizag#:~:text=The%20opening%20and%20closing%20timings,PM%20and%208%3A30
%20PM." class="btn btn-primary">Know more</a>
                                      </div>
                                  </div>
                              </div>
```

```
<div class="col-md-3">
                                  <div class="card" >
src="images/vizag_iskon.jpeg" class="card-img-top" >
                                      <div class="card-body">
                                      <h5 class="card-title">ISKON
Temple</h5>
                                      A temple
for the devotees of Sri Krishna after receiving direction from their
beloved guru
href="https://vizagtourism.org.in/iskcon-temple-
vizag#:~:text=History%20of%20ISKCON%20Temple%2C%20Visakhapatnam&text=It
%20is%20said%20that%20in,direction%20from%20their%20beloved%20guru."
class="btn btn-primary">Know more</a>
                                      </div>
                                  </div>
                              </div>
                              <div class="col-md-3">
                                  <div class="card">
src="images/vizag2_vuda.jpeg" class="card-img-top" >
                                      <div class="card-body">
                                      <h5 class="card-title">Vuda
Park</h5>
                                      One of its
main attractions, here, is a musical waterfall. The park also has a
skating rink and many small playing areas for kids.
href="https://vizagtourism.org.in/vmrda-city-central-park-
vizag#:~:text=The%20opening%20and%20closing%20timings,PM%20and%208%3A30
%20PM." class="btn btn-primary">Know more</a>
                                      </div>
                                  </div>
                              </div>
                              <div class="col-md-3">
                                  <div class="card" >
                                      <img
src="images/vizag2_vuda.jpeg" class="card-img-top" >
                                      <div class="card-body">
                                      <h5 class="card-title">Vuda
Park</h5>
                                      One of its
main attractions, here, is a musical waterfall. The park also has a
skating rink and many small playing areas for kids.
href="https://vizagtourism.org.in/vmrda-city-central-park-
```

```
vizag#:~:text=The%20opening%20and%20closing%20timings,PM%20and%208%3A30
%20PM." class="btn btn-primary">Know more</a>
                                          </div>
                                     </div>
                                 </div>
                             </div>
            </div>
                <div class="container mt-5" id="rjy">
                     <div style="color: rgb(238, 70,</pre>
8);"><h2>Rajahmundry</h2></div>
                    <div class="row">
                         <div class="col-md-3 rjy">
href="https://en.wikipedia.org/wiki/Rajahmundry "><img</pre>
src="images/rjy1.jpeg" class="img-thumbnail"><h4>Rajahmundry
Attraction</h4></a>
                         </div>
                         <div class="col-md-3 rjy">
href="https://en.wikipedia.org/wiki/Rajahmundry "><img</pre>
src="images/rjy3_vanam.jpeg" class="img-thumbnail"><h4>Pushkara
vanam</h4></a>
                         </div>
                         <div class="col-md-3 rjy">
href="https://en.wikipedia.org/wiki/Rajahmundry "><img</pre>
src="images/rjy2_riverbay.jpeg" class="img-thumbnail"><h4>River
Bay</h4></a>
                         </div>
                         <div class="col-md-3 rjy">
href="https://en.wikipedia.org/wiki/Rajahmundry "><img</pre>
src="images/rjy4_kadiyam.jpeg" class="img-
thumbnail"><h4>Kadiyam</h4></a>
                         </div>
                     </div>
                     <div class="row">
                         <div class="col-md-3">
href="https://en.wikipedia.org/wiki/Rajahmundry "><img</pre>
src="images/rjy5_maredumallii.jpeg"><h4>Maredumalli</h4></a>
                         <div class="col-md-1"></div>
                         <div class="col-md-4 mt-5" style="font-weight:</pre>
bold; font-size:large;color:crimson">
                             Go throw the images to know amout the
places clearly and to make your journey safe.
```

```
You can ask your queries about that
places.Then definately get the answer from those who had visited the
places.
                         </div>
                         <div class="col-md-1"></div>
                         <div class="col-md-3">
href="https://en.wikipedia.org/wiki/Rajahmundry "><img</pre>
src="images/rjy6_barrage.jpeg" class="img-thumbnail"><h4>Sur Aurthor
Cotton Barrage</h4></a>
                         </div>
                    </div>
                </div>
                <div class="container mt-5" id="kakinada">
                    <div style="color: rgb(238, 70,</pre>
8);"><h2>Kakinada</h2></div>
                    <div class="row">
                         <div class="col-md-3 rjy">
href="https://en.wikipedia.org/wiki/Kakinada"><img</pre>
src="images/kkd1_glass.jpeg" class="img-thumbnail" style="width:
400px;height: 200px;"><h4>Glass Bridge</h4></a>
                         </div>
                         <div class="col-md-3 rjy">
href="https://en.wikipedia.org/wiki/Kakinada"><img</pre>
src="images/kkd2_beach.jpeg" class="img-thumbnail" style="width:
400px;height: 200px;"><h4>Uppada Beach</h4></a>
                         </div>
                         <div class="col-md-3 rjy">
href="https://en.wikipedia.org/wiki/Kakinada "><img</pre>
src="images/kkd3_coringa.jpeg" class="img-thumbnail" style="width:
400px;height: 200px;"><h4>Coringa</h4></a>
                         </div>
                         <div class="col-md-3 rjy">
href="https://en.wikipedia.org/wiki/Kakinada"><img</pre>
src="images/kkd4_smrt.jpeg" class="img-thumbnail" style="width:
400px;height: 200px;"><h4>SMRT Mall</h4></a>
                         </div>
                    </div>
                </div>
                <div class="container mt-5" id="krishna">
                     <div style="color: rgb(238, 70,</pre>
8);"><h2>Krishna</h2></div>
                    <div class="row">
```

```
<div class="col-md-3">
href="https://en.wikipedia.org/wiki/Undavalli Caves"><img</pre>
src="images/OIP.jpg" class="img-thumbnail" style="width: 400px;height:
200px;"><h4>Undavalli Caves</h4></a>
                        <div class="col-md-3">
href="https://vijayawadatourism.com/bhavani-island-vijayawada"><img</pre>
src="images/krishna2_island.jpeg" class="img-thumbnail" style="width:
400px;height: 200px;"><h4>Bhavani Island</h4></a>
                        </div>
                        <div class="col-md-3 ">
href="https://www.holidify.com/places/machelipatnam/hamsaladeevi-
sightseeing-1257927.html"><img src="images/krishna3 deevi.jpeg"
class="img-thumbnail" style="width: 400px;height: 200px;"><h4>Hamsala
Deevi beac</h4></a>
                        </div>
                        <div class="col-md-3">
href="https://vijayawadatourism.com/rajiv-gandhi-park-vijayawada"><img</pre>
src="images/Rajiv Gandhi Park.jpg" class="img-thumbnail" style="width:
400px;height: 200px;"><h4>RajivGandhi park</h4></a>
                        </div>
                    </div>
                </div>
                <div class="container mt-5" id="temples">
                    <h2>VIJAWADA TEMPLES</h2>
                    <div class="row">
                        <div class="col-md-3">
href="https://traveltriangle.com/blog/temples-in-vijayawada/"><img</pre>
src="images/vjd1.jpeg" class="img-thumbnail" style="width: 400px;height:
200px;"><h4> Kanaka Durga Temple - Power Of Goddess Durga</h4></a>
                        </div>
                        <div class="col-md-3">
href="https://traveltriangle.com/blog/temples-in-vijayawada/"><img</pre>
src="images/vjd2.jpeg" class="img-thumbnail" style="width: 400px;height:
200px;"><h4>Subramanya Swamy Temple - Feel The Serenity</h4></a>
                        </div>
                        <div class="col-md-3">
href="https://traveltriangle.com/blog/temples-in-vijayawada/"><img</pre>
src="images/vjd3.jpeg" class="img-thumbnail" style="width: 400px;height:
200px;"><h4> Hinkar Thirtha - Experience the architectural
beauty</h4></a>
```

```
</div>
                        <div class="col-md-3">
href="https://traveltriangle.com/blog/temples-in-vijayawada/"><img</pre>
src="images/vjd3.jpeg" class="img-thumbnail" style="width: 400px;height:
200px;"><h4> Hinkar Thirtha - Experience the architectural
beauty</h4></a>
                        </div>
                    </div>
                </div>
</div>
        <div class='air air3'></div>
        <div class='air air4'></div>
    </section>
    <script src="JS Files/main.js"></script>
</body>
</html>
```

#### 3. Registration.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Forms</title>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">
     link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.m
in.css" rel="stylesheet">
     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bun
dle.min.js"></script>
     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js">
    <style>
            body{
                background-image: url(https://img.freepik.com/free-
photo/wallpaper-magic-blue-light-beautiful_1253-
433.jpg?size=626&ext=jpg&ga=GA1.2.2145222554.1688444795&semt=ais);
                background-attachment: fixed;
                background-repeat: no-repeat;
                background-size: cover;
```

```
background-position: center;
            .container{
                display: flex;
                justify-content: center;
                align-items: center;
            h2{
                text-align: center;
                text-decoration: underline;
                margin-top:30px;
                margin-bottom: 20px;
            .container input{
                margin-left: 40px;
                margin-top: 3px;
                margin-bottom: 15px;
                color: rgb(12, 38, 109);
                border-radius: 5px;
                height: 35px;
                width:400px;
                font-family: Verdana, Geneva, Tahoma, sans-
serif;
            }
            input:hover{
                border-color: rgb(110, 4, 209);
            input::after{
                border-color: rgb(219, 49, 19);
            .container label{
                margin-left:30px ;
                font-size: larger;
                color:rgb(4, 7, 17);
                font-weight: 500;
            .container button{
                margin-left: 110px;
                margin-bottom: 5px;
                background-color: darkkhaki;
                color: rgb(255, 20, 165);
                padding: 5px;
                display: flex;
                font-size: large;
                border: 2px solid rgb(217, 243, 67);
                border-radius: 7px;
            button:hover{
```

```
border-color: rgb(218, 8, 165);
              transform: scale(1.2);
          legend{
              text-align: center;
          fieldset{
              border: none;
          #subbtn{
              width: max-content;
              height: max-content;
              padding: 10px;
              background-color: cornflowerblue;
              color: white;
              font-weight: bold;
              font-size: medium;
          }
   </style>
</head>
<body>
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark" style="--</pre>
bs-bg-opacity: .7;">
       <a class="navbar-brand" href="#"><img src="images/travel.jpeg"</pre>
class="img-thumbnail" style="width: 100px;"><i style="color:</pre>
aliceblue;"> Explore the new places</i></a>
       <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navbarNav" aria-controls="navbarNav"
aria-expanded="false" aria-label="Toggle navigation">
         <span class="navbar-toggler-icon"></span>
       <div class="collapse navbar-collapse" id="navbarNav">
         <a class="nav-link text-white" href="index.html"><h5>Home
Page</h5><span class="sr-only">(current)</span></a>
          <a class="nav-link text-white" id="visible"</pre>
href="index.html"><h5>login</h5></a>
          <a class="nav-link text-white" id="visible1"</pre>
href="index.html"><h5>About</h5></a>
```

```
<a class="nav-link text-white disable" id="visible2"</pre>
href="#" onclick="alert('You need to register')"><h5>Queries</h5></a>
            </div>
      </nav>
    <div class="container">
      <form name="myform" onsubmit="return validateForm()"</pre>
action="http://localhost/project/php/store_data.php" method="POST"
class="example" >
            <h2>Registration Form</h2>
            <label for="username">Username</label><br>
            <input type="text" name="username" placeholder="username"</pre>
id="uname" onblur="valusername(this.id)" required>
            <label id="username" style="color:rgb(228, 128,</pre>
13);visibility: hidden;">Invalid</label>
            <br>
            <label for="email">EmailAddress</label><br>
            <input type="Eamil" name="email" id="email"</pre>
onblur="valemail(this.id)" placeholder="email" required>
            <label id="emailid" style="color:rgb(212, 125,</pre>
26);visibility: hidden;">Invalid</label><br>
            <label for="password">Password</label><br>
            <input type="password" name="password" id="password1"</pre>
onblur="valpwd(this.id)" placeholder="password" required>
            <label id="pwd1" style="color:rgb(219, 146, 51);visibility:</pre>
hidden;">Invalid</label><br>
            <label for="password">Confirm Password</label><br>
            <input type="password" name="confirm-password"</pre>
id="password2" onblur="valconfirmpwd(this.id)" placeholder="password"
required>
            <label id="pwd2" style="color:rgb(238, 149, 17);visibility:</pre>
hidden;">Invalid</label><br>
            <br>
            <span name="display" style="visibility: hidden;">User or
email already exists.</span>
            <input id="subbtn" type="submit"</pre>
name="Register"/>
      </form>
    </fieldset>
<script src="JS_Files/registration.js"></script>
</body>
</html>
```

### 4. Forgotpassword.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Password</title>
    <link rel="stylesheet" href="CSS files/FORGETCSS.CSS">
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.m
in.css" rel="stylesheet">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bun
dle.min.js"></script>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js">
</script>
   <style>
       body{
           height: 100vh:
           background-color: rgb(191, 221, 223);
    </style>
</head>
<body>
    <nav class="navbar navbar-expand-lg navbar-primary bg-dark"</pre>
style="--bs-bg-opacity: .7;">
        <a class="navbar-brand" href="#"><img src="images/travel.jpeg"</pre>
class="img-thumbnail" style="width: 100px;"><i style="color:</pre>
aliceblue;"> Explore the new places</i></a>
        <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navbarNav" aria-controls="navbarNav"
aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
       </button>
       <div class="collapse navbar-collapse" id="navbarNav">
```

```
<a class="nav-link text-white" href="index.html"><h5>Home
Page</h5><span class="sr-only">(current)</span></a>
           <a class="nav-link text-white" id="visible"</pre>
href="index.html"><h5>login</h5></a>
           <a class="nav-link text-white" id="visible1"</pre>
href="index.html#about"><h5>About</h5></a>
           <a class="nav-link text-white disable" id="visible2"</pre>
href="#" onclick="alert('You need to register')"><h5>Queries</h5></a>
           </div>
     </nav>
    <div class="container">
       <div class="row">
           <div class="col-md-3"></div>
           <div class="col-md-3 example mt-5">
               <form name="form" oninput="validate(this,event)"</pre>
action="php/update.php" method="POST">
                   <legend><h2>Recover Password</h2></legend><br>
                   <label for="email">EmailAddress</label><br>
                   <input type="Eamil" name="email" id="email"</pre>
onblur="valemail(this.id)" placeholder="email" required>
                   <label id="emailid" style="color:rgb(212, 125,</pre>
26);visibility: hidden;">Invalid</label><br>
                   <label for="password">Password</label><br>
                    <input type="password" name="password"</pre>
id="password1" onblur="valpwd(this.id)" placeholder="password"
required>
                   <label id="pwd1" style="color:rgb(219, 146,</pre>
51);visibility: hidden;">Invalid</label><br>
                   <label for="password">Confirm Password</label><br>
                   <input type="password" name="confirm-password"</pre>
id="password2" onblur="valconfirmpwd(this.id)" placeholder="password"
required>
                   <label id="pwd2" style="color:rgb(238, 149,</pre>
17);visibility: hidden;">Invalid</label><br>
                   <br>
                   <button id="subbtn" type="submit"</pre>
value="Submit" >Submit</button>
                   <span name="display" style="visibility:</pre>
hidden;">User or email already exists.</span>
               </form>
```

### 5. query.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Queries Section</title>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.m
in.css" rel="stylesheet">
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bun
dle.min.js"></script>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js">
</script>
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <style>
    ::-webkit-scrollbar {
 width: 5px; /* Adjust the width to your desired value */
  </style>
    <link rel="stylesheet" href="CSS_files/queries.css">
</head>
<body>
    <div class="split-screen" style="display: flex; height: 100vh;">
       <div class="left-panel" style="position: relative; height: 100vh;</pre>
overflow-y: auto;flex: 1;background-color: #7c6767; ">
```

```
<div class="container">
            <nav class="nav navbar-expand-lg bg-dark text-white ">
                     <a class="nav-link active"</pre>
href="queries.html">Query<i class="fas fa-question" ></i></a>
                     <a class="nav-link" href="index.html"><i class="fa</pre>
fa-home" aria-hidden="true"></i>Home</a>
                    <a class="nav-link" href="main.html"><i class="fa</pre>
fa-search"></i>View</a>
            </nav>
          </div>
          <div class="like">
            <div class="container m-5 text-white" style="background-</pre>
color: transparent;">
                <div class="row">
                    <div class="col-md-10">You can post your queries
on following destinations.</div>
                </div>
            </div>
                <div class="container m-5 text-dark">
                    <div class="row">
                         <div class="col-md-1"></div>
                         <div class="col-md-
6"><strong>Rajahmundry</strong> </div>
                        <div class="col-md-2"><i class="fa fa-heart"</pre>
aria-hidden="true"></i>
                          <span class="likecount">0</span>
                         </div>
                    </div>
                </div>
                <div class="container m-5 text-dark">
                    <div class="row">
                         <div class="col-md-1"></div>
                         <div class="col-md-6"><strong>Krishna</strong>
</div>
                         <div class="col-md-2"><i class="fa fa-heart"</pre>
aria-hidden="true"></i>
                             <span class="likecount">0</span></div>
                     </div>
                </div>
                <div class="container m-5 text-dark">
                     <div class="row">
                         <div class="col-md-1"></div>
                         <div class="col-md-
6"><strong>Vijayawada</strong> </div>
                        <div class="col-md-2"><i class="fa fa-heart"</pre>
aria-hidden="true"></i>
                            <span class="likecount">0</span></div>
```

```
</div>
                </div>
                <div class="container m-5 text-dark">
                     <div class="row">
                         <div class="col-md-1"></div>
                         <div class="col-md-6"><strong>Kakinada</strong>
</div>
                        <div class="col-md-2"><i class="fa fa-heart"</pre>
aria-hidden="true"></i>
                             <span class="likecount">0</span></div>
                    </div>
                </div>
                <div class="container m-5 text-dark">
                     <div class="row">
                         <div class="col-md-1"></div>
                        <div class="col-md-6"><strong>west
godawari</strong> </div>
                        <div class="col-md-2"><i class="fa fa-heart"</pre>
aria-hidden="true"></i>
                             <span class="likecount">0</span></div>
                     </div>
                </div>
                <div class="container m-5 text-dark">
                  <div class="row">
                       <div class="col-md-1"></div>
                       <div class="col-md-6"><strong>Temples</strong>
</div>
                      <div class="col-md-2"><i class="fa fa-heart"</pre>
aria-hidden="true"></i>
                           <span class="likecount">0</span></div>
                   </div>
              </div>
              <div class="container m-5 text-dark">
                <div class="row">
                    <div class="col-md-1"></div>
                    <div class="col-md-6"><strong>Vizag</strong> </div>
                    <div class="col-md-2"><i class="fa fa-heart" aria-</pre>
hidden="true"></i>
                        <span class="likecount">0</span></div>
                </div>
            </div>
          </div>
        </div>
        <div class="right-panel" style="position: relative; height:</pre>
100vh; overflow-y: auto;background-color: #584c61; flex: 2;">
            <div id="content" style="margin-bottom: 100px; ">
            </div>
```

```
<div class="container-fluid overflow-y:no-scroll tab-</pre>
index='0'shadow" style="position: fixed;bottom: 5px; padding: 10px;
box-shadow: 0px -2px 4px rgba(0, 0, 0, 0.1);background-color:
transparent;width: 100%;">
                <form method="POST" id="myForm">
                    <div class="row" id="form_row">
                        <div class="col-md-2">
                            <input type="text" name="user" id="user"</pre>
class="my-input" placeholder="user"/>
                        </div>
                        <div class="col-md-5"><input type="text"</pre>
name="query" class="my-input" id="query" placeholder="Enter your
query"></div>
                        <!-- <div class="col-md-2"> <span class="icon-
g"><a href="#"><i class="fas fa-send"></i></a></span></div> -->
                        <div class="col-md-2"><input type="submit"</pre>
class="bg-success text-white" value="send"/></div>
                    </div>
                </form>
            </div>
        </div>
    </div>
  <!-- include jQuery library -->
  <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
  <!-- AJAX script -->
  <script>
    // Submit form using AJAX
   $(document).on("submit", "#myForm", function(event) {
      event.preventDefault();
      // Serialize form data
      var formData = $(this).serialize();
      // Send AJAX request to chat.php for database insertion
     $.ajax({
        url: "php/chat.php",
        type: "POST",
        data: formData,
        success: function(response) {
          // Update dataContainer with the latest data from the
database
          loadData();
        },
        error: function(xhr, status, error) {
          console.log("AJAX request error:", error);
        }
      });
```

```
// Clear form fields
     $(this).trigger("reset");
   });
   // Function to load the data from the database
   function loadData() {
     $.ajax({
       url: "php/queries.php",
       type: "GET",
       success: function(response) {
          // Update dataContainer with the response (latest data from
the database)
         $("#content").html(response);
       },
       error: function(xhr, status, error) {
          console.log("AJAX request error:", error);
        }
     });
   // Load initial data when the page loads
   $(document).ready(function() {
     loadData();
   });
   $(document).ready(function() {
        // Attach a click event listener to the like button
       $('.fa').on('click', function() {
           // Find the parent row
            const row = $(this).closest('.row');
            // Find the like count span within the row
            const likeCountSpan = row.find('.likecount');
            // Get the current like count
            let likeCount = parseInt(likeCountSpan.text());
            likeCount++;
            likeCountSpan.text(likeCount);
       });
   });
 </script>
</body>
```

# **CSS FILES**

## 1.index.css

```
body{
    background-image: url(../images/bgimg.jpeg);
    background-attachment: fixed;
a{
    text-decoration: none;
    color: white;
    text-transform: uppercase;
a:hover{
    color: white;
.logo{
    width:80px;
    cursor: pointer;
.container{
 margin-left: 100px;
   height: 25vh;
.navb ul li{
    display: inline-block;
    margin: 0 20px;
    position: relative;
li{
    float: right;
.navb ul li::after{
        content: '';
        height: 3px;
        width: 0;
        background: #066b61;
        position: absolute;
        left: 0;
        bottom: -10px;
        transition: 0.5s;
```

```
.navb ul li:hover::after{
  width: 100%;
.jumbotron{
   border: 1px solid rgb(44, 25, 25);
   padding: 20px;
.logrex-box .form-box{
   display: flex;
   justify-content: center;
   align-items: center;
   width: max-content;
   height: max-content;
   background: transparent;
   backdrop-filter: blur(1000px);
   position: relative;
   padding: 10px;
.input-transparent{
   margin: 8px;
   background-color: transparent;
.fa{
   font-size: 25px;
   width: 30px;
   color: #ffffff;
   padding: 10px;
```

### 2.main.css

```
.background{
    background-image: url(https://img.freepik.com/free-photo/blurred-
city-lights_23-
2148139051.jpg?size=626&ext=jpg&ga=GA1.2.2145222554.1688444795&semt=ais);
    background-attachment: fixed;
    background-repeat: no-repeat;
    background-size: cover;
    background-position: center;
}
.back{
```

```
background-image: url(https://img.freepik.com/free-photo/structure-
boat-bamboo-day-lake 1253-
738.jpg?size=626&ext=jpg&ga=GA1.2.2145222554.1688444795&semt=ais);
    background-attachment: fixed;
   background-repeat: no-repeat;
   background-size: cover;
   background-position: center;
.jumbotron{
padding: 20px;
width: 500px;
margin: 0;
padding: 0;
section{
position: relative;
width: 100%;
height: 100%;
/* background: #769bd3; */
overflow: hidden;
section .air{
position: absolute;
bottom: 0;
left: 0;
width: 100%;
height: 50px;
/* background: url(https://1.bp.blogspot.com/-xQUc-
TovqDk/XdxogmMqIRI/AAAAAAAACvI/AizpnE509UMGBcTiLJ58BC6iViPYGYQfQCLcBGAs
YHQ/s1600/wave.png); */
background-size: 1000px 100px;
background-attachment:scroll;
section .air.air1{
animation: wave 30s linear infinite;
z-index: 1000;
opacity: 1;
animation-delay: 0s;
bottom: 0;
background-attachment: scroll;
section .air.air2{
animation: wave2 15s linear infinite;
z-index: 999;
opacity: 0.5;
animation-delay: -5s;
```

```
bottom: 10px;
section .air.air3{
animation: wave 30s linear infinite;
z-index: 998;
opacity: 0.2;
animation-delay: -2s;
bottom: 15px;
section .air.air4{
animation: wave2 5s linear infinite;
z-index: 997;
opacity: 0.7;
animation-delay: -5s;
bottom: 20px;
.btn{
   width:150px;
a:hover{
   color: red;
a:active{
    color: orangered;
text-decoration: none;
text-overflow: clip;
transition: transform 0.3s ease;
h4{
font-weight: bold;
color:#383738;
img:hover{
  transform: scale(1.1);
h2{
    font-weight: bold;
    font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman',
serif;
    color:crimson;
```

## 3.queries.css

```
body{
   /* background-image: url(https://img.freepik.com/free-
photo/question-mark-icon-solving-problem-solution-concept 53876-
background-attachment: fixed;
   background-repeat: no-repeat;
   background-size: cover;
   background-position: center;
 .nav{
   display: flex;
   font-size: larger;
   width: 100%;
 ::-webkit-scrollbar {
   width: 1px; /* Adjust the width to your desired value */
#user, #query{
   width: 100%;
   height: 40px;
   border-radius: 5px;
   border: none;
   outline: none;
   padding: 10px;
 .logrex-box .form-box{
   display: flex;
   justify-content: center;
   align-items: center;
   width: max-content;
   height: max-content;
   background: transparent;
   backdrop-filter: blur(150px);
   position: relative;
   padding: 10px;
 strong{
   font-size: larger;
   font-family: 'Times New Roman', Times, serif;
 p{
   font-size: x-large;
   font-style: italic
```

## 4.forgotpassword.css

```
.example{
    height: 400px;
   width: 300px;
    border: 2px solid rgb(6, 76, 141);
   border-radius: 10%;
    align-items: center;
    justify-content: center;
.example:hover{
 border-color: rgb(199, 117, 199);
input{
margin-top: 5px;
border: 1px solid rgb(0, 162, 255);
height: 20px;
width: 200px;
span{
 margin-left: 40px;
 margin-bottom: 20px;
input:hover{
 border-color: crimson;
label{
 margin-left: 30px;
h2{
text-align: center;
button{
 width:auto;
 padding: 5px;
 color: rgb(12, 6, 10);
 background-color: rgb(95, 185, 212);
 border: 2px solid rgb(19, 182, 231);
 font-weight: 80;
 border-radius: 10%;
button:hover{
 border-color: rgb(24, 35, 180);
  transform: scale(1.1);
a{
 text-decoration: none;
 color: rgb(6, 35, 97);
```

```
}
a:hover{
    color: rgb(233, 39, 146);

}
img{
    width: 250px;
    height: 300px;
    margin-left: 50px;
    border-radius:15%;}
```

# **JS Files**

#### 1. index.js

```
window.addEventListener('load', function() {
   document.getElementsByName('email').value = '';
   document.getElementsByName('password').value = '';
});
window.onload = function() {
   window.scrollTo(0, 0);
};
```

### 2. main.js

```
document.getElementById('search-form').addEventListener('submit',
function(event) {
    event.preventDefault(); // Prevent form submission
    var searchQuery = document.getElementById('search-
input').value.toLowerCase();
    var sectionId = ''; // Initialize the section ID
    // Logic to determine the section ID based on the search query
   if (searchQuery === 'vizag') {
      sectionId = 'vizag';
    } else if (searchQuery === 'rjy') {
      sectionId = 'rjy';
   else if(searchQuery === 'krishna'){
        sectionId='krishna';
   else if(searchQuery === 'kakinada'){
        sectionId='kakinada';
   else if(searchQuery === 'temples'){
      sectionId='temples';
   if (sectionId !== '') {
      var section = document.getElementById(sectionId);
     if (section) {
```

```
section.scrollIntoView({ behavior: 'smooth' });
}
else{
   alert("Entered place is not found");
}
});
```

#### 3. registration.js

```
var k=1;
     function valusername(id){
        var username=document.getElementById('uname');
        if(username.value.length<5){</pre>
                document.getElementById('username').style.visibility='v
isible';
                username.style.border="2px orange solid";
                k=0;
            else{
                document.getElementById('username').style.visibility='h
idden';
                username.style.border="2px solid #00ff00";
       function valemail(id){
        var email=document.getElementById('email');
        var emailRegex = /^\S+@\S+\.\S+$/
        if(!emailRegex.test(email.value)){
            document.getElementById('emailid').style.visibility='visibl
                email.style.border="2px orange solid";
                return false;
                k=0;
        }
        else{
            document.getElementById('emailid').style.visibility='hidden
                email.style.border="2px solid #00ff00";
        }
       function valpwd(id){
       var pwd=document.getElementById('password1');
        var pwd1Regex=/^[a-zA-z]+(?=.*[a-z])(?=.*[A-
Z])(?=.*[@#$%^&+=!])(?=.*[0-9])/;
        if(!pwd1Regex.test(pwd.value)){
            document.getElementById('pwd1').style.visibility='visible';
                pwd.style.border="2px orange solid";
```

```
return false;
             k=0;
     }
    else{
         document.getElementById('pwd1').style.visibility='hidden';
             pwd.style.border="2px solid #00ff00";
    function valconfirmpwd(id){
    var pwd=document.getElementById('password2');
    var pwd1=document.getElementById('password1').value;
    if(pwd.value!=pwd1){
         document.getElementById('pwd2').style.visibility='visible';
             pwd.style.border="2px orange solid";
             return false;
             k=0;
    else{
         document.getElementById('pwd2').style.visibility='hidden';
             pwd.style.border="2px solid #00ff00";
    }
console.log(k)
     function validateForm(){
    var username=document.getElementById('uname').value;
    console.log(k);
    if(k=0){
         alert("Can't be null");
         return false;
    else{
        return true;
```

# **PHP FILES**

## 1. store\_data.php

This is to store user data in user info table of test database.

<?php

```
$username="root";
   $host="127.0.0.1:3307";
   $password="";
   $db="test";
   //connect database
   $mysqli = new mysqli($host, $username, $password, $db);
   if ($mysqli->connect errno) {
       echo "Failed to connect to MySQL: " . $mysqli->connect_error;
       exit();
   else{
       echo "connected" . "<br>";
   // create table
       // $creat_table="CREATE TABLE User info (
       // ID INT(10) AUTO INCREMENT PRIMARY KEY,
       // USERNAME VARCHAR(50) NOT NULL,
       // EMAIL VARCHAR(100) NOT NULL,
       // USER PASSWORD VARCHAR(50) NOT NULL,
       // CONFIRM PASSWORD VARCHAR(50) NOT NULL
       // if($mysqli->query($creat_table)==TRUE){
              echo "Error creating table: " . $mysqli->error;
       $user=$ POST['username'];
       $emailid=$ POST['email'];
       $psw1=$_POST['password'];
       // $psw2=$ POST['confirm-password'];
       $check_user="SELECT * FROM User_info WHERE USERNAME='$user'";
       $check email="SELECT * FROM User info WHERE EMAIL='$emailid'";
       $user_res=$mysqli->query($check_user);
       $email_res=$mysqli->query($check_email);
       if($user_res->num_rows > 0 || $email_res->num_rows > 0){
           header("Location: ../registration.html");
           // echo '<span style="visibility: visible; color: red" >' .
$_POST['display'] . '</span>' ;
         exit();
       else{
           $insert_record="INSERT INTO User_info (USERNAME , EMAIL ,
$check_insert=$mysqli->query($insert_record);
           if(!$check insert){
```

```
echo 'data not recorded.';
    exit();
}
else{
    // echo "data recorded successfully";
    header("Location: ../main.html");
}
}
```

#### 2. check login.php

This is to check user credentails.

```
$username="root";
$host="127.0.0.1:3307";
$password="";
$db="test";
```

```
$mysqli=new mysqli($host,$username,$password,$db);
if($mysqli->connect_errno){
    die("failed to connect" . $mysqli->connect_error);
}
```

```
$email_existance="SELECT * FROM User_info WHERE EMAIL=
'$user_email'";
    $pwd_existance="SELECT * FROM User_info WHERE USER_PASSWORD=
'$email_pwd'";
    if(($mysqli->query($email_existance))->num_rows >0){
        if(($mysqli->query($pwd_existance)) -> num_rows >0){
            header("Location: ../main.html");
```

```
}
else{
    header("Location: ../index.html");
}
else{
    echo "user not exists";
}
```

#### 3. Chat.php

This is for queries webpage. The queries stored in queries table of test database.

```
<?php
   $username="root";
   $host="127.0.0.1:3307";
   $password="";
   $db='test';
   $mysqli=new mysqli($host,$username,$password,$db);
   if($mysqli->connect_errno){
       echo "connected";
   $errors=[];
   $user=$_POST['user'];
   $query=$_POST['query'];
   if(empty($user)){
       $errors="user not empty";
   if(empty($query)){
       $errors="no query entered";
   if(!empty($errors)){
       header("Location : ../queries.html");
       exit();
   $user check="SELECT * FROM user info WHERE USERNAME = '$user'";
   if($mysqli->query($user_check)->num_rows >0){
       $query_to_insert="INSERT INTO queries (username, query)
VALUES('$user','$query') ";
        if($mysqli->query($query_to_insert)){
            header("Location: ../queries.html");
       else{
            echo "error";
```

```
}
}
else{
    echo "<script>";
    $msg="user not found.. please once check user";
    echo "alert('" . $msg . "');";
    echo "window.location.href = '../queries.html';";
    echo "</script>";
}
$mysqli->close();
?>
```

#### 4. check\_user\_to\_delete.php

This is to check one user can delete their own query not others.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
   <title>Delete_query</title>
<body>
    <form method='POST' action="delete.php">
        <?php
          $name=$_POST['username'];
          $query=$ POST['query'];
       USERNAME: <input type="text" name="user" value=<?php echo</pre>
$ POST['username'];?> >
        <input type="hidden" name="query" value='<?php echo</pre>
$query ?>'>
       PASSWORD: <input type="password" name="password"/>
        <button type="submit">delete</button>
   </form>
</body>
</html>
```

#### 5. delete.php

This is to delete the query. That is after checking the user only the corresponding record is deleted from the queries table.

```
<?php
   $username="root";
   $host="127.0.0.1:3307";
   $password="";
   $db='test';
   $mysqli=new mysqli($host,$username,$password,$db);
   if($mysqli->connect_errno){
       echo "connected";
   $display=$ POST['user'];
   $entered_psw=$_POST['password'];
   $query=$_POST['query'];
   $user_psw="SELECT USER_PASSWORD FROM user_info WHERE USERNAME="""
$display'";
   $res=$mysqli->query($user_psw);
   if($row=$res->fetch_assoc())
            $pwd=$row['USER_PASSWORD'];
            if($entered_psw==$pwd){
            $del query="DELETE FROM queries WHERE username='$display'
AND query = '$query'";
            if($mysqli->query($del_query)){
                header("Location: ../queries.html");
            else{
                echo "ERROR";
       else{
            echo "INCORRECT PASSWORD...You are not the user to delete
this query.";
           echo "TRY AGAIN";
```

This is to check user whether he/she is valid to update query.

```
$username="root";
$host="127.0.0.1:3307";
$password="";
$db='test';

$mysqli=new mysqli($host,$username,$password,$db);
    if($mysqli->connect_errno){
        echo "connected";
    }

    $display=@$_POST['user'];
    $entered_psw=@$_POST['password'];
    $old_query=@$_POST['query'];
    $modified_query=@$_POST['new_query'];
```

```
$user_psw="SELECT USER_PASSWORD FROM user_info WHERE USERNAME=
$display'";
   $res=$mysqli->query($user_psw);
   if($row=$res->fetch assoc())
            $pwd=$row['USER PASSWORD'];
            if($entered_psw==$pwd){
            $del_query="UPDATE queries SET query='$modified_query'
WHERE username='$display' AND query='$old query'";
            if($mysqli->query($del_query)){
                header("Location: ../queries.html");
           else{
                echo "ERROR";
        }
       else{
            echo "INCORRECT PASSWORD...YOu you are not the user to
delete this query. ";
            echo "TRY AGAIN";
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Document</title>
</head>
<body>
        <form method='POST' action="<?php $_SERVER['PHP_SELF'] ?>">
        <?php
          $name=$ POST['username'];
          $query=$_POST['query'];
        <input type="hidden" name="user" value=<?php echo</pre>
$_POST['username'];?> >
        <!-- old query -->
        <input type="hidden" name="query" value='<?php echo</pre>
$query ?>'>
        Update :<input type="text" name="new_query" value='<?php echo</pre>
$query ?>'><br>
        Password:<input type="password" name="password"/><br>
        <button type="submit">update</button>
    </form>
</body>
</html>
```

### 7. update.php

### Update query

```
<?php
    $username="root";
   $host="127.0.0.1:3307";
   $password="";
    $db='test';
    $mysqli=new mysqli($host,$username,$password,$db);
   if($mysqli->connect_errno){
        echo "connected";
    $email_addr=$_POST['email'];
    $new_pwd=$_POST['password'];
   $retrieve_row="SELECT * FROM user_info WHERE EMAIL= '$email_addr' ";
   $result=$mysqli->query($retrieve_row);
    if($result->num rows>0){
        while($row=$result->fetch assoc()){
            $update="UPDATE user_info SET USER_PASSWORD='$new_pwd'
WHERE EMAIL='$email_addr' ";
           if($mysqli->query($update)){
```

```
echo "successfully updated";
}
}
else{
    echo "no user found";
}
?>
```


#### GitHub Code:


```
MINOW64/c/Users/Lavanya/desktop/repository/WT_project
Lavanya@DESKTOP-JNVGGIS MINGW64 ~ (newbranch)
5 cd desktop

Lavanya@DESKTOP-JNVGGIS MINGW64 ~/desktop/repository (master)
5 git init
genitialized existing Git repository in C:/Users/Lavanya/Desktop/repository/.gi

Lavanya@DESKTOP-JNVGGIS MINGW64 ~/desktop/repository (master)
5 git init
genitialized existing Git repository in C:/Users/Lavanya/Desktop/repository/.gi

Lavanya@DESKTOP-JNVGGIS MINGW64 ~/desktop/repository (master)
6 claim in into 'wT_project...com/LavanyaIIIJAMT_project.git
6 claim in into 'wT_project...com/LavanyaIIIJAMT_project.git
7 claim in into 'wT_project...com/LavanyaIIIJAMT_project.git
7 claim in into 'wT_project...com/LavanyaIIIJAMT_project.git
8 claim into 'wT_project.com/LavanyaIIIJAMT_project.git
8 claim into 'wT_project.git 'wT_project.git
```





# **THANK YOU**