Cucumber Report

Start : Nov 06, 12:42:11.882 PM

End : Nov 06, 12:42:33.150 PM

Duration : 21.268 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 0

1

1

4

Pass %

0 %

Pass %

0 %

Pass %

75 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login into OrangeHRM Application	21.268 s	1	0	1	0	4	3	1	0

#	Feature Name	Scenario Name
1	*Login into OrangeHRM Application*	*User login with valid credentials*

| #	Feature Name	T	P	F	S	Duration
1	Login into OrangeHRM Application	1	0	1	0	21.268 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login into OrangeHRM Application	User login with valid credentials	4	3	1	0	21.264 s

Login into OrangeHRM Application

FAILED	DURATION - 21.268 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 12:42:11.882 PM // 12:42:33.150 PM /		Pass - 0	1	Pass - 3	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

User login with valid credentials

FAILED	DURATION - 21.264 s		Steps	
			Total - 4	
/ 12:42:11.886 PM // 12:42:33.150 PM /			Pass - 3	4
			Fail - 1	
Login into OrangeHRM Application			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User logins to application using url	PASSED	4.324 s
2	When User provides valid username and password	PASSED	0.627 s
3	And User clicks login	PASSED	1.131 s
4	Then User should be able to successfully login and HomePage is opened	FAILED	10.024 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [495f1a653b07e0e0ffcbfb2a0c5d2518, findElement {using=xpath, value=//h6[@class='oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51738}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51738/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 495f1a653b07e0e0ffcbfb2a0c5d2518
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy21.getText(Unknown Source) at com.cucumberdemo3.HomePageActions.getVerifyText(HomePageActions.java:16) at com.cucumberdemo3.LoginPageStepDefinition. user_should_be_able_to_successfully_login_and_home_page_is_opened(LoginPageStepDefinition.java:38) at ?.User should be able to successfully login and HomePage is opened(file:///C:/Users/lsethuraj/eclipse-workspace/CucumberDemo3/src/test/resources/Features/Login.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.cucumberdemo3.HookClass.tearDown(io.cucumber.java.Scenario) User login with valid credentials 	PASSED	2.135 s