

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login into OrangeHRM Application	21.261 s	1	0	1	0	4	3	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login into OrangeHRM Application	User login with valid credentials

FEATURES SUMMARY -- 4



#	Footure Name	T	P	F	S	Duration
1	Login into OrangeHRM Application	1	0	1	0	21.261 s

SCENARIOS SUMMARY




:	# F	Feature Name	Scenario Name	T	P	F	S	Duration
	1 <u>L</u>	Login into OrangeHRM Application	User login with valid credentials	4	3	1	0	21.257 s

DETAILED SECTION -- 6 --

Login into OrangeHRM Application

FAILED	DURATION - 21.261 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 12:41:35.628 PM //	¹ 12:41:56.889 PM /	Pass - 0	1	Pass - 3	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

User login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User logins to application using url	PASSED	5.664 s
2	When User provides valid username and password	PASSED	0.936 s
3	And User clicks login	PASSED	1.057 s
4	Then User should be able to successfully login and HomePage is opened	FAILED	10.042 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//h6[@class='oxd-text oxd-texth6 oxd-topbar-header-breadcrumb-module']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [e1c02a8a37f27fa671c4105ef82157f9, findElement {using=xpath, value=//h6[@class='oxd-text oxd-texth6 oxd-topbar-header-breadcrumb-module']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:51696}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51696/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e1c02a8a37f27fa671c4105ef82157f9 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy21.getText(Unknown Source)		
	at com.cucumberdemo3.HomePageActions.getVerifyText(HomePageActions.java:16)		
	at com.cucumberdemo3.LoginPageStepDefinition.		
	user_should_be_able_to_successfully_login_and_home_page_is_opened(LoginPageStepDefinition.java:38)		
	at ?.User should be able to successfully login and HomePage is opened(file:///C:/Users/lsethuraj/eclipse-workspace/CucumberDemo3/src/		
	test/resources/Features/Login.feature:8)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.cucumberdemo3.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.383 s
	User login with valid credentials]	
	George M. Some and the second of the second		