
Cucumber Report




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Account Information	1 m 47.549 s	3	1	2	0	17	15	2	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Account Information	View Account summary by adding payment filter as System Payments
2		View Account summary by adding payment filter as Member Payments


TAG		Scenario				Feature			
Name	T	P	F	S	T	P	F	S	
@AccountSummary	1	1	0	0	1	0	1	0	
@SystemPayments	1	0	1	0	1	0	1	0	
@MemberPayments	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Account Information	3	1	2	0	1 m 47.549 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Account Information	<u>View Account summary</u>	7	7	0	0	13.814 s
2		View Account summary by adding payment filter as System Payments	5	4	1	0	50.498 s
3		View Account summary by adding payment filter as Member Payments	5	4	1	0	43.187 s

DETAILED SECTION -- 7 --

Account Information

FAILED	DURATION - 1 m 47.549 s	Scenarios		Steps	
		Total - 3		Total - 17	
/ 10:35:17.076 AM //	/ 10:37:04.625 AM /	Pass - 1	3	Pass - 15	17
		Fail - 2	T J	Fail - 2	
		Skip - 0		Skip - 0	


View Account summary



#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	2.924 s
2	When User provide valid username and password	PASSED	2.327 s
3	And User choose the Banking Tab	PASSED	2.131 s
4	And User view the current balance	PASSED	1.705 s
5	And User checks the negative balance	PASSED	0.042 s
6	And User checks Total received	PASSED	0.022 s
7	Then User download the payment history	PASSED	0.098 s

View Account summary by adding payment filter as System Payments


DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	7.749 s
2	When User provide valid username and password	PASSED	3.210 s
3	And User choose the Banking Tab	PASSED	2.613 s
4	And User provide filters as System Payments and check the number of incoming payments	PASSED	4.513 s
5	Then User get the payment account details based on System filter	FAILED	30.031 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='PDF]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.1.4.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [83faa07cdea30d69c6b98dbe17caffa3, findElement {using=xpath, value=//span[text()='PDF]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.09368bc998f4f, userDataDir: CVUsersV.ESFTHU-11AppDataLuj, goog:chromeOptions: {chromedriverVersion: 114.0.5735.199, setVindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthnextension.redBlob: true, webauthn:vetension.irgeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 83faa07cdea30d69c6b98dbe17caffa3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceQ(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstanceQ(Native Method) at java.base/jdx.internal.reflect.DelegatingConstructorAccessorImpl.newInstanceQNativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpRe		

	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
l	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
l	at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source)		
at com.actions.AccountInformationActions.scrollAction(AccountInformationActions.java:82)			
l	at com.stepdefinitions.AccountInformatioStepDefinition.		
	user_get_the_payment_account_details_based_on_system_filter(AccountInformatioStepDefinition.java:71)		
П	at ?.User get the payment account details based on System filter(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/		
П			
- 1	PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21)		
1	PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21)	PASSED	0.160 s
-	PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21) * Not displayable characters are replaced by '?'.	PASSED	0.160 s
-	PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21) * Not displayable characters are replaced by '?'. AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) View Account summary by adding payment filter as System Payments	PASSED	0.160 s
-	PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21) * Not displayable characters are replaced by '?'. AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) View Account summary by adding payment filter as System Payments	PASSED	0.160 s
	PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21) * Not displayable characters are replaced by '?'. AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) View Account summary by adding payment filter as System Payments	PASSED	0.160 s
+	PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21) * Not displayable characters are replaced by '?'. AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) View Account summary by adding payment filter as System Payments	PASSED	0.160 s

View Account summary by adding payment filter as Member Payments



#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	3.558 s
2	When User provide valid username and password	PASSED	2.362 s
3	And User choose the Banking Tab	PASSED	1.017 s
4	And User provide filters as Member Payments and check the number of incoming payments	PASSED	4.087 s
5	Then User get the payment details based on Member filter	FAILED	30.023 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='PDF']"}		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	(Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.		
	arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openga.selenium.chrome.ChromeDriver Command:		
	[7fa39e7c114322e996bbf68eef1a561b, findElement {using=xpath, value=//span[text()='PDF']}] Capabilities {acceptInsecureCerts: false,		
	browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir:		
	C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:58731}, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58731/devtoo, se:cdpVersion: 114.0.5735.199,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7fa39e7c114322e996bbf68eef1a561b		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source)		
	at com.actions.AccountInformationActions.scrollAction(AccountInformationActions.java:82)		
	at com.stepdefinitions.AccountInformatioStepDefinition.		
	user_get_the_payment_details_based_on_member_filter(AccountInformatioStepDefinition.java:99)		
	at ?.User get the payment details based on Member filter(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/		
	PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:30)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.156 s
	View Account summary by adding payment filter as Member Payments		

#	Step / Hook Details	Status	Duration
The control of the co			