

Cucumber Report

Nov 27, 2023, 3:13:02 PM

Start : Nov 27, 2:59:41.935 PM

End : Nov 27, 3:12:57.348 PM

Duration : 13 m 15.413 s

Features

Scenarios

Steps

PASSED - 10

FAILED - 4

SKIPPED - 0

PASSED - 25




FAILED - 5

SKIPPED - 0

PASSED - 193

FAILED - 5

SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Account Information</u>	58.071 s	3	3	0	0	17	17	0	0
<u>To Edit Address in Demo Cyclos classic payment software Application and do functions</u>	28.301 s	1	1	0	0	9	9	0	0
<u>To Edit Phone Number in Demo Cyclos classic payment software Application and do functions</u>	56.444 s	2	2	0	0	20	20	0	0
<u>To Edit User profile in Demo Cyclos classic payment software Application and do functions</u>	16.867 s	1	1	0	0	9	9	0	0
<u>User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application</u>	1 m 8.839 s	2	2	0	0	15	15	0	0
<u>To Login in Demo Cyclos classic payment software Application and do functions</u>	1 m 12.046 s	3	3	0	0	14	14	0	0
<u>To Manage password in Demo Cyclos classic payment software Application and do functions</u>	47.783 s	2	1	1	0	16	13	1	2
<u>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</u>	1 m 42.365 s	4	4	0	0	29	29	0	0
<u>To add existing in Mycontact</u>	23.890 s	1	0	1	0	8	7	1	0
<u>User access the Payment option to perform payment related actions in Cyclos</u>	1 m 25.761 s	2	0	2	0	11	8	2	1
<u>User uploads the profile picture in Cyclos web application</u>	41.742 s	1	1	0	0	4	4	0	0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To Register in Demo Cyclos classic payment software Application</u>	9.884 s	1	1	0	0	9	9	0	0
<u>The user accessing the Message functionality</u>	2 m 5.852 s	5	5	0	0	28	28	0	0
<u>User Buy and print voucher</u>	57.459 s	2	1	1	0	13	11	1	1


#	Feature Name	Scenario Name
1	<u>To Manage password in Demo Cyclos classic payment software Application and do functions</u>	<u>Change password with valid input</u>
2	<u>To add existing in Mycontact</u>	<u>To Manage My Contact</u>
3	<u>User access the Payment option to perform payment related actions in Cyclos</u>	<u>User to User payment</u>
4		<u>Receiving QR Code Payment</u>
5	<u>User Buy and print voucher</u>	<u>Checking My vouchers</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AccountSummary	1	1	0	0	1	1	0	0
@SystemPayments	1	1	0	0	1	1	0	0
@MemberPayments	1	1	0	0	1	1	0	0
@MobileNumber	2	2	0	0	2	2	0	0
@LandlineNumber	1	1	0	0	1	1	0	0
@ValidCredentials	1	1	0	0	1	1	0	0
@Invalidcredentials	2	2	0	0	1	1	0	0
@ManagePassword	1	0	1	0	1	0	1	0
@MyContact	1	0	1	0	1	0	1	0
@UserToUserPayment	1	0	1	0	1	0	1	0
@ReceiveQRPayments	1	0	1	0	1	0	1	0
@SendMessage	1	1	0	0	1	1	0	0
@InBoxMessage	1	1	0	0	1	1	0	0
@TrashMessage	1	1	0	0	1	1	0	0
@MessageSendFunctionality	1	1	0	0	1	1	0	0
@MessageNotSend	1	1	0	0	1	1	0	0
@GiftVoucher	1	1	0	0	1	0	1	0


<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Myvoucher	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Account Information</u>	3	3	0	0	58.071 s
2	<u>To Edit Address in Demo Cyclos classic payment software Application and do functions</u>	1	1	0	0	28.301 s
3	<u>To Edit Phone Number in Demo Cyclos classic payment software Application and do functions</u>	2	2	0	0	56.444 s
4	<u>To Edit User profile in Demo Cyclos classic payment software Application and do functions</u>	1	1	0	0	16.867 s
5	<u>User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application</u>	2	2	0	0	1 m 8.839 s
6	<u>To Login in Demo Cyclos classic payment software Application and do functions</u>	3	3	0	0	1 m 12.046 s
7	<u>To Manage password in Demo Cyclos classic payment software Application and do functions</u>	2	1	1	0	47.783 s
8	<u>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</u>	4	4	0	0	1 m 42.365 s
9	<u>To add existing in Mycontact</u>	1	0	1	0	23.890 s
10	<u>User access the Payment option to perform payment related actions in Cyclos</u>	2	0	2	0	1 m 25.761 s




#	Feature Name	T	P	F	S	Duration
11	<u>User uploads the profile picture in Cyclos web application</u>	1	1	0	0	41.742 s
12	<u>To Register in Demo Cyclos classic payment software Application</u>	1	1	0	0	9.884 s
13	<u>The user accessing the Message functionality</u>	5	5	0	0	2 m 5.852 s
14	<u>User Buy and print voucher</u>	2	1	1	0	57.459 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Edit Account Information in Demo Cyclos classic payment software Application *</u>	<u>View Account summary</u>	7	7	0	0	19.927 s
2		<u>View Account summary by adding payment filter as System Payments</u>	5	5	0	0	16.050 s
3		<u>View Account summary by adding payment filter as Member Payments</u>	5	5	0	0	22.061 s
4	<u>To Edit Address in Demo Cyclos classic payment software Application and do *</u>	<u>Edit Address in profile</u>	9	9	0	0	27.694 s
5	<u>To Edit Phone Number in Demo Cyclos classic payment software Application *</u>	<u>Add Mobile Number in Phone</u>	10	10	0	0	30.624 s
6		<u>Add Landline Number in Phone</u>	10	10	0	0	25.803 s
7	<u>To Edit User profile in Demo Cyclos classic payment software Application *</u>	<u>Edit User Profile</u>	9	9	0	0	16.867 s

* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>User Processing the Advertisement Interests in Marketplace feature *</u>	<u>User uses the Advertisement Interests</u>	9	9	0	0	35.570 s
9		<u>User uses the Advertisement Interests</u>	6	6	0	0	33.265 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>To Login in Demo Cyclos classic payment software Application and do *</u>	<u>Login with valid credentials</u>	4	4	0	0	28.318 s
11		<u>Login with Invalid credentials</u>	5	5	0	0	20.631 s
12		<u>Login with Invalid credentials</u>	5	5	0	0	23.089 s
13	<u>To Manage password in Demo Cyclos classic payment software Application *</u>	<u>Change password with valid input</u>	8	5	1	2	13.352 s
14		<u>Change password with Invalid input</u>	8	8	0	0	34.421 s
15	<u>User using Search Advertisements in Marketplace tab available in Cyclos *</u>	<u>User uses Price Highest filter</u>	8	8	0	0	16.436 s
16		<u>User access Price Lowest filter</u>	8	8	0	0	37.240 s
17		<u>User access Price Relevance filter</u>	8	8	0	0	15.418 s
18		<u>User removes a product from Price Highest filter</u>	5	5	0	0	33.259 s

* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>To add existing in Mycontact</u>	<u>To Manage My Contact</u>	8	7	1	0	23.890 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>User access the Payment option to perform payment related actions in *</u>	<u>User to User payment</u>	6	5	1	0	55.381 s
21		<u>Receiving QR Code Payment</u>	5	3	1	1	30.376 s
22	<u>User uploads the profile picture in Cyclos web application</u>	<u>User Uploading new profile picture</u>	4	4	0	0	41.742 s
23	<u>To Register in Demo Cyclos classic payment software Application</u>	<u>Register the User details</u>	9	9	0	0	9.884 s
24	<u>The user accessing the Message functionality</u>	<u>The user view the message history of send message</u>	6	6	0	0	43.040 s
25		<u>The user view the message history of inbox message</u>	5	5	0	0	26.545 s
26		<u>The user view the message history of Trash message</u>	5	5	0	0	20.924 s
27		<u>The user send the message</u>	6	6	0	0	18.448 s
28		<u>The user not able to send message without required details</u>	6	6	0	0	16.880 s



* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>User Buy and print voucher</u>	<u>Buying and print vouchers</u>	7	7	0	0	20.550 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>User Buy and print voucher</u>	<u>Checking My vouchers</u>	6	4	1	1	36.905 s

Account Information

PASSED	DURATION - 58.071 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	
/ 2:59:41.935 PM // 3:00:40.006 PM /					

View Account summary

<div>PASSED</div> <div>DURATION - 19.927 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:59:41.940 PM // 3:00:01.867 PM /</div>			
<div>Account Information</div>			
<div>@AccountSummary</div>			

#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	1.303 s
2	When User provide valid username and password	PASSED	2.958 s
3	And User choose the Banking Tab	PASSED	2.153 s
4	And User view the current balance	PASSED	2.076 s
5	And User checks the negative balance	PASSED	0.033 s
6	And User checks Total received	PASSED	0.025 s
7	Then User download the payment history	PASSED	0.120 s

View Account summary by adding payment filter as System Payments

PASSED	DURATION - 16.050 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:00:01.879 PM // 3:00:17.929 PM /				
Account Information				
@SystemPayments				



#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	5.808 s
2	When User provide valid username and password	PASSED	1.700 s
3	And User choose the Banking Tab	PASSED	2.136 s
4	And User provide filters as System Payments and check the number of incoming payments	PASSED	1.906 s
5	Then User get the payment account details based on System filter	PASSED	0.058 s

View Account summary by adding payment filter as Member Payments



PASSED	DURATION - 22.061 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:00:17.945 PM // 3:00:40.006 PM /				
Account Information				
@MemberPayments				

#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	8.405 s
2	When User provide valid username and password	PASSED	3.802 s
3	And User choose the Banking Tab	PASSED	2.532 s
4	And User provide filters as Member Payments and check the number of incoming payments	PASSED	3.083 s
5	Then User get the payment details based on Member filter	PASSED	0.081 s

To Edit Address in Demo Cyclos classic payment software Application and do functions



PASSED	DURATION - 28.301 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:00:40.026 PM // 3:01:08.327 PM /					

Edit Address in profile



<div><div>PASSED</div><div>DURATION - 27.694 s</div></div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:00:40.632 PM // 3:01:08.326 PM /</div>			
<div>To Edit Address in Demo Cyclos classic payment software Application and do functions</div>			
<div>@MobileNumber</div>			

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	4.762 s
2	When User click the Signin	PASSED	2.555 s
3	And User provides valid credentials LoginName and Password	PASSED	0.183 s
4	And User click Personal field	PASSED	1.235 s
5	And User click the Address	PASSED	0.054 s
6	And User click the new in Address	PASSED	3.753 s
7	And User enter the Name Address Zip code City State and Country using sheetname "sheet1" and rownumber 0	PASSED	9.483 s
8	And User Choose the Visibility	PASSED	0.049 s
9	Then User Click the save and user get Save Successfull Message	PASSED	1.480 s

To Edit Phone Number in Demo Cyclos classic payment software Application and do functions



PASSED	DURATION - 56.444 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 3:01:08.346 PM // 3:02:04.790 PM /					

Add Mobile Number in Phone

<div>PASSED</div>	<div>DURATION - 30.624 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:01:08.346 PM // 3:01:38.970 PM /</div>				
<div>To Edit Phone Number in Demo Cyclos classic payment software Application and do functions</div>				
<div>@MobileNumber</div>				



#	Step / Hook Details	Status	Duration				
1	Given User is on Demo Cyclos classic Homepage	PASSED	16.610 s				
2	When User click the Signin	PASSED	4.342 s				
3	And User proides valid credentials LoginName and Password	PASSED	0.178 s				
4	And User click Personal field	PASSED	1.070 s				
5	And User click the Phone in leftside Column	PASSED	0.057 s				
6	And User click the Phone in profile	PASSED	1.642 s				
7	And User click the new for Adding Mobile	PASSED	0.050 s				
8	And User select the Mobile number	PASSED	1.538 s				
9	And User enter the Mobile Nuumber Name	PASSED	0.171 s				
	<table><tr><td>Name</td><td>MobileNumber</td></tr><tr><td>Arun</td><td>+91 9809876543</td></tr></table>			Name	MobileNumber	Arun	+91 9809876543
	Name			MobileNumber			
Arun	+91 9809876543						
10	Then User Click the save and should able to see the phone edit Message	PASSED	0.575 s				

Add Landline Number in Phone



<div>PASSED</div>	<div>DURATION - 25.803 s</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 10</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:01:38.987 PM // 3:02:04.790 PM /</div>				
<div>To Edit Phone Number in Demo Cyclos classic payment software Application and do functions</div>				
<div>@LandlineNumber</div>				

#	Step / Hook Details	Status	Duration				
1	Given User is on Demo Cyclos classic Homepage	PASSED	9.675 s				
2	When User click the Signin	PASSED	2.301 s				
3	And User proides valid credentials LoginName and Password	PASSED	0.188 s				
4	And User click Personal field	PASSED	1.261 s				
5	And User click the Phone in leftside Column	PASSED	0.056 s				
6	And User click the Phone in profile	PASSED	1.273 s				
7	And User click the new for Adding Landline	PASSED	0.048 s				
8	And User select the Landline number	PASSED	1.002 s				
9	And User enter the Landline number Name	PASSED	3.464 s				
	<table><tr><td>Name2</td><td>Landline</td></tr><tr><td>Nirupama</td><td>(201) 555-1111</td></tr></table>			Name2	Landline	Nirupama	(201) 555-1111
Name2	Landline						
Nirupama	(201) 555-1111						
10	Then User Click the save and should able to see the LandLine phone edit Message	PASSED	0.519 s				

To Edit User profile in Demo Cyclos classic payment software Application and do functions

PASSED	DURATION - 16.867 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:02:04.796 PM // 3:02:21.663 PM /					



Edit User Profile

PASSED	DURATION - 16.867 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:02:04.796 PM // 3:02:21.663 PM /				
To Edit User profile in Demo Cyclos classic payment software Application and do functions				



#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	5.322 s

#	Step / Hook Details	Status	Duration
2	When User click the Signin	PASSED	1.937 s
3	And User provides valid credentials LoginName and Password	PASSED	0.184 s
4	And User click Personal field	PASSED	1.272 s
5	And User click edit option	PASSED	1.288 s
6	And User enter Website	PASSED	0.510 s
	Website leafground.com		
7	And User choose Gender	PASSED	0.051 s
8	And User choose Business type	PASSED	0.109 s
9	Then User click save and should be able to see edit success message	PASSED	0.316 s

User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application

PASSED	DURATION - 1 m 8.839 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 3:02:21.668 PM // 3:03:30.507 PM /					



User uses the Advertisement Interests

PASSED		DURATION - 35.570 s			Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 3:02:21.668 PM // 3:02:57.238 PM /						
User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment *						

#	Step / Hook Details	Status	Duration
1	Given User launches the url of the Cyclos Web Application	PASSED	15.342 s
2	When User clicks Advertisement Interests in the left column	PASSED	6.705 s



#	Step / Hook Details	Status	Duration
3	And User clicks New interests	PASSED	1.281 s
4	And User provides the valid name	PASSED	0.255 s
5	And User clicks the category dropdown	PASSED	0.080 s
6	And User chooses any of the category based on interest	PASSED	0.105 s
7	And User saved the interest	PASSED	0.288 s
8	And User go back to the Advertisement interests	PASSED	0.053 s
9	Then User is going to print the total number of interests	PASSED	0.531 s

User uses the Advertisement Interests



PASSED		DURATION - 33.265 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 3:02:57.242 PM // 3:03:30.507 PM /						
User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment *						

#	Step / Hook Details	Status	Duration
1	Given User launches the url of the Cyclos Web Application	PASSED	17.440 s
2	When User clicks Advertisement Interests in the left column	PASSED	5.894 s
3	And User clicks New interests	PASSED	1.311 s
4	And User provides the already exists name	PASSED	0.243 s
5	And User saved the interest with the name which is already exists	PASSED	0.051 s
6	Then User gets a warning message	PASSED	0.233 s

To Login in Demo Cyclos classic payment software Application and do functions



PASSED	DURATION - 1 m 12.046 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 14 Pass - 14 Fail - 0 Skip - 0	
/ 3:03:30.512 PM // 3:04:42.558 PM /					

Login with valid credentials

PASSED	DURATION - 28.318 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:03:30.512 PM // 3:03:58.830 PM /				
To Login in Demo Cyclos classic payment software Application and do functions				
@ValidCredentials				



#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	12.785 s
2	When User click the Signin	PASSED	3.529 s
3	And User provides valid credentials LoginName and Password	PASSED	0.180 s
4	Then User should be able to login Successfully Message	PASSED	4.176 s

Login with Invalid credentials

<div>PASSED</div>	<div>DURATION - 20.631 s</div>	<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 3:03:58.835 PM // 3:04:19.466 PM /</div>			
<div>To Login in Demo Cyclos classic payment software Application and do functions</div>			
<div>@Invalidcredentials</div>			



#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	11.298 s
2	When User click the Signin	PASSED	3.782 s
3	And User provides Invalid Sign in name "Lavanya1703"	PASSED	0.054 s
4	And User provides Invalid Sign in Password "Lavanya@170"	PASSED	0.068 s
5	Then User click submit for invalid and should be able to login Error Message	PASSED	0.720 s

Login with Invalid credentials



PASSED	DURATION - 23.089 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:04:19.469 PM // 3:04:42.558 PM /				
To Login in Demo Cyclos classic payment software Application and do functions				
@Invalidcredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	12.181 s
2	When User click the Signin	PASSED	4.042 s
3	And User proides Invalid Sign in name "Lavanya170"	PASSED	0.057 s
4	And User proides Invalid Sign in Password "Lavanya@1703"	PASSED	0.070 s
5	Then User click submit for invalid and should be able to login Error Message	PASSED	0.310 s


To Manage password in Demo Cyclos classic payment software Application and do functions

FAILED	DURATION - 47.783 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 16 Pass - 13 Fail - 1 Skip - 2	
/ 3:04:42.563 PM // 3:05:30.346 PM /					



Change password with valid input

FAILED	DURATION - 13.352 s		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	
/ 3:04:42.563 PM // 3:04:55.915 PM /				
To Manage password in Demo Cyclos classic payment software Application and do functions				
@ManagePassword				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.266 s
2	When User click the Signin	PASSED	2.013 s
3	And User provides valid credentials LoginName and Password	PASSED	0.180 s
4	And User click Personal field	PASSED	1.226 s
5	And User Click Change Password	PASSED	0.060 s
6	And User Click Change Option	FAILED	2.016 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27c3bc2d45fb5aa890819c3411e3bb16, clickElement {id=CB407B05DC83DDAE873C25D1D76F310C_element_24}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\chrome-win-1069691\userDataDir}, goog:chromeOptions: {debuggerAddress: localhost:61504}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61504/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (27c3bc2d45fb5aa890819c3411e3bb16)] -> xpath: //a[@class='linkPanel']] Session ID: 27c3bc2d45fb5aa890819c3411e3bb16</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor55.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source) at com.actions.Login_Function_Actions.ChangeOption(Login_Function_Actions.java:172) at com.stepdefinitions.Login_Function_Stepdefinitions.user_click_change_option(Login_Function_Stepdefinitions.java:180) at ?.User Click Change Option(file:///C:/Users/lsethura/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/</p>		

#	Step / Hook Details	Status	Duration						
	Features/Managepassword.feature:10) * Not displayable characters are replaced by '?'. <div></div>								
7	And User enter the Old password New password Confirm New password <table><tr><td>OldPassword</td><td>NewPassword</td><td>ConfirmNewPassword</td></tr><tr><td>Lavanya@1703</td><td>Lavanya@1703</td><td>Lavanya@1703</td></tr></table>	OldPassword	NewPassword	ConfirmNewPassword	Lavanya@1703	Lavanya@1703	Lavanya@1703	SKIPPED	0.001 s
OldPassword	NewPassword	ConfirmNewPassword							
Lavanya@1703	Lavanya@1703	Lavanya@1703							
8	Then User Click the Confirm button and able to see Password reset message	SKIPPED	0.000 s						
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) Change password with valid input <div></div>	PASSED	2.062 s						



Change password with Invalid input

<div>PASSED</div> <div>DURATION - 34.421 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:04:55.925 PM // 3:05:30.346 PM /</div>			
<div>To Manage password in Demo Cyclos classic payment software Application and do functions</div>			



#	Step / Hook Details	Status	Duration						
1	Given User is on Demo Cyclos classic Homepage	PASSED	14.526 s						
2	When User click the Signin	PASSED	8.922 s						
3	And User proides valid credentials LoginName and Password	PASSED	0.175 s						
4	And User click Personal field	PASSED	1.026 s						
5	And User Click Change Password	PASSED	0.054 s						
6	And User Click Change Option	PASSED	3.544 s						
7	And User enter the Old password New password Confirm New password	PASSED	0.173 s						
	<table><tr><td>OldPassword</td><td>NewPassword</td><td>ConfirmNewPassword</td></tr><tr><td>Lavanya@1703</td><td>Lavanya@1703</td><td>Lavanya@170</td></tr></table>			OldPassword	NewPassword	ConfirmNewPassword	Lavanya@1703	Lavanya@1703	Lavanya@170
OldPassword	NewPassword			ConfirmNewPassword					
Lavanya@1703	Lavanya@1703	Lavanya@170							

#	Step / Hook Details	Status	Duration
8	Then User Click the Confirm button and able to see Password Error reset message	PASSED	0.287 s

User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application


PASSED	DURATION - 1 m 42.365 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 29 Pass - 29 Fail - 0 Skip - 0	
/ 3:05:30.356 PM // 3:07:12.721 PM /					

User uses Price Highest filter

PASSED	DURATION - 16.436 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 3:05:30.356 PM // 3:05:46.792 PM /				
User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application				


#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	3.806 s
2	When User provide correct username and password	PASSED	4.268 s
3	And User goes to List ads	PASSED	1.474 s
4	And User applies the filter tab	PASSED	0.333 s
5	And User chooses price highest filter	PASSED	0.533 s
6	And User clicks for the product and added to favorites	PASSED	0.583 s
7	And User enables the checkbox (Show only favorites)	PASSED	0.053 s
8	Then User prints the total number of results available in favorites after added from highest filter	PASSED	0.280 s

User access Price Lowest filter



#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	16.421 s
2	When User provide correct username and password	PASSED	7.861 s
3	And User goes to List ads	PASSED	2.352 s
4	And User applies the filter tab	PASSED	0.779 s
5	And User chooses price lowest filter	PASSED	0.114 s
6	And User clicks for the product and adds it to favorites	PASSED	2.891 s
7	And User enables the checkbox (Show only favorites)	PASSED	0.053 s
8	Then User prints the total number of results available in favorites after added from lowest filter	PASSED	0.267 s



User access Price Relevance filter



#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	3.243 s
2	When User provide correct username and password	PASSED	3.398 s
3	And User goes to List ads	PASSED	1.623 s
4	And User applies the filter tab	PASSED	0.859 s
5	And User chooses relevance filter	PASSED	1.437 s



#	Step / Hook Details	Status	Duration
6	And User clicks for the product and adds it to favorites	PASSED	0.877 s
7	And User enables the checkbox (Show only favorites)	PASSED	0.052 s
8	Then User prints the total number of results available in favorites after added from relevance filter	PASSED	0.273 s

User removes a product from Price Highest filter

PASSED		DURATION - 33.259 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:06:39.462 PM // 3:07:12.721 PM /						
User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application						

#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	17.154 s
2	When User correct valid username and password	PASSED	6.818 s
3	And User enables the checkbox (Show only favorites)	PASSED	1.926 s
4	And User removes a product from list	PASSED	1.442 s
5	Then user prints the total number of results available in favorites after removing product	PASSED	0.250 s

To add existing in Mycontact



FAILED	DURATION - 23.890 s	Scenarios		Steps	
/ 3:07:12.729 PM // 3:07:36.619 PM /		Total - 1		Total - 8	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

To Manage My Contact

FAILED	DURATION - 23.890 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 3:07:12.729 PM // 3:07:36.619 PM /				
To add existing in Mycontact				
@MyContact				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.139 s
2	When User click the Signin	PASSED	2.343 s
3	And User provides valid credentials LoginName and Password	PASSED	0.189 s
4	And User Click User option	PASSED	2.427 s
5	And User Click My Contact	PASSED	0.054 s
6	And User Click Add option	PASSED	4.804 s
7	And User enter the Name to add in My Contact list	PASSED	4.502 s
	<div>MyContactName</div> <div>junio</div>		
8	Then User Click save and able to see My Contact Added list	FAILED	0.325 s
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at com.stepdefinitions.Login_Function_Stepdefinitions. user_click_save_and_able_to_see_my_contact_added_list(Login_Function_Stepdefinitions.java:246) at ?.User Click save and able to see My Contact Added list(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/Mycontact.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.836 s
	To Manage My Contact		

User access the Payment option to perform payment related actions in Cyclos

FAILED	DURATION - 1 m 25.761 s	Scenarios		Steps	
/ 3:07:36.624 PM // 3:09:02.385 PM /		Total - 2		Total - 11	
		Pass - 0		Pass - 8	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	

User to User payment

<div>FAILED</div> <div>DURATION - 55.381 s</div>	<div><table><tr><th>Step</th><th>Pass</th></tr><tr><td>1</td><td>16</td></tr><tr><td>2</td><td>3</td></tr><tr><td>3</td><td>4</td></tr><tr><td>4</td><td>4</td></tr><tr><td>5</td><td>1</td></tr><tr><td>6</td><td>20</td></tr></table></div>	Step	Pass	1	16	2	3	3	4	4	4	5	1	6	20	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step		Pass															
1		16															
2		3															
3	4																
4	4																
5	1																
6	20																
<div>/ 3:07:36.624 PM // 3:08:32.005 PM /</div>																	
<div>User access the Payment option to perform payment related actions in Cyclos</div>																	
<div>@UserToUserPayment</div>																	


#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	15.806 s
2	When User provide username and password	PASSED	3.311 s
3	And User choose the Payment to user Tab	PASSED	4.193 s
4	And User selects the ReceiverName and amount	PASSED	4.567 s
5	And User choose the schedule as Pay now	PASSED	0.506 s
6	Then User gets a verification message org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector": "//span[text()='Print']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b7b8399df1bd127d1bb5a3d8b6c4903, findElement {using=xpath, value=//span[text()='Print']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\selenium-chrome-profile\Profile1), goog:chromeOptions: {debuggerAddress: localhost:61726}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61726/devtools/page/114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1b7b8399df1bd127d1bb5a3d8b6c4903 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	20.541 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source) at com.actions.PaymentActions.Confirmation(PaymentActions.java:62) at com.stepdefinitions.PaymentsStepDefinition.user_gets_a_verification_message(PaymentsStepDefinition.java:57) at ?.User gets a verification message(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.547 s
	User to User payment		
			



Receiving QR Code Payment

<div>FAILED</div> <div>DURATION - 30.376 s</div>	<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 3</div><div>Fail - 1</div><div>Skip - 1</div></div> <div></div>
<div>/ 3:08:32.009 PM // 3:09:02.385 PM /</div>		
<div>User access the Payment option to perform payment related actions in Cyclos</div>		
<div>@ReceiveQRPayments</div>		


#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	12.427 s
2	When User provide username and password	PASSED	6.283 s
3	And User choose the Receive QR Payments Tab	PASSED	2.425 s
4	And User provides the amount which will be converted into a QR code org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e949cde02044b957780feacd57e5aa1c, sendKeysToElement {id=AF9C6071F0E7439A31885DA251E2239C_element_19, value=[Ljava.lang.CharSequence;@5c59dfc7}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:61761}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61761/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (e949cde02044b957780feacd57e5aa1c)] -> xpath: //input[@class='inputField large rightAligned']] Session ID: e949cde02044b957780feacd57e5aa1c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)	FAILED	2.909 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedMethodAccessor56.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source) at com.actions.PaymentActions.clickQRPayment(PaymentActions.java:107) at com.stepdefinitions.PaymentsStepDefinition. user_provides_the_amount_which_will_be_converted_into_a_qr_code(PaymentsStepDefinition.java:73) at ?.User provides the amount which will be converted into a QR code(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:17) * Not displayable characters are replaced by '?'. </pre>		
5	Then User gets the QR	SKIPPED	0.000 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.330 s
	Receiving QR Code Payment		
			

User uploads the profile picture in Cyclos web application


PASSED	DURATION - 41.742 s	Scenarios		Steps	
/ 3:09:02.390 PM // 3:09:44.132 PM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User Uploading new profile picture




#	Step / Hook Details	Status	Duration
1	Given User launched the web application and login into the application	PASSED	13.416 s
2	When User goes to Personal Tab and goes to profile image option	PASSED	2.130 s
3	And User choose Upload new option and added picture from the system	PASSED	21.030 s
4	Then User checks the profile picture	PASSED	0.028 s

To Register in Demo Cyclos classic payment software Application





Register the User details





#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.636 s

#	Step / Hook Details	Status	Duration
2	When User click the register button	PASSED	1.684 s
3	And User enter the Name	PASSED	1.102 s
4	And User enter the LoginName	PASSED	0.068 s
5	And User enter the Email	PASSED	0.076 s
6	And User enter the Password	PASSED	0.087 s
7	And User enter the confirmPassword	PASSED	0.054 s
8	And User click the RegistrationAgreement	PASSED	0.057 s
9	Then User click Submit button	PASSED	0.161 s

The user accessing the Message functionality

PASSED	DURATION - 2 m 5.852 s	Scenarios		Steps	
/ 3:09:54.026 PM // 3:11:59.878 PM /		Total - 5		Total - 28	
		Pass - 5		Pass - 28	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



The user view the message history of send message

PASSED	DURATION - 43.040 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 3:09:54.026 PM // 3:10:37.066 PM /				
The user accessing the Message functionality				
@SendMessage				

#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	29.914 s
2	When Users provide valid username and password	PASSED	1.926 s
3	And User choose the Message Tab	PASSED	1.529 s
4	And User select the Sent message option	PASSED	1.714 s
5	And User gets the number of results in send message page	PASSED	0.205 s



#	Step / Hook Details	Status	Duration
6	Then Print the send messages	PASSED	0.043 s

The user view the message history of inbox message

PASSED	DURATION - 26.545 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:10:37.072 PM // 3:11:03.617 PM /				
The user accessing the Message functionality				
@InBoxMessage				

#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	11.579 s
2	When Users provide valid username and password	PASSED	3.712 s
3	And User choose the Message Tab	PASSED	1.926 s
4	And User choose the inbox option	PASSED	1.517 s
5	And User gets the number of results in inbox page.	PASSED	0.226 s



The user view the message history of Trash message

PASSED	DURATION - 20.924 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:11:03.620 PM // 3:11:24.544 PM /				
The user accessing the Message functionality				
@TrashMessage				

#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	8.322 s
2	When Users provide valid username and password	PASSED	2.908 s
3	And User choose the Message Tab	PASSED	1.017 s
4	And User choose the Trash option	PASSED	1.529 s



#	Step / Hook Details	Status	Duration
5	Then User gets the number of results in Trash pages	PASSED	0.073 s

The user send the message

PASSED	DURATION - 18.448 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 3:11:24.547 PM // 3:11:42.995 PM /				
The user accessing the Message functionality				
@MessageSendFunctionality				

#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	6.485 s
2	When Users provide valid username and password	PASSED	3.232 s
3	And User choose the Message Tab	PASSED	1.173 s
4	When User Creating new message	PASSED	1.850 s
5	And Enter the required details	PASSED	2.960 s
6	Then User receives a verification message	PASSED	0.255 s



The user not able to send message without required details

PASSED	DURATION - 16.880 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 3:11:42.998 PM // 3:11:59.878 PM /				
The user accessing the Message functionality				
@MessageNotSend				



#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	4.740 s
2	When Users provide valid username and password	PASSED	1.831 s
3	And User choose the Message Tab	PASSED	1.350 s

#	Step / Hook Details	Status	Duration
4	When User Creating new message	PASSED	2.711 s
5	And User enter the user name and subject	PASSED	2.720 s
6	Then User receives verification message shows the message not able to send	PASSED	0.239 s

User Buy and print voucher



FAILED	DURATION - 57.459 s	Scenarios		Steps	
/ 3:11:59.889 PM // 3:12:57.348 PM /		Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Total - 13 Pass - 11 Fail - 1 Skip - 1	13

Buying and print vouchers

PASSED		DURATION - 20.550 s			<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:11:59.890 PM // 3:12:20.440 PM /						
User Buy and print voucher						
@GiftVoucher						

#	Step / Hook Details	Status	Duration
1	Given User launched url	PASSED	5.409 s
2	When User provides Name and password	PASSED	3.740 s
3	And User choose the marketpalce tab	PASSED	2.490 s
4	And User selects the buy voucher	PASSED	0.055 s
5	And User selects the Gift voucher	PASSED	2.873 s
6	And User enters the amount and submit	PASSED	1.045 s
7	Then User print the gift voucher pdf and the submission verified.	PASSED	1.023 s

Checking My vouchers

<div>FAILED</div> <div>DURATION - 36.905 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:12:20.443 PM // 3:12:57.348 PM /</div>				
<div>User Buy and print voucher</div>				
<div>@Myvoucher</div>				

#	Step / Hook Details	Status	Duration
1	Given User launched url	PASSED	5.166 s
2	When User provides Name and password	PASSED	3.561 s
3	And User choose the marketpalce tab	PASSED	1.589 s
4	And User Selects the my voucher option	PASSED	0.054 s
5	And User Verified the page is successfully opened org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='paginationLeft']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72b6a2be59ebe8b7bec9cb6363eaccc3, findElement {using=xpath, value=//div[@class='paginationLeft']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4..., userDataDir: C:\Users\LSETHU~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62077}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62077/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 72b6a2be59ebe8b7bec9cb6363eaccc3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)	FAILED	20.050 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.actions.GiftVoucherActions.getResultNo(GiftVoucherActions.java:73) at com.stepdefinitions.VoucherStepdefinition.user_verified_the_page_is_successfully_opened(VoucherStepdefinition.java:72) at ?.User Verified the page is successfully opened(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/voucher.feature:19) * Not displayable characters are replaced by '?'. </pre>		
6	Then User download the gift voucher pdf	SKIPPED	0.000 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.782 s
	<p>Checking My vouchers</p> 