

Cucumber Report

Nov 22, 2023, 4:20:42 PM

Start : Nov 22, 4:11:28.677 PM

End : Nov 22, 4:20:41.625 PM

Duration : 9 m 12.948 s

Features

Scenarios

Steps

PASSED - 9

FAILED - 5

SKIPPED - 0

PASSED - 25




FAILED - 5

SKIPPED - 0

PASSED - 191

FAILED - 5

SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Account Information</u>	40.869 s	3	2	1	0	17	16	1	0
<u>To Edit Address in Demo Cyclos classic payment software Application and do functions</u>	14.910 s	1	1	0	0	9	9	0	0
<u>To Edit Phone Number in Demo Cyclos classic payment software Application and do functions</u>	47.656 s	2	1	1	0	20	15	1	4
<u>To Edit User profile in Demo Cyclos classic payment software Application and do functions</u>	15.367 s	1	1	0	0	9	9	0	0
<u>User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application</u>	33.654 s	2	2	0	0	15	15	0	0
<u>To Login in Demo Cyclos classic payment software Application and do functions</u>	31.205 s	3	3	0	0	14	14	0	0
<u>To Manage password in Demo Cyclos classic payment software Application and do functions</u>	31.078 s	2	2	0	0	16	16	0	0
<u>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</u>	1 m 13.031 s	4	4	0	0	29	29	0	0
<u>To add existing in Mycontact</u>	33.982 s	1	0	1	0	8	7	1	0
<u>User access the Payment option to perform payment related actions in Cyclos</u>	50.523 s	2	1	1	0	11	9	1	1
<u>User uploads the profile picture in Cyclos web application</u>	51.577 s	1	0	1	0	4	2	1	1


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To Register in Demo Cyclos classic payment software Application</u>	10.380 s	1	1	0	0	9	9	0	0
<u>The user accessing the Message functionality</u>	1 m 17.683 s	5	5	0	0	28	28	0	0
<u>User Buy and print voucher</u>	40.899 s	2	2	0	0	13	13	0	0

#	Feature Name	Scenario Name
1	<u>Account Information</u>	<u>View Account summary by adding payment filter as Member Payments</u>
2	<u>To Edit Phone Number in Demo Cyclos classic payment software Application and do functions</u>	<u>Add Landline Number in Phone</u>
3	<u>To add existing in Mycontact</u>	<u>To Manage My Contact</u>
4	<u>User access the Payment option to perform payment related actions in Cyclos</u>	<u>Receiving QR Code Payment</u>
5	<u>User uploads the profile picture in Cyclos web application</u>	<u>User Uploading new profile picture</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AccountSummary	1	1	0	0	1	0	1	0
@SystemPayments	1	1	0	0	1	0	1	0
@MemberPayments	1	0	1	0	1	0	1	0
@MobileNumber	2	2	0	0	2	1	1	0
@LandlineNumber	1	0	1	0	1	0	1	0
@ValidCredentials	1	1	0	0	1	1	0	0
@Invalidcredentials	2	2	0	0	1	1	0	0
@ManagePassword	1	1	0	0	1	1	0	0
@MyContact	1	0	1	0	1	0	1	0
@UserToUserPayment	1	1	0	0	1	0	1	0
@ReceiveQRPayments	1	0	1	0	1	0	1	0
@SendMessage	1	1	0	0	1	1	0	0
@InBoxMessage	1	1	0	0	1	1	0	0
@TrashMessage	1	1	0	0	1	1	0	0
@MessageSendFunctionality	1	1	0	0	1	1	0	0
@MessageNotSend	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Account Information</u>	3	2	1	0	40.869 s
2	<u>To Edit Address in Demo Cyclos classic payment software Application and do functions</u>	1	1	0	0	14.910 s
3	<u>To Edit Phone Number in Demo Cyclos classic payment software Application and do functions</u>	2	1	1	0	47.656 s
4	<u>To Edit User profile in Demo Cyclos classic payment software Application and do functions</u>	1	1	0	0	15.367 s
5	<u>User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application</u>	2	2	0	0	33.654 s
6	<u>To Login in Demo Cyclos classic payment software Application and do functions</u>	3	3	0	0	31.205 s
7	<u>To Manage password in Demo Cyclos classic payment software Application and do functions</u>	2	2	0	0	31.078 s
8	<u>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</u>	4	4	0	0	1 m 13.031 s
9	<u>To add existing in Mycontact</u>	1	0	1	0	33.982 s
10	<u>User access the Payment option to perform payment related actions in Cyclos</u>	2	1	1	0	50.523 s




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
11	<u>User uploads the profile picture in Cyclos web application</u>	1	0	1	0	51.577 s
12	<u>To Register in Demo Cyclos classic payment software Application</u>	1	1	0	0	10.380 s
13	<u>The user accessing the Message functionality</u>	5	5	0	0	1 m 17.683 s
14	<u>User Buy and print voucher</u>	2	2	0	0	40.899 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Account Information</u>	<u>View Account summary</u>	7	7	0	0	12.202 s
2		<u>View Account summary by adding payment filter as System Payments</u>	5	5	0	0	13.641 s
3		<u>View Account summary by adding payment filter as Member Payments</u>	5	4	1	0	14.997 s
4	<u>To Edit Address in Demo Cyclos classic payment software Application and do *</u>	<u>Edit Address in profile</u>	9	9	0	0	14.906 s
5	<u>To Edit Phone Number in Demo Cyclos classic payment software Application *</u>	<u>Add Mobile Number in Phone</u>	10	10	0	0	15.290 s
6		<u>Add Landline Number in Phone</u>	10	5	1	4	32.359 s
7	<u>To Edit User profile in Demo Cyclos classic payment software Application *</u>	<u>Edit User Profile</u>	9	9	0	0	15.367 s

* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>User Processing the Advertisement Interests in Marketplace feature *</u>	<u>User uses the Advertisement Interests</u>	9	9	0	0	19.513 s
9		<u>User uses the Advertisement Interests</u>	6	6	0	0	14.136 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>To Login in Demo Cyclos classic payment software Application and do *</u>	<u>Login with valid credentials</u>	4	4	0	0	12.280 s
11		<u>Login with Invalid credentials</u>	5	5	0	0	9.004 s
12		<u>Login with Invalid credentials</u>	5	5	0	0	9.911 s
13	<u>To Manage password in Demo Cyclos classic payment software Application *</u>	<u>Change password with valid input</u>	8	8	0	0	14.187 s
14		<u>Change password with Invalid input</u>	8	8	0	0	16.887 s
15	<u>User using Search Advertisements in Marketplace tab available in Cyclos *</u>	<u>User uses Price Highest filter</u>	8	8	0	0	23.034 s
16		<u>User access Price Lowest filter</u>	8	8	0	0	15.174 s
17		<u>User access Price Relevance filter</u>	8	8	0	0	19.069 s
18		<u>User removes a product from Price Highest filter</u>	5	5	0	0	15.735 s

* The feature name and/or scenario name has been cropped to fit in the available space.


#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>To add existing in Mycontact</u>	<u>To Manage My Contact</u>	8	7	1	0	33.982 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>User access the Payment option to perform payment related actions in *</u>	<u>User to User payment</u>	6	6	0	0	16.542 s
21		<u>Receiving QR Code Payment</u>	5	3	1	1	33.978 s
22	<u>User uploads the profile picture in Cyclos web application</u>	<u>User Uploading new profile picture</u>	4	2	1	1	51.577 s
23	<u>To Register in Demo Cyclos classic payment software Application</u>	<u>Register the User details</u>	9	9	0	0	10.380 s
24	<u>The user accessing the Message functionality</u>	<u>The user view the message history of send message</u>	6	6	0	0	16.132 s
25		<u>The user view the message history of inbox message</u>	5	5	0	0	15.609 s
26		<u>The user view the message history of Trash message</u>	5	5	0	0	12.734 s
27		<u>The user send the message</u>	6	6	0	0	17.646 s
28		<u>The user not able to send message without required details</u>	6	6	0	0	15.540 s



* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>User Buy and print voucher</u>	<u>Buying and print vouchers</u>	7	7	0	0	24.117 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>User Buy and print voucher</u>	<u>Checking My vouchers</u>	6	6	0	0	16.775 s

Account Information



FAILED	DURATION - 40.869 s	Scenarios		Steps	
/ 4:11:28.677 PM // 4:12:09.546 PM /		Total - 3		Total - 17	
		Pass - 2		Pass - 16	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

View Account summary

<div>PASSED</div> <div>DURATION - 12.202 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:11:28.682 PM // 4:11:40.884 PM /</div>			
<div>Account Information</div>			
<div>@AccountSummary</div>			



#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	1.992 s
2	When User provide valid username and password	PASSED	1.800 s
3	And User choose the Banking Tab	PASSED	1.231 s
4	And User view the current balance	PASSED	3.179 s
5	And User checks the negative balance	PASSED	0.044 s
6	And User checks Total received	PASSED	0.029 s
7	Then User download the payment history	PASSED	0.110 s

View Account summary by adding payment filter as System Payments


PASSED	DURATION - 13.641 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 4:11:40.897 PM // 4:11:54.538 PM /				
Account Information				
@SystemPayments				

#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	4.335 s
2	When User provide valid username and password	PASSED	2.299 s
3	And User choose the Banking Tab	PASSED	1.103 s
4	And User provide filters as System Payments and check the number of incoming payments	PASSED	1.986 s
5	Then User get the payment account details based on System filter	PASSED	0.054 s



View Account summary by adding payment filter as Member Payments

FAILED	DURATION - 14.997 s		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 4:11:54.549 PM // 4:12:09.546 PM /				
Account Information				
@MemberPayments				



#	Step / Hook Details	Status	Duration
1	Given User launch the url	PASSED	3.190 s
2	When User provide valid username and password	PASSED	2.421 s
3	And User choose the Banking Tab	PASSED	1.562 s
4	And User provide filters as Member Payments and check the number of incoming payments	PASSED	3.490 s
5	Then User get the payment details based on Member filter	FAILED	0.028 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "com.utility.HelperClass.javascriptExe" is null at com.stepdefinitions.AccountInfoStepDefinition. user_get_the_payment_details_based_on_member_filter(AccountInfoStepDefinition.java:110)		

#	Step / Hook Details	Status	Duration
	at ?.User get the payment details based on Member filter(file:///C:/Users/Isethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:30) * Not displayable characters are replaced by '?'. AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)		
	View Account summary by adding payment filter as Member Payments	PASSED	2.037 s
			

To Edit Address in Demo Cyclos classic payment software Application and do functions

PASSED	DURATION - 14.910 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:12:09.570 PM // 4:12:24.480 PM /					



Edit Address in profile

PASSED	DURATION - 14.906 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:12:09.574 PM // 4:12:24.480 PM /				
To Edit Address in Demo Cyclos classic payment software Application and do functions				
@MobileNumber				



#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	4.602 s
2	When User click the Signin	PASSED	1.971 s
3	And User provides valid credentials LoginName and Password	PASSED	0.177 s
4	And User click Personal field	PASSED	1.906 s

#	Step / Hook Details	Status	Duration
5	And User click the Address	PASSED	0.056 s
6	And User click the new in Address	PASSED	1.323 s
7	And User enter the Name Address Zip code City State and Country using sheetname "sheet1" and rownumber 0	PASSED	1.115 s
8	And User Choose the Visibility	PASSED	0.047 s
9	Then User Click the save and user get Save Successfull Message	PASSED	1.290 s

To Edit Phone Number in Demo Cyclos classic payment software Application and do functions

FAILED	DURATION - 47.656 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 20 Pass - 15 Fail - 1 Skip - 4	
/ 4:12:24.512 PM // 4:13:12.168 PM /					

Add Mobile Number in Phone

PASSED	DURATION - 15.290 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 4:12:24.512 PM // 4:12:39.802 PM /				
To Edit Phone Number in Demo Cyclos classic payment software Application and do functions				
@MobileNumber				


#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.132 s
2	When User click the Signin	PASSED	2.823 s
3	And User proides valid credentials LoginName and Password	PASSED	0.179 s
4	And User click Personal field	PASSED	2.093 s
5	And User click the Phone in leftside Column	PASSED	0.057 s
6	And User click the Phone in profile	PASSED	2.189 s
7	And User click the new for Adding Mobile	PASSED	0.062 s
8	And User select the Mobile number	PASSED	0.078 s

#	Step / Hook Details	Status	Duration				
9	And User enter the Mobile Nuumber Name	PASSED	0.363 s				
	<table><tr><td>Name</td><td>MobileNumber</td></tr><tr><td>Arun</td><td>+91 9809876543</td></tr></table>			Name	MobileNumber	Arun	+91 9809876543
	Name			MobileNumber			
Arun	+91 9809876543						
10	Then User Click the save and should able to see the phone edit Message	PASSED	0.521 s				



Add Landline Number in Phone

FAILED	DURATION - 32.359 s		<div>Steps</div> <div>Total - 10</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 4:12:39.809 PM // 4:13:12.168 PM /				
To Edit Phone Number in Demo Cyclos classic payment software Application and do functions				
@LandlineNumber				



#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.638 s
2	When User click the Signin	PASSED	2.157 s
3	And User proides valid credentials LoginName and Password	PASSED	0.180 s
4	And User click Personal field	PASSED	1.154 s
5	And User click the Phone in leftside Column	PASSED	0.053 s
6	And User click the Phone in profile	FAILED	21.433 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [cd4d52f0ff66e53180d8785d887f9599, clickElement {id=2A929027DA0DB19E70B4266B4A133C84_element_30}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59767}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59767/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (cd4d52f0ff66e53180d8785d887f9599)] -> xpath: //div[text()='Phones']] Session ID: cd4d52f0ff66e53180d8785d887f9599</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration				
	<div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</div> <div>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)</div> <div>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)</div> <div>atjdk.internal.reflect.GeneratedMethodAccessor55.invoke(Unknown Source)</div> <div>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</div> <div>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</div> <div>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)</div> <div>atjdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source)</div> <div>at com.actions.Login_Function_Actions.Phone2(Login_Function_Actions.java:102)</div> <div>at com.stepdefinitions.Login_Function_Stepdefinitions.user_click_the_phone_in_profile(Login_Function_Stepdefinitions.java:106)</div> <div>at ?.User click the Phone in profile(file:///C:/Users/Isethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/EditPhoneNumber.feature:25)</div> <div>* Not displayable characters are replaced by '?'. </div>						
7	And User click the new for Adding Landline	SKIPPED	0.001 s				
8	And User select the Landline number	SKIPPED	0.000 s				
9	And User enter the Landline number Name	SKIPPED	0.001 s				
	<table><tr><td>Name2</td><td>Landline</td></tr><tr><td>Nirupama</td><td>(201) 555-1111</td></tr></table>	Name2	Landline	Nirupama	(201) 555-1111		
Name2	Landline						
Nirupama	(201) 555-1111						
10	Then User Click the save and should able to see the LandLine phone edit Message	SKIPPED	0.000 s				
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.200 s				
	Add Landline Number in Phone						
							

To Edit User profile in Demo Cyclos classic payment software Application and do functions



PASSED	DURATION - 15.367 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:13:12.174 PM // 4:13:27.541 PM /					

Edit User Profile



<div>PASSED</div> <div>DURATION - 15.367 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:13:12.174 PM // 4:13:27.541 PM /				
To Edit User profile in Demo Cyclos classic payment software Application and do functions				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	4.513 s
2	When User click the Signin	PASSED	3.359 s
3	And User provides valid credentials LoginName and Password	PASSED	0.179 s
4	And User click Personal field	PASSED	1.015 s
5	And User click edit option	PASSED	1.440 s
6	And User enter Website	PASSED	0.669 s
	<div>Website</div> <div>leafground.com</div>		
7	And User choose Gender	PASSED	0.052 s
8	And User choose Business type	PASSED	0.823 s
9	Then User click save and should be able to see edit success message	PASSED	0.332 s

User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application


PASSED	DURATION - 33.654 s	Scenarios		Steps	
/ 4:13:27.552 PM // 4:14:01.206 PM /		Total - 2		Total - 15	
		Pass - 2		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User uses the Advertisement Interests

<div>PASSED</div>	<div>DURATION - 19.513 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 4:13:27.553 PM // 4:13:47.066 PM /</div>			<div>Total - 9</div>	
<div>User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment *</div>			<div>Pass - 9</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	


#	Step / Hook Details	Status	Duration
1	Given User launches the url of the Cyclos Web Application	PASSED	5.112 s
2	When User clicks Advertisement Interests in the left column	PASSED	5.120 s
3	And User clicks New interests	PASSED	3.254 s
4	And User provides the valid name	PASSED	0.348 s
5	And User clicks the category dropdown	PASSED	0.081 s
6	And User chooses any of the category based on interest	PASSED	1.013 s
7	And User saved the interest	PASSED	0.278 s
8	And User go back to the Advertisement interests	PASSED	0.053 s
9	Then User is going to print the total number of interests	PASSED	0.025 s

User uses the Advertisement Interests




#	Step / Hook Details	Status	Duration
1	Given User launches the url of the Cyclos Web Application	PASSED	3.680 s
2	When User clicks Advertisement Interests in the left column	PASSED	4.593 s
3	And User clicks New interests	PASSED	1.552 s
4	And User provides the already exists name	PASSED	0.418 s
5	And User saved the interest with the name which is already exists	PASSED	0.052 s
6	Then User gets a warning message	PASSED	0.215 s

To Login in Demo Cyclos classic payment software Application and do functions





Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.072 s
2	When User click the Signin	PASSED	3.179 s
3	And User provides valid credentials LoginName and Password	PASSED	0.176 s
4	Then User should be able to login Successfully Message	PASSED	1.321 s

Login with Invalid credentials

PASSED		DURATION - 9.004 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:14:13.500 PM // 4:14:22.504 PM /						
To Login in Demo Cyclos classic payment software Application and do functions						
@Invalidcredentials						

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.275 s
2	When User click the Signin	PASSED	3.132 s
3	And User provides Invalid Sign in name "Lavanya1703"	PASSED	0.060 s
4	And User provides Invalid Sign in Password "Lavanya@170"	PASSED	0.067 s
5	Then User click submit for invalid and should be able to login Error Message	PASSED	0.442 s



Login with Invalid credentials

PASSED	DURATION - 9.911 s	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>3.275</td></tr><tr><td>2</td><td>3.132</td></tr><tr><td>3</td><td>0.060</td></tr><tr><td>4</td><td>0.067</td></tr><tr><td>5</td><td>0.442</td></tr></tbody></table>	Step	Duration (s)	1	3.275	2	3.132	3	0.060	4	0.067	5	0.442	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div>5</div>
Step	Duration (s)															
1	3.275															
2	3.132															
3	0.060															
4	0.067															
5	0.442															
/ 4:14:22.509 PM // 4:14:32.420 PM /																
To Login in Demo Cyclos classic payment software Application and do functions																
@Invalidcredentials																



#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	2.846 s

#	Step / Hook Details	Status	Duration
2	When User click the Signin	PASSED	2.492 s
3	And User provides Invalid Sign in name "Lavanya170"	PASSED	0.056 s
4	And User provides Invalid Sign in Password "Lavanya@1703"	PASSED	0.070 s
5	Then User click submit for invalid and should be able to login Error Message	PASSED	0.401 s

To Manage password in Demo Cyclos classic payment software Application and do functions

PASSED	DURATION - 31.078 s	Scenarios		Steps	
/ 4:14:32.427 PM // 4:15:03.505 PM /		Total - 2		Total - 16	
		Pass - 2		Pass - 16	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



Change password with valid input

PASSED	DURATION - 14.187 s		
/ 4:14:32.427 PM // 4:14:46.614 PM /			
To Manage password in Demo Cyclos classic payment software Application and do functions			
@ManagePassword			

#	Step / Hook Details			Status	Duration
1	Given User is on Demo Cyclos classic Homepage			PASSED	2.582 s
2	When User click the Signin			PASSED	1.817 s
3	And User provides valid credentials LoginName and Password			PASSED	0.179 s
4	And User click Personal field			PASSED	2.516 s
5	And User Click Change Password			PASSED	0.056 s
6	And User Click Change Option			PASSED	2.123 s
7	And User enter the Old password New password Confirm New password			PASSED	0.188 s
	OldPassword	NewPassword	ConfirmNewPassword		
	Lavanya@1703	Lavanya@1703	Lavanya@1703		



#	Step / Hook Details	Status	Duration
8	Then User Click the Confirm button and able to see Password reset message	PASSED	0.453 s

Change password with Invalid input



PASSED		DURATION - 16.887 s			Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:14:46.618 PM // 4:15:03.505 PM /						
To Manage password in Demo Cyclos classic payment software Application and do functions						

#	Step / Hook Details			Status	Duration
1	Given User is on Demo Cyclos classic Homepage			PASSED	4.094 s
2	When User click the Signin			PASSED	3.305 s
3	And User proides valid credentials LoginName and Password			PASSED	0.178 s
4	And User click Personal field			PASSED	1.453 s
5	And User Click Change Password			PASSED	0.053 s
6	And User Click Change Option			PASSED	4.211 s
7	And User enter the Old password New password Confirm New password			PASSED	0.176 s
	OldPassword	NewPassword	ConfirmNewPassword		
	Lavanya@1703	Lavanya@1703	Lavanya@170		
8	Then User Click the Confirm button and able to see Password Error reset message			PASSED	0.264 s

User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application



PASSED	DURATION - 1 m 13.031 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 29 Pass - 29 Fail - 0 Skip - 0	
/ 4:15:03.513 PM // 4:16:16.544 PM /					

User uses Price Highest filter

PASSED	<i>DURATION - 23.034 s</i>		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:15:03.513 PM // 4:15:26.547 PM /				
<i>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</i>				

#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	12.091 s
2	When User provide correct username and password	PASSED	3.839 s
3	And User goes to List ads	PASSED	1.602 s
4	And User applies the filter tab	PASSED	0.750 s
5	And User chooses price highest filter	PASSED	0.182 s
6	And User clicks for the product and added to favorites	PASSED	0.825 s
7	And User enables the checkbox (Show only favorites)	PASSED	0.056 s
8	Then User prints the total number of results available in favorites after added from highest filter	PASSED	0.282 s



User access Price Lowest filter

<div>PASSED</div>	<div>DURATION - 15.174 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:15:26.558 PM // 4:15:41.732 PM /</div>				
<div>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</div>				

#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	3.214 s
2	When User provide correct username and password	PASSED	3.537 s
3	And User goes to List ads	PASSED	1.612 s
4	And User applies the filter tab	PASSED	0.335 s
5	And User chooses price lowest filter	PASSED	2.867 s



#	Step / Hook Details	Status	Duration
6	And User clicks for the product and adds it to favorites	PASSED	0.827 s
7	And User enables the checkbox (Show only favorites)	PASSED	0.051 s
8	Then User prints the total number of results available in favorites after added from lowest filter	PASSED	0.276 s

User access Price Relevance filter

PASSED		DURATION - 19.069 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:15:41.737 PM // 4:16:00.806 PM /						
User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application						



#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	4.205 s
2	When User provide correct username and password	PASSED	5.962 s
3	And User goes to List ads	PASSED	1.599 s
4	And User applies the filter tab	PASSED	0.323 s
5	And User chooses relevance filter	PASSED	0.838 s
6	And User clicks for the product ann adds it to favorites	PASSED	0.747 s
7	And User enables the checkbox (Show only favorites)	PASSED	0.055 s
8	Then User prints the total number of results available in favorites after added from relevance filter	PASSED	0.284 s

User removes a product from Price Highest filter



PASSED		DURATION - 15.735 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 4:16:00.809 PM // 4:16:16.544 PM /						
User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application						

#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	3.807 s
2	When User correct valid username and password	PASSED	4.816 s
3	And User enables the checkbox (Show only favorites)	PASSED	1.567 s
4	And User removes a product from list	PASSED	1.390 s
5	Then user prints the total number of results available in favorites after removing product	PASSED	0.280 s

To add existing in Mycontact


FAILED	DURATION - 33.982 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 4:16:16.549 PM // 4:16:50.531 PM /					

To Manage My Contact



FAILED	DURATION - 33.982 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 4:16:16.549 PM // 4:16:50.531 PM /				
To add existing in Mycontact				
@MyContact				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.409 s
2	When User click the Signin	PASSED	2.922 s
3	And User provides valid credentials LoginName and Password	PASSED	0.172 s
4	And User Click User option	PASSED	1.053 s
5	And User Click My Contact	PASSED	0.052 s
6	And User Click Add option	PASSED	2.981 s
7	And User enter the Name to add in My Contact list	PASSED	0.350 s
	MyContactName		



#	Step / Hook Details	Status	Duration
	junio		
8	<p>Then User Click save and able to see My Contact Added list</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='notificationText notificationText-singleLine']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element- exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cfb6d6fc5d361bea8df437ceabd558a5, findElement {using=xpath, value=//div[@class='notificationText notificationText-singleLine']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60165}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60165/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cfb6d6fc5d361bea8df437ceabd558a5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.getText(Unknown Source) at com.actions.Login_Function_Actions.MyContactAddedList(Login_Function_Actions.java:255) at com.stepdefinitions.Login_Function_Stepdefinitions. user_click_save_and_able_to_see_my_contact_added_list(Login_Function_Stepdefinitions.java:246) at ?.User Click save and able to see My Contact Added list(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/Mycontact.feature:14) * Not displayable characters are replaced by '?'. </pre>	FAILED	20.079 s
	<p>AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>To Manage My Contact</p>	PASSED	1.413 s

#	Step / Hook Details	Status	Duration
			

User access the Payment option to perform payment related actions in Cyclos



FAILED	DURATION - 50.523 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 11 Pass - 9 Fail - 1 Skip - 1	
/ 4:16:50.541 PM // 4:17:41.064 PM /					

User to User payment


PASSED	DURATION - 16.542 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 4:16:50.541 PM // 4:17:07.083 PM /				
User access the Payment option to perform payment related actions in Cyclos				
@UserToUserPayment				

#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	3.450 s
2	When User provide username and password	PASSED	3.627 s
3	And User choose the Payment to user Tab	PASSED	1.288 s
4	And User selects the ReceiverName and amount	PASSED	4.629 s
5	And User choose the schedule as Pay now	PASSED	0.331 s
6	Then User gets a verification message	PASSED	0.873 s



Receiving QR Code Payment

<div>FAILED</div> <div>DURATION - 33.978 s</div>	<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 3</div><div>Fail - 1</div><div>Skip - 1</div></div> <div></div>
<div>/ 4:17:07.086 PM // 4:17:41.064 PM /</div>		
<div>User access the Payment option to perform payment related actions in Cyclos</div>		
<div>@ReceiveQRPayments</div>		



#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	3.801 s
2	When User provide username and password	PASSED	3.566 s
3	And User choose the Receive QR Payments Tab	PASSED	1.340 s
4	And User provides the amount which will be converted into a QR code org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [adac9e5645a1ba24522c981080f5b427, sendKeysToElement {id=6EFB7F9A81188585CC32AA1E26298501_element_28, value=[Ljava.lang.CharSequence;@4b3e4253]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60237}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60237/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (adac9e5645a1ba24522c981080f5b427)] -> xpath: //input[@class='inputField large rightAligned']] Session ID: adac9e5645a1ba24522c981080f5b427 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)	FAILED	22.209 s

#	Step / Hook Details	Status	Duration
	<pre> atjdk.internal.reflect.GeneratedMethodAccessor56.invoke(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) atjava.base/java.lang.reflect.Method.invoke(Method.java:568) atorg.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) atjdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source) atcom.actions.PaymentActions.clickQRPayment(PaymentActions.java:107) atcom.stepdefinitions.PaymentsStepDefinition. user_provides_the_amount_which_will_be_converted_into_a_qr_code(PaymentsStepDefinition.java:72) at ?.User provides the amount which will be converted into a QR code(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:19) * Not displayable characters are replaced by '?'. </pre>		
5	Then User gets the QR	SKIPPED	0.000 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	1.197 s
	Receiving QR Code Payment		
			

User uploads the profile picture in Cyclos web application


FAILED DURATION - 51.577 s / 4:17:41.067 PM // 4:18:32.644 PM /	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
--	--	--	--	--

User Uploading new profile picture



<div>FAILED</div> <div>DURATION - 51.577 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:17:41.067 PM // 4:18:32.644 PM /				
User uploads the profile picture in Cyclos web application				

#	Step / Hook Details	Status	Duration
1	Given User launched the web application and login into the application	PASSED	5.526 s
2	When User goes to Personal Tab and goes to profile image option	PASSED	1.118 s
3	And User choose Upload new option and added picture from the system org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button[@class='actionButton']' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.actions.ProfilePhotoUpdateActions.clickUploadNew(ProfilePhotoUpdateActions.java:43) at com.stepdefinitions.ProfilePhotoUpdateStepDefinition. user_choose_upload_new_option_and_added_picture_from_the_system(ProfilePhotoUpdateStepDefinition.java:37) at ?.User choose Upload new option and added picture from the system(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/ProfilePhotoUpdate.feature:7) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@class='actionButton']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [c21baeaea6bf3e3e3753b63774a57881, findElement {using=xpath, value=//button[@class='actionButton']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\chrome-devtools- {debuggerAddress: localhost:60275}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:60275/devtools..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c21baeaea6bf3e3e3753b63774a57881 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	40.148 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.actions.ProfilePhotoUpdateActions.clickUploadNew(ProfilePhotoUpdateActions.java:43) at com.stepdefinitions.ProfilePhotoUpdateStepDefinition. user_choose_upload_new_option_and_added_picture_from_the_system(ProfilePhotoUpdateStepDefinition.java:37) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	Then User checks the profile picture	SKIPPED	0.000 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.217 s
	User Uploading new profile picture		
			

To Register in Demo Cyclos classic payment software Application



PASSED	DURATION - 10.380 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:18:32.653 PM // 4:18:43.033 PM /					

Register the User details


<div>PASSED</div> <div>DURATION - 10.380 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:18:32.653 PM // 4:18:43.033 PM /				
To Register in Demo Cyclos classic payment software Application				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	4.008 s
2	When User click the register button	PASSED	1.832 s
3	And User enter the Name	PASSED	1.637 s
4	And User enter the LoginName	PASSED	0.065 s
5	And User enter the Email	PASSED	0.071 s
6	And User enter the Password	PASSED	0.063 s
7	And User enter the confirmPassword	PASSED	0.064 s
8	And User click the RegistrationAgreement	PASSED	0.051 s
9	Then User click Submit button	PASSED	0.129 s

The user accessing the Message functionality


PASSED	DURATION - 1 m 17.683 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 28 Pass - 28 Fail - 0 Skip - 0	
/ 4:18:43.040 PM // 4:20:00.723 PM /					

The user view the message history of send message




#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	4.161 s
2	When Users provide valid username and password	PASSED	2.521 s
3	And User choose the Message Tab	PASSED	1.478 s
4	And User select the Sent message option	PASSED	1.297 s
5	And User gets the number of results in send message page	PASSED	0.219 s
6	Then Print the send messages	PASSED	0.043 s

The user view the message history of inbox message




#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	4.821 s
2	When Users provide valid username and password	PASSED	3.073 s
3	And User choose the Message Tab	PASSED	1.062 s
4	And User choose the inbox option	PASSED	2.257 s
5	And User gets the number of results in inbox page.	PASSED	0.233 s

The user view the message history of Trash message





#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	4.205 s
2	When Users provide valid username and password	PASSED	2.609 s
3	And User choose the Message Tab	PASSED	1.219 s
4	And User choose the Trash option	PASSED	2.060 s
5	Then User gets the number of results in Trash pages	PASSED	0.113 s

The user send the message



#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	4.116 s
2	When Users provide valid username and password	PASSED	2.613 s
3	And User choose the Message Tab	PASSED	1.477 s
4	When User Creating new message	PASSED	2.866 s
5	And Enter the required details	PASSED	2.890 s
6	Then User receives a verification message	PASSED	0.249 s

The user not able to send message without required details



<div>PASSED</div> <div>DURATION - 15.540 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:19:45.183 PM // 4:20:00.723 PM /</div>			
<div>The user accessing the Message functionality</div>			
<div>@MessageNotSend</div>			

#	Step / Hook Details	Status	Duration
1	Given Users launch the url	PASSED	3.756 s
2	When Users provide valid username and password	PASSED	2.821 s
3	And User choose the Message Tab	PASSED	2.264 s
4	When User Creating new message	PASSED	1.338 s
5	And User enter the user name and subject	PASSED	2.695 s
6	Then User receives verification message shows the message not able to send	PASSED	0.236 s

User Buy and print voucher

<div>PASSED</div>	<div>DURATION - 40.899 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>
<div>/ 4:20:00.726 PM // 4:20:41.625 PM /</div>					

Buying and print vouchers

PASSED		DURATION - 24.117 s			<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:20:00.726 PM // 4:20:24.843 PM /						
User Buy and print voucher						

#	Step / Hook Details	Status	Duration
1	Given User launched url	PASSED	10.853 s
2	When User provides Name and password	PASSED	3.802 s
3	And User choose the marketpalce tab	PASSED	1.671 s
4	And User selects the buy voucher	PASSED	0.055 s
5	And User selects the Gift voucher	PASSED	1.732 s
6	And User enters the amount and submit	PASSED	1.290 s
7	Then User print the gift voucher pdf and the submission verified.	PASSED	1.449 s

Checking My vouchers

<div>PASSED</div>	<div>DURATION - 16.775 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>4.0</td></tr><tr><td>2</td><td>3.3</td></tr><tr><td>3</td><td>2.9</td></tr><tr><td>4</td><td>0.0</td></tr><tr><td>5</td><td>1.8</td></tr><tr><td>6</td><td>0.0</td></tr></tbody></table></div>	Step	Duration (s)	1	4.0	2	3.3	3	2.9	4	0.0	5	1.8	6	0.0	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step	Duration (s)																	
1	4.0																	
2	3.3																	
3	2.9																	
4	0.0																	
5	1.8																	
6	0.0																	
<div>/ 4:20:24.850 PM // 4:20:41.625 PM /</div>																		
<div>User Buy and print voucher</div>																		

#	Step / Hook Details	Status	Duration
1	Given User launched url	PASSED	3.986 s
2	When User provides Name and password	PASSED	3.280 s
3	And User choose the marketpalce tab	PASSED	2.913 s
4	And User Selects the my voucher option	PASSED	0.052 s
5	And User Verified the page is successfully opened	PASSED	1.853 s
6	Then User download the gift voucher pdf	PASSED	0.050 s