

Cucumber Report

Nov 23, 2023, 12:44:24 PM

Start : Nov 23, 12:39:22.988 PM

End : Nov 23, 12:44:01.782 PM

Duration : 4 m 38.794 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 4


FAILED - 2

SKIPPED - 0

PASSED - 35

FAILED - 2

SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application</u>	55.096 s	2	2	0	0	15	15	0	0
<u>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</u>	3 m 43.685 s	4	2	2	0	29	20	2	7

#	Feature Name	Scenario Name
1	<u>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</u>	<u>User uses Price Highest filter</u>
2		<u>User access Price Relevance filter</u>





#	Feature Name	T	P	F	S	Duration
1	<u>User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application</u>	2	2	0	0	55.096 s
2	<u>User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application</u>	4	2	2	0	3 m 43.685 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Processing the Advertisement Interests in Marketplace feature *</u>	<u>User uses the Advertisement Interests</u>	9	9	0	0	38.018 s
2		<u>User uses the Advertisement Interests</u>	6	6	0	0	17.020 s
3	<u>User using Search Advertisements in Marketplace tab available in Cyclos *</u>	<u>User uses Price Highest filter</u>	8	7	1	0	47.907 s
4		<u>User access Price Lowest filter</u>	8	8	0	0	45.710 s
5		<u>User access Price Relevance filter</u>	8	0	1	7	1 m 21.894 s
6		<u>User removes a product from Price Highest filter</u>	5	5	0	0	47.906 s

* The feature name and/or scenario name has been cropped to fit in the available space.

User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment Software Web Application


PASSED	DURATION - 55.096 s	Scenarios		Steps	
/ 12:39:22.988 PM // 12:40:18.084 PM /		Total - 2		Total - 15	
		Pass - 2		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User uses the Advertisement Interests

<div>PASSED</div> <div>DURATION - 38.018 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>		<div></div>
<div>/ 12:39:23.033 PM // 12:40:01.051 PM /</div>					
<div>User Processing the Advertisement Interests in Marketplace feature available in Cyclos Payment *</div>					


#	Step / Hook Details	Status	Duration
1	Given User launches the url of the Cyclos Web Application	PASSED	1.569 s
2	When User clicks Advertisement Interests in the left column	PASSED	4.961 s
3	And User clicks New interests	PASSED	2.259 s
4	And User provides the valid name	PASSED	0.234 s
5	And User clicks the category dropdown	PASSED	0.082 s
6	And User chooses any of the category based on interest	PASSED	1.484 s
7	And User saved the interest	PASSED	0.363 s
8	And User go back to the Advertisement interests	PASSED	0.071 s
9	Then User is going to print the total number of interests	PASSED	0.183 s

User uses the Advertisement Interests




#	Step / Hook Details	Status	Duration
1	Given User launches the url of the Cyclos Web Application	PASSED	4.697 s
2	When User clicks Advertisement Interests in the left column	PASSED	3.711 s
3	And User clicks New interests	PASSED	1.696 s
4	And User provides the already exists name	PASSED	0.394 s
5	And User saved the interest with the name which is already exists	PASSED	0.056 s
6	Then User gets a warning message	PASSED	0.230 s


User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application





User uses Price Highest filter



#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	8.243 s
2	When User provide correct username and password	PASSED	8.326 s
3	And User goes to List ads	PASSED	1.938 s
4	And User applies the filter tab	PASSED	0.350 s
5	And User chooses price highest filter	PASSED	2.207 s
6	And User clicks for the product and added to favorites	PASSED	0.611 s
7	And User enables the checkbox (Show only favorites)	PASSED	0.051 s
8	Then User prints the total number of results available in favorites after added from highest filter	FAILED	20.658 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),' result')]} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4bef38acf7c5e7a1e993fc7252d94db1, findElement {using=xpath, value=//div[contains(text(),' result')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\Inselvam2\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55157}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55157/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4bef38acf7c5e7a1e993fc7252d94db1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy35.getText(Unknown Source) at com.actions.MarketPlaceActions.verifyResultCount(MarketPlaceActions.java:118) at com.stepdefinitions.MarketPlaceDefinitions.</p>		

#	Step / Hook Details	Status	Duration
	user_prints_the_total_number_of_results_available_in_favorites_after_added_from_highest_filter(MarketPlaceDefinitions.java:65) at ?.User prints the total number of results available in favorites after added from highest filter(file:///C:/Users/nselvam2/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/MarketPlace.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.207 s
	User uses Price Highest filter		
			


User access Price Lowest filter

PASSED	DURATION - 45.710 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 12:41:06.259 PM // 12:41:51.969 PM /				
User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application				



#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	12.740 s
2	When User provide correct username and password	PASSED	6.996 s
3	And User goes to List ads	PASSED	1.919 s
4	And User applies the filter tab	PASSED	0.316 s
5	And User chooses price lowest filter	PASSED	8.709 s
6	And User clicks for the product and adds it to favorites	PASSED	2.890 s
7	And User enables the checkbox (Show only favorites)	PASSED	0.050 s
8	Then User prints the total number of results available in favorites after added from lowest filter	PASSED	0.263 s

User access Price Relevance filter

#	Step / Hook Details	Status	Duration
1	<p>Given User launches the url of the web page</p> <pre>org.openqa.selenium.WebDriverException: unknown error: net::ERR_NAME_NOT_RESOLVED (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2fceb1cfa9c16bb01d7d6c69652793e, get {url=https://demo.cyclos.org/classic#home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\nselvam2\AppData\Local\Google\Chrome\User Data\Default\Profile Default Content), googchromeOptions: {debuggerAddress: localhost:55266}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55266/devtools...}, se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2fceb1cfa9c16bb01d7d6c69652793e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at com.utility.HelperClass.openPage(HelperClass.java:33) at com.stepdefinitions.MarketPlaceDefinitions.user_launches_the_url_of_the_web_page(MarketPlaceDefinitions.java:19) at ?.User launches the url of the web page(file:///C:/Users/nselvam2/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/MarketPlace.feature:24) * Not displayable characters are replaced by '?'. </pre>	FAILED	55.401 s
2	When User provide correct username and password	SKIPPED	0.001 s
3	And User goes to List ads	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And User applies the filter tab	SKIPPED	0.000 s
5	And User chooses relevance filter	SKIPPED	0.000 s
6	And User clicks for the product ann adds it to favorites	SKIPPED	0.000 s
7	And User enables the checkbox (Show only favorites)	SKIPPED	0.000 s
8	Then User prints the total number of results available in favorites after added from relevance filter	SKIPPED	0.000 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	4.325 s
	User access Price Relevance filter		
			

User removes a product from Price Highest filter

PASSED		DURATION - 47.906 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 12:43:13.876 PM // 12:44:01.782 PM /						
User using Search Advertisements in Marketplace tab available in Cyclos Payment Software Application						

#	Step / Hook Details	Status	Duration
1	Given User launches the url of the web page	PASSED	7.154 s
2	When User correct valid username and password	PASSED	5.170 s
3	And User enables the checkbox (Show only favorites)	PASSED	2.238 s
4	And User removes a product from list	PASSED	0.901 s
5	Then user prints the total number of results available in favorites after removing product	PASSED	0.256 s