

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User access the Payment option to perform payment related actions in Cyclos	58.067 s	2	1	1	0	11	10	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	User access the Payment option to perform payment related actions in Cyclos	User to User payment

TAG	Scenario				Fea	eature			
Name	T	P	F	S	T	P	F	S	
@UserToUserPayment	1	0	1	0	1	0	1	0	
@ReceiveQRPayments	1	1	0	0	1	0	1	0	

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in Cyclos	2	1	1	0	58.067 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in *	User to User payment	6	5	1	0	35.229 s
2		Receiving QR Code Payment	5	5	0	0	22.825 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

User access the Payment option to perform payment related actions in Cyclos



User to User payment




#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	3.267 s
2	When User provide valid username and password	PASSED	1.787 s
3	And User choose the Payment to user Tab	PASSED	1.192 s
4	And User selects the ReceiverName and amount	PASSED	4.296 s
5	And User choose the schedule as Pay now	PASSED	0.495 s
6	Then User gets a verification message	FAILED	20.691 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Print']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a7893a7e96d3a650c04a2b8ec334927b, findElement {using=xpath, value=//span[text()='Print']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56549}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56549/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:inriPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a7893a7e96d3a650c04a2b8ec334927b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocationsElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(Element(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:350) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source) at com.actions.PaymentActions.Confirmation(PaymentActions.java:58) at com.stepdefinitions.PaymentActions.Confirmation(PaymentActions.java:58) at com.stepdefinitions.PaymentStepDefinition.user_gets_a_verification_message(PaymentStepDefinition.java:53) at com.stepdefinitions.PaymentsStepDefinition.user_gets_a_verification_message(PaymentStepDefinition.java:53) at Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.158 s
	User to User payment		

Receiving QR Code Payment



-- 9 --

#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	9.477 s
2	When User provide valid username and password	PASSED	1.800 s
3	And User choose the Receive QR Payments Tab	PASSED	1.751 s
4	And User provides the amount which will be converted into a QR code	PASSED	2.428 s
5	Then User gets the QR	PASSED	0.335 s