# Cucumber Report

| Start : Nov 20, 5:50:23.558 PM | End : Nov 20, 5:51:41.804 PM | Duration : 1 m 18.246 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 2<br>SKIPPED - 0 | PASSED - 15<br>FAILED - 2<br>SKIPPED - 0 |

Features: 1

Scenarios: 3

Steps: 17

Pass % (Features): 0 %

Pass % (Scenarios): 33 %

Pass % (Steps): 88 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Account Information* | 1 m 18.246 s | 3 | 1 | 2 | 0 | 17 | 15 | 2 | 0 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Account Information* | *View Account summary by adding payment filter as System Payments* |
| 2 | | *View Account summary by adding payment filter as Member Payments* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| **Name** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *@AccountSummary* | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| *@SystemPayments* | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| *@MemberPayments* | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Account Information | 3 | 1 | 2 | 0 | 1 m 18.246 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | *Account Information* | *View Account summary* | 7 | 7 | 0 | 0 | 19.205 s |
| 2 | | *View Account summary by adding payment filter as System Payments* | 5 | 4 | 1 | 0 | 18.391 s |
| 3 | | *View Account summary by adding payment filter as Member Payments* | 5 | 4 | 1 | 0 | 40.627 s |

## Account Information

| FAILED | DURATION - 1 m 18.246 s | Scenarios<br>Total - 3<br>Pass - 1<br>Fail - 2<br>Skip - 0 | | Steps<br>Total - 17<br>Pass - 15<br>Fail - 2<br>Skip - 0 | |
|---|---|---|---|---|---|
| / 5:50:23.558 PM // 5:51:41.804 PM / | | | 3 | | 17 |

## View Account summary

| PASSED | DURATION - 19.205 s | | Steps<br>Total - 7<br>Pass - 7<br>Fail - 0<br>Skip - 0 | |
|---|---|---|---|---|
| / 5:50:23.562 PM // 5:50:42.767 PM / | | | | 7 |
| *Account Information* | | | | |
| @AccountSummary | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the url | PASSED | 2.671 s |
| 2 | When User provide valid username and password | PASSED | 3.466 s |
| 3 | And User choose the Banking Tab | PASSED | 1.271 s |
| 4 | And User view the current balance | PASSED | 4.884 s |
| 5 | And User checks the negative balance | PASSED | 0.023 s |
| 6 | And User checks Total received | PASSED | 0.023 s |
| 7 | Then User download the payment history | PASSED | 0.236 s |

## View Account summary by adding payment filter as System Payments

| FAILED | DURATION - 18.391 s |
| --- | --- |
| / 5:50:42.774 PM // 5:51:01.165 PM / | |
| Account Information | |
| @SystemPayments | |

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| 1 | Given User launch the url | PASSED | 6.049 s |
| 2 | When User provide valid username and password | PASSED | 3.503 s |
| 3 | And User choose the Banking Tab | PASSED | 2.287 s |
| 4 | And User provide filters as System Payments and check the number of incoming payments | PASSED | 2.806 s |
| 5 | Then User get the payment account details based on System filter | FAILED | 0.148 s |

org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found   (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4465bf5c3c1c7b87cf2e38fcdfb0c1a6, getElementText {id=3A312FC17AD5D73442D810B363F138D4_element_47}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50132}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50132/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (4465bf5c3c1c7b87cf2e38fcdfb0c1a6)] -> xpath: //tr[@class='dataTableRow dataTableRow-even']//td] Session ID: 4465bf5c3c1c7b87cf2e38fcdfb0c1a6
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)<br>at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192)<br>at com.stepdefinitions.AccountInformatioStepDefinition.<br>user_get_the_payment_account_details_based_on_system_filter(AccountInformatioStepDefinition.java:75)<br>at ?.User get the payment account details based on System filter(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/<br>PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:21)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)<br>View Account summary by adding payment filter as System Payments | PASSED | 0.171 s |

## View Account summary by adding payment filter as Member Payments

| FAILED | DURATION - 40.627 s |
|---|---|
| / 5:51:01.177 PM // 5:51:41.804 PM / | |
| Account Information | |
| @MemberPayments | |

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the url | PASSED | 5.958 s |
| 2 | When User provide valid username and password | PASSED | 4.896 s |
| 3 | And User choose the Banking Tab | PASSED | 1.519 s |
| 4 | And User provide filters as Member Payments and check the number of incoming payments | PASSED | 1.988 s |
| 5 | Then User get the payment details based on Member filter | FAILED | 20.085 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[text()='Amount for buying gifts']"}   (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f484fcf3bdc90b4ebf0f40e3057d9ed0, findElement {using=xpath, value=//td[text()='Amount for buying gifts']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50179}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50179/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f484fcf3bdc90b4ebf0f40e3057d9ed0<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)<br>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)<br>  at jdk.proxy2/jdk.proxy2.$Proxy37.getText(Unknown Source)<br>  at com.actions.AccountInformationActions.getMemberPaymentVerification(AccountInformationActions.java:77)<br>  at com.stepdefinitions.AccountInformatioStepDefinition.user_get_the_payment_details_based_on_member_filter(AccountInformatioStepDefinition.java:87)<br>  at ?.User get the payment details based on Member filter(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/AccountInformation.feature:30)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)<br>View Account summary by adding payment filter as Member Payments<br> | PASSED | 0.153 s |