
Cucumber Report



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User access the Payment option to perform payment related actions in Cyclos	1 m 12.371 s	2	0	2	0	11	8	2	1

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	User access the Payment option to perform payment related actions in Cyclos	User to User payment
2		Receiving QR Code Payment

TAG	Scenario			Feature					
Name	T	P	F	S	T	P	F	S	
@UserToUserPayment	1	0	1	0	1	0	1	0	
@ReceiveQRPayments	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in Cyclos	2	0	2	0	1 m 12.371 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in *	User to User payment	6	5	1	0	50.649 s
2		Receiving QR Code Payment	5	3	1	1	21.709 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

User access the Payment option to perform payment related actions in Cyclos



User to User payment




#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	11.745 s
2	When User provide valid username and password	PASSED	2.292 s
3	And User choose the Payment to user Tab	PASSED	1.125 s
4	And User selects the ReceiverName and amount	PASSED	4.683 s
5	And User choose the schedule as Pay now	PASSED	0.567 s
6	Then User gets a verification message	FAILED	20.667 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Print']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7183b2810ce614bf0824b04843018ff2, findElement {using=xpath, value=//span[text()='Print']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60049}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60049/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7183b2810ce614bf0824b04843018ff2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source)		
	at com.actions.PaymentActions.Confirmation(PaymentActions.java:62)		
	at com.stepdefinitions.PaymentsStepDefinition.user_gets_a_verification_message(PaymentsStepDefinition.java:57)		
	at ?.User gets a verification message(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/		
	Features/Payments.feature:11)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.162 s
	User to User payment		
	Service Servic		

Receiving QR Code Payment



#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	12.410 s
2	When User provide valid username and password	PASSED	2.079 s
3	And User choose the Receive QR Payments Tab	PASSED	1.278 s
4	And User provides the amount which will be converted into a QR code	FAILED	3.354 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=114.0.5735.199) Build info: version: 4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [46dc22e52dacce837ce957226e4b3b6d, sendKeysToElement (d=DC1824ED885E0B584D27DBB38D8D2BA3_element_30, value=[Ljava.lang.CharSequence;@5a1f778]) Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: (chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:Users\LSETHU~1\AppData\L), goog:chromeOptions: (debuggerAddress: localhost:60098), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy. Proxy(), set:dp: ws://localhost:60098/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (46dc22e52dacce837ce957226e4b3b6d)] > xpath: //input[@class='inputField large rightAligned']] Session ID: 46dc22e52dacce837ce957226e4b3b6d) > xpath: //input[@class='inputField large rightAligned']] Session ID: 46dc22e52dacce837ce957226e4b3b6d) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.sel		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source) at com.actions.PaymentActions.clickQRPayment(PaymentActions.java:107) at com.stepdefinitions.PaymentsStepDefinition. user_provides_the_amount_which_will_be_converted_into_a_qr_code(PaymentsStepDefinition.java:76) at ?.User provides the amount which will be converted into a QR code(file:///C:/Users/lsethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/Payments.feature:19) * Not displayable characters are replaced by '?'.		
5	Then User gets the QR	SKIPPED	0.001 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) Receiving QR Code Payment	PASSED	0.141 s