Cucumber Report

| Start : Nov 21, 5:30:48.629 PM	End : Nov 21, 5:36:40.672 PM	Duration : 5 m 52.043 s
Features	Scenarios	Steps
PASSED - 5 FAILED - 3 SKIPPED - 0	PASSED - 9 FAILED - 3 SKIPPED - 0	PASSED - 78 FAILED - 3 SKIPPED - 20

8

12

101

40 50 60
30 Pass % 70
20 80
10 90
0 100
62 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
75 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
77 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
To Edit Address in Demo Cyclos classic payment software Application and do functions	*43.155 s*	*1*	*1*	*0*	*0*	*9*	*9*	*0*	*0*
To Edit Phone Number in Demo Cyclos classic payment software Application and do functions	*56.808 s*	*2*	*1*	*1*	*0*	*20*	*15*	*1*	*4*
To Edit User profile in Demo Cyclos classic payment software Application and do functions	*25.914 s*	*1*	*1*	*0*	*0*	*9*	*9*	*0*	*0*
To Login in Demo Cyclos classic payment software Application and do functions	*1 m 2.793 s*	*3*	*3*	*0*	*0*	*14*	*14*	*0*	*0*
To Manage password in Demo Cyclos classic payment software Application and do functions	*1 m 22.392 s*	*2*	*1*	*1*	*0*	*16*	*14*	*1*	*1*
To add existing in Mycontact	*33.663 s*	*1*	*1*	*0*	*0*	*8*	*8*	*0*	*0*
To Register in Demo Cyclos classic payment software Application	*27.069 s*	*1*	*1*	*0*	*0*	*9*	*9*	*0*	*0*
The user accessing the Message functionality	*19.746 s*	*1*	*0*	*1*	*0*	*16*	*0*	*1*	*15*

#	Feature Name	Scenario Name
1	*To Edit Phone Number in Demo Cyclos classic payment software Application and do functions*	*Add Landline Number in Phone*
2	*To Manage password in Demo Cyclos classic payment software Application and do functions*	*Change password with Invalid input*
3	*The user accessing the Message functionality*	*The user view the message history and The user send the message.*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@MobileNumber	2	2	0	0	2	1	1	0
@LandlineNumber	1	0	1	0	1	0	1	0
@ValidCredentials	1	1	0	0	1	1	0	0
@Invalidcredentials	2	2	0	0	1	1	0	0
@ManagePassword	1	1	0	0	1	0	1	0
@MyContact	1	1	0	0	1	1	0	0
@MessageFuctionality	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To Edit Address in Demo Cyclos classic payment software Application and do functions	1	1	0	0	43.155 s
2	To Edit Phone Number in Demo Cyclos classic payment software Application and do functions	2	1	1	0	56.808 s
3	To Edit User profile in Demo Cyclos classic payment software Application and do functions	1	1	0	0	25.914 s
4	To Login in Demo Cyclos classic payment software Application and do functions	3	3	0	0	1 m 2.793 s
5	To Manage password in Demo Cyclos classic payment software Application and do functions	2	1	1	0	1 m 22.392 s
6	To add existing in Mycontact	1	1	0	0	33.663 s
7	To Register in Demo Cyclos classic payment software Application	1	1	0	0	27.069 s
8	The user accessing the Message functionality	1	0	1	0	19.746 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Edit Address in Demo Cyclos classic payment software Application and do *	Edit Address in profile	9	9	0	0	43.147 s
2	To Edit Phone Number in Demo Cyclos classic payment software Application *	Add Mobile Number in Phone	10	10	0	0	30.184 s
3		Add Landline Number in Phone	10	5	1	4	26.618 s
4	To Edit User profile in Demo Cyclos classic payment software Application *	Edit User Profile	9	9	0	0	25.914 s
5	To Login in Demo Cyclos classic payment software Application and do *	Login with valid credentials	4	4	0	0	23.578 s
6		Login with Invalid credentials	5	5	0	0	24.598 s
7		Login with Invalid credentials	5	5	0	0	14.607 s
8	To Manage password in Demo Cyclos classic payment software Application *	Change password with valid input	8	8	0	0	34.895 s

The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
9		*Change password with Invalid input*	8	6	1	1	47.493 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	To add existing in Mycontact	To Manage My Contact	8	8	0	0	33.663 s
11	To Register in Demo Cyclos classic payment software Application	Register the User details	9	9	0	0	27.069 s
12	The user accessing the Message functionality	The user view the message history and The user send the message.	16	0	1	15	19.746 s

## To Edit Address in Demo Cyclos classic payment software Application and do functions

PASSED	DURATION - 43.155 s	Scenarios		Steps	
/ 5:30:48.629 PM // 5:31:31.784 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 9 Pass - 9 Fail - 0 Skip - 0	9

Edit Address in profile

PASSED	DURATION - 43.147 s		Steps	
/ 5:30:48.637 PM // 5:31:31.784 PM /			Total - 9 Pass - 9 Fail - 0 Skip - 0	9
To Edit Address in Demo Cyclos classic payment software Application and do functions				
@MobileNumber				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	4.203 s
2	When User click the Signin	PASSED	3.066 s
3	And User proides valid credentials LoginName and Password	PASSED	0.186 s
4	And User click Personal field	PASSED	1.039 s
5	And User click the Address	PASSED	0.062 s
6	And User click the new in Address	PASSED	1.191 s
7	And User enter the Name Address Zip code City State and Country using sheetname "sheet1" and rownumber 0	PASSED	2.420 s
8	And User Choose the Visibility	PASSED	0.047 s
9	Then User Click the save and user get Save Successfull Message	PASSED	7.289 s

## To Edit Phone Number in Demo Cyclos classic payment software Application and do functions

FAILED	DURATION - 56.808 s		Scenarios		Steps	
/ 5:31:31.807 PM // 5:32:28.615 PM /			Total - 2 Pass - 1 Fail - 1 Skip - 0	2	Total - 20 Pass - 15 Fail - 1 Skip - 4	20

Add Mobile Number in Phone

PASSED	DURATION - 30.184 s		Steps	
/ 5:31:31.807 PM // 5:32:01.991 PM /			Total - 10	
To Edit Phone Number in Demo Cyclos classic payment software Application and do functions			Pass - 10 Fail - 0 Skip - 0	10
@MobileNumber				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	9.691 s
2	When User click the Signin	PASSED	2.161 s
3	And User proides valid credentials LoginName and Password	PASSED	0.183 s
4	And User click Personal field	PASSED	1.425 s
5	And User click the Phone in leftside Column	PASSED	0.059 s
6	And User click the Phone in profile	PASSED	3.569 s
7	And User click the new for Adding Mobile	PASSED	0.062 s
8	And User select the Mobile number	PASSED	0.066 s
9	And User enter the Mobile Nuumber Name | Name | MobileNumber | | Arun | +91 9809876543 |	PASSED	0.385 s
10	Then User Click the save and should able to see the phone edit Message	PASSED	0.585 s

Add Landline Number in Phone

FAILED	DURATION - 26.618 s
/ 5:32:01.997 PM // 5:32:28.615 PM /	
To Edit Phone Number in Demo Cyclos classic payment software Application and do functions	
@LandlineNumber	

Steps
Total - 10
Pass - 5
Fail - 1
Skip - 4

10

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.844 s
2	When User click the Signin	PASSED	2.631 s
3	And User proides valid credentials LoginName and Password	PASSED	0.175 s
4	And User click Personal field	PASSED	1.132 s
5	And User click the Phone in leftside Column	PASSED	0.058 s
6	And User click the Phone in profile	FAILED	3.110 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div tabindex="0" class="pageTab pageTab-active">...</div> is not clickable at point (1317, 199). Other element would receive the click: <div class="simpleForm">...</div> (Session info: MicrosoftEdge=119.0.2151.58) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [e8e447dc978d245aae1b1a2b72090305, clickElement {id=AA31923FC611D3A5E30DAC4A63B6E6EE_element_25}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:65370}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ALAKSH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65370/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on windows (e8e447dc978d245aae1b1a2b72090305)] -> xpath: //div[text()='Phones']] Session ID: e8e447dc978d245aae1b1a2b72090305
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor55.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy37.click(Unknown Source) at com.actions.Login_Function_Actions.Phone2(Login_Function_Actions.java:103) at com.stepdefinitions.Login_Function_Stepdefinitions.user_click_the_phone_in_profile(Login_Function_Stepdefinitions.java:106) at ?.User click the Phone in profile(file:///C:/Users/alakshmanan/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/EditPhoneNumber.feature:25) * Not displayable characters are replaced by '?'.		
7	And User click the new for Adding Landline	SKIPPED	0.001 s
8	And User select the Landline number	SKIPPED	0.000 s
9	And User enter the Landline number Name 	Name2	Landline
Nirupama	(201) 555-1111		SKIPPED	0.000 s
10	Then User Click the save and should able to see the LandLine phone edit Message	SKIPPED	0.000 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) Add Landline Number in Phone	PASSED	5.742 s

To Edit User profile in Demo Cyclos classic payment software Application and do functions

| PASSED	DURATION - 25.914 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	9
/ 5:32:28.915 PM // 5:32:54.829 PM /					

Edit User Profile

PASSED	*DURATION - 25.914 s*

/ 5:32:28.915 PM // 5:32:54.829 PM /

To Edit User profile in Demo Cyclos classic payment software Application and do functions

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	5.173 s
2	When User click the Signin	PASSED	5.279 s
3	And User proides valid credentials LoginName and Password	PASSED	0.179 s
4	And User click Personal field	PASSED	1.186 s
5	And User click edit option	PASSED	1.553 s
6	And User enter Website Website Expleo.com	PASSED	0.449 s
7	And User choose Gender	PASSED	0.052 s
8	And User choose Business type	PASSED	0.107 s
9	Then User click save and should able to see edit success message	PASSED	0.338 s

## To Login in Demo Cyclos classic payment software Application and do functions

PASSED	*DURATION - 1 m 2.793 s*

/ 5:32:54.836 PM // 5:33:57.629 PM /

Scenarios
Total - 3
Pass - 3
Fail - 0
Skip - 0

Steps
Total - 14
Pass - 14
Fail - 0
Skip - 0

Login with valid credentials

PASSED	DURATION - 23.578 s
/ 5:32:54.836 PM // 5:33:18.414 PM /	
To Login in Demo Cyclos classic payment software Application and do functions	
@ValidCredentials	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	6.694 s
2	When User click the Signin	PASSED	2.060 s
3	And User proides valid credentials LoginName and Password	PASSED	0.179 s
4	Then User should be able to login Successfully Message	PASSED	1.241 s

Login with Invalid credentials

PASSED	DURATION - 24.598 s
/ 5:33:18.418 PM // 5:33:43.016 PM /	
To Login in Demo Cyclos classic payment software Application and do functions	
@Invalidcredentials	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	10.062 s
2	When User click the Signin	PASSED	5.248 s
3	And User proides Invalid Sign in name "Lavanya1703"	PASSED	0.057 s
4	And User proides Invalid Sign in Password "Lavanya@170"	PASSED	0.069 s
5	Then User click submit for invalid and should be able to login Error Message	PASSED	0.633 s

Login with Invalid credentials

PASSED	DURATION - 14.607 s
/ 5:33:43.022 PM // 5:33:57.629 PM /	
To Login in Demo Cyclos classic payment software Application and do functions	
@Invalidcredentials	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	2.606 s
2	When User click the Signin	PASSED	2.461 s
3	And User proides Invalid Sign in name "Lavanya170"	PASSED	0.056 s
4	And User proides Invalid Sign in Password "Lavanya@1703"	PASSED	0.074 s
5	Then User click submit for invalid and should be able to login Error Message	PASSED	0.283 s

To Manage password in Demo Cyclos classic payment software Application and do functions

FAILED	DURATION - 1 m 22.392 s
/ 5:33:57.635 PM // 5:35:20.027 PM /	

Scenarios
Total - 2
Pass - 1
Fail - 1
Skip - 0

2

Steps
Total - 16
Pass - 14
Fail - 1
Skip - 1

16

Change password with valid input

PASSED	DURATION - 34.895 s
/ 5:33:57.635 PM // 5:34:32.530 PM /	
To Manage password in Demo Cyclos classic payment software Application and do functions	
@ManagePassword	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	4.296 s
2	When User click the Signin	PASSED	3.577 s
3	And User proides valid credentials LoginName and Password	PASSED	0.176 s
4	And User click Personal field	PASSED	1.720 s
5	And User Click Change Password	PASSED	0.057 s
6	And User Click Change Option	PASSED	5.900 s
7	And User enter the Old password New password Confirm New password OldPassword / NewPassword / ConfirmNewPassword Lavanya@1703 / Lavanya@1703 / Lavanya@1703	PASSED	0.169 s
8	Then User Click the Confirm button and able to see Password reset message	PASSED	0.464 s

Change password with Invalid input

FAILED	DURATION - 47.493 s
/ 5:34:32.534 PM // 5:35:20.027 PM /	
To Manage password in Demo Cyclos classic payment software Application and do functions	

Steps
Total - 8
Pass - 6
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	8.062 s
2	When User click the Signin	PASSED	1.897 s
3	And User proides valid credentials LoginName and Password	PASSED	0.171 s
4	And User click Personal field	PASSED	1.192 s
5	And User Click Change Password	PASSED	0.058 s
6	And User Click Change Option	PASSED	2.913 s
7	And User enter the Old password New password Confirm New password OldPassword / NewPassword / ConfirmNewPassword Lavanya@1703 / Lavanya@1703 / Lavanya@170 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//input[@type='password'])[1]"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1',	FAILED	20.066 s

#	Step / Hook Details	Status	Duration

	revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa. selenium.edge.EdgeDriver Command: [6b7d203da01c1d69c062247d5c17587c, findElement {using=xpath, value=(//input[@type='password'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:49390}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ALAKSH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49390/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6b7d203da01c1d69c062247d5c17587c
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy37.sendKeys(Unknown Source)
	    at com.actions.Login_Function_Actions.setOldPassword(Login_Function_Actions.java:185)
	    at com.stepdefinitions.Login_Function_Stepdefinitions. user_enter_the_old_password_new_password_confirm_new_password(Login_Function_Stepdefinitions.java:187)
	    at ?.User enter the Old password New password Confirm New password(file:///C:/Users/alakshmanan/eclipse-workspace/CodeRed/ PilotProject_Cyclos_CodeRed/src/test/resources/Features/Managepassword.feature:23)
	* Not displayable characters are replaced by '?'.		

8	Then User Click the Confirm button and able to see Password Error reset message	SKIPPED	0.001 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	2.985 s
	Change password with Invalid input		

#	Step / Hook Details	Status	Duration

To add existing in Mycontact

PASSED	DURATION - 33.663 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0
/ 5:35:20.033 PM // 5:35:53.696 PM /			

To Manage My Contact

PASSED	DURATION - 33.663 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0
/ 5:35:20.033 PM // 5:35:53.696 PM /			
To add existing in Mycontact			
@MyContact			

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	3.163 s
2	When User click the Signin	PASSED	2.364 s
3	And User proides valid credentials LoginName and Password	PASSED	0.254 s
4	And User Click User option	PASSED	1.532 s
5	And User Click My Contact	PASSED	0.062 s
6	And User Click Add option	PASSED	4.952 s
7	And User enter the Name to add in My Contact list	PASSED	5.673 s
	MyContactName junio		

#	Step / Hook Details	Status	Duration
8	Then User Click save and able to see My Contact Added list	PASSED	0.287 s

## To Register in Demo Cyclos classic payment software Application

PASSED	DURATION - 27.069 s	Scenarios	Steps	
/ 5:35:53.701 PM // 5:36:20.770 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	Total - 9 Pass - 9 Fail - 0 Skip - 0	

Register the User details

PASSED	DURATION - 27.069 s		Steps	
/ 5:35:53.701 PM // 5:36:20.770 PM /			Total - 9 Pass - 9 Fail - 0 Skip - 0	
To Register in Demo Cyclos classic payment software Application				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	12.730 s
2	When User click the register button	PASSED	2.338 s
3	And User enter the Name	PASSED	1.802 s
4	And User enter the LoginName	PASSED	0.073 s
5	And User enter the Email	PASSED	0.066 s
6	And User enter the Password	PASSED	0.058 s
7	And User enter the confirmPassword	PASSED	0.055 s
8	And User click the RegistrationAgreement	PASSED	0.047 s
9	Then User click Submit button	PASSED	0.076 s

The user accessing the Message functionality

FAILED	DURATION - 19.746 s		Scenarios		Steps	
/ 5:36:20.926 PM // 5:36:40.672 PM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 16 Pass - 0 Fail - 1 Skip - 15	16

The user view the message history and The user send the message.

FAILED	DURATION - 19.746 s		Steps	
/ 5:36:20.926 PM // 5:36:40.672 PM /			Total - 16 Pass - 0 Fail - 1 Skip - 15	16
The user accessing the Message functionality				
@MessageFuctionality				

#	Step / Hook Details	Status	Duration
1	Given User launch the url Step undefined	FAILED	0.001 s
2	When User provide valid username and password	SKIPPED	0.000 s
3	And User choose the Message Tab	SKIPPED	0.001 s
4	And User select the Sent message option	SKIPPED	0.000 s
5	And User gets the number of results in that page	SKIPPED	0.000 s
6	And User choose the inbox option	SKIPPED	0.000 s
7	And User gets the number of results in that page	SKIPPED	0.000 s
8	And User choose the Trash option	SKIPPED	0.000 s
9	Then User gets the number of results in that page	SKIPPED	0.000 s
10	When User Creating new message	SKIPPED	0.001 s
11	And Enter the required details	SKIPPED	0.000 s
12	Then User receives a verification message	SKIPPED	0.000 s
13	Then User gets the number of results in that pages	SKIPPED	0.000 s
14	When User Creating new message	SKIPPED	0.000 s
15	And Enter the required details	SKIPPED	0.000 s
16	Then User receives a verification message	SKIPPED	0.000 s