

Feature			Scel	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
User access the Payment option to perform payment related actions in Cyclos	49.438 s	2	1	1	0	11	10	1	0

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	User access the Payment option to perform payment related actions in Cyclos	User to User payment

TAG		Scer	nario			Fea	ture	ure	
Name	T	P	F	S	T	P	F	S	
@UserToUserPayment	1	0	1	0	1	0	1	0	
@ReceiveQRPayments	1	1	0	0	1	0	1	0	

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in Cyclos	2	1	1	0	49.438 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User access the Payment option to perform payment related actions in *	User to User payment	6	5	1	0	35.617 s
2		Receiving QR Code Payment	5	5	0	0	13.808 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

User access the Payment option to perform payment related actions in Cyclos



User to User payment




#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	2.796 s
2	When User provide valid username and password	PASSED	1.967 s
3	And User choose the Payment to user Tab	PASSED	1.102 s
4	And User selects the ReceiverName and amount	PASSED	5.162 s
5	And User choose the schedule as Pay now	PASSED	0.500 s
6	Then User gets a verification message	FAILED	20.506 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Print']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [71020b2351fe4cf052300be8fc782180, findElement {using=xpath, value=//span[text()='Print']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52087}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52087/devtoo, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 71020b2351fe4cf052300be8fc782180 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.click(Unknown Source)		
	at com.actions.PaymentActions.Confirmation(PaymentActions.java:61)		
	at com.stepdefinitions.PaymentsStepDefinition.user_gets_a_verification_message(PaymentsStepDefinition.java:53)		
	at ?.User gets a verification message(file:///C:/Users/Isethuraj/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/		
	Features/Payments.feature:11)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.165 s
	User to User payment		
	The state of the s		

Receiving QR Code Payment



#	Step / Hook Details	Status	Duration
1	Given User launched the url	PASSED	5.424 s
2	When User provide valid username and password	PASSED	2.159 s
3	And User choose the Receive QR Payments Tab	PASSED	1.156 s
4	And User provides the amount which will be converted into a QR code	PASSED	1.688 s
5	Then User gets the QR	PASSED	0.277 s