Cucumber Report

Start : Nov 21, 4:26:48.114 PM	**End : Nov 21, 4:27:24.909 PM**	**Duration : 36.795 s**
Features	Scenarios	Steps

PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 1

Steps: 9

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 55 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
To Edit Address in Demo Cyclos classic payment software Application and do functions	*36.795 s*	*1*	*0*	*1*	*0*	*9*	*5*	*1*	*3*

| #	Feature Name	Scenario Name
1	*To Edit Address in Demo Cyclos classic payment software Application and do functions*	*Edit Address in profile*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@MobileNumber	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To Edit Address in Demo Cyclos classic payment software Application and do functions	1	0	1	0	36.795 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Edit Address in Demo Cyclos classic payment software Application and do *	Edit Address in profile	9	5	1	3	36.758 s

To Edit Address in Demo Cyclos classic payment software Application and do functions

FAILED	DURATION - 36.795 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 9 Pass - 5 Fail - 1 Skip - 3	9
/ 4:26:48.114 PM // 4:27:24.909 PM /					

Edit Address in profile

FAILED	DURATION - 36.758 s		Steps Total - 9 Pass - 5 Fail - 1 Skip - 3	9
/ 4:26:48.151 PM // 4:27:24.909 PM /				
To Edit Address in Demo Cyclos classic payment software Application and do functions				
@MobileNumber				

#	Step / Hook Details	Status	Duration
1	Given User is on Demo Cyclos classic Homepage	PASSED	2.013 s
2	When User click the Signin	PASSED	2.647 s
3	And User proides valid credentials LoginName and Password	PASSED	0.203 s
4	And User click Personal field	PASSED	1.088 s
5	And User click the Address	PASSED	0.066 s
6	And User click the new in Address	FAILED	20.080 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@class='actionButton' and contains(text(),'New')]"} (Session info: MicrosoftEdge=119.0.2151.58) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [d37b70515f6ce2bed34aa5c718833f52, findElement {using=xpath, value=//button[@class='actionButton' and contains(text(),'New')]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.58, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62088}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\ALAKSH~1\AppData\L...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62088/devtoo..., se:cdpVersion: 119.0.2151.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d37b70515f6ce2bed34aa5c718833f52		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy37.click(Unknown Source) at com.actions.Login_Function_Actions.NewAddress(Login_Function_Actions.java:284) at com.stepdefinitions.Login_Function_Stepdefinitions.user_click_the_new_in_address(Login_Function_Stepdefinitions.java:283) at ?.User click the new in Address(file:///C:/Users/alakshmanan/eclipse-workspace/CodeRed/PilotProject_Cyclos_CodeRed/src/test/resources/Features/EditAddress.feature:10) * Not displayable characters are replaced by '?'.		
7	And User enter the Name Address Zip code City State and Country using sheetname "sheet1" and rownumber 0	SKIPPED	0.001 s
8	And User Choose the Visibility	SKIPPED	0.000 s
9	Then User Click the save and user get Save Successfull Message	SKIPPED	0.000 s
	AFTER - com.stepdefinitions.HookClass.tearDown(io.cucumber.java.Scenario) Edit Address in profile 	PASSED	1.629 s