Cucumber Report

Start : Nov 07, 2:52:10.316 PM	End : Nov 07, 2:52:38.445 PM	Duration : 28.129 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 1 FAILED - 2 SKIPPED - 3

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
User Login the DemoWebShop Application	*28.129 s*	*2*	*0*	*2*	*0*	*6*	*1*	*2*	*3*

#	Feature Name	Scenario Name
1	*User Login the DemoWebShop Application*	*User provide Valid credentials to login*
2		*User provide invalid credentials to login*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	User Login the DemoWebShop Application	2	0	2	0	28.129 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Login the DemoWebShop Application	User provide Valid credentials to login	3	1	1	1	25.217 s
2		User provide invalid credentials to login	3	0	1	2	2.899 s

User Login the DemoWebShop Application

FAILED	DURATION - 28.129 s	Scenarios		Steps	
/ 2:52:10.316 PM // 2:52:38.445 PM /		Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Total - 6 Pass - 1 Fail - 2 Skip - 3	6

User provide Valid credentials to login

FAILED	DURATION - 25.217 s		Steps	
/ 2:52:10.320 PM // 2:52:35.537 PM /			Total - 3 Pass - 1 Fail - 1 Skip - 1	3
User Login the DemoWebShop Application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"	PASSED	11.929 s
2	When User click login and provide credentials	FAILED	5.037 s
	Email: alibabas12@gmail.com / Password: Abc@1234		

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='Email']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7c1a56acfba07d629f48cf791a4e7cd6, findElement {using=xpath, value=//input[@id='Email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51628}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51628/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7c1a56acfba07d629f48cf791a4e7cd6
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at com.TechAssessment3.LoginStepDefinitionClass.user_click_login_and_provide_credentials(LoginStepDefinitionClass.java:50)		
	at ?.User click login and provide credentials(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya. TechAssessment3/src/test/resources/Features/Login.feature:9)		
	* Not displayable characters are replaced by '?'.		
3	Then User geta a confirmation message	SKIPPED	0.001 s
	AFTER - com.TechAssessment3.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.632 s
	User provide Valid credentials to login		

	java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "com.TechAssessment3.HelperClass. log" is null
	   at com.TechAssessment3.HelperClass.tearDown(HelperClass.java:44)
	   at com.TechAssessment3.HookClass.tearDown(HookClass.java:22)		

User provide invalid credentials to login

FAILED	DURATION - 2.899 s		Steps	
/ 2:52:35.546 PM // 2:52:38.445 PM /			Total - 3	
			Pass - 0	
User Login the DemoWebShop Application			Fail - 1	
			Skip - 2	
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"	FAILED	0.004 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, get {url=https://demowebshop.tricentis.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51614}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51614/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)
	  at com.TechAssessment3.HelperClass.openPage(HelperClass.java:27)
	  at com.TechAssessment3.LoginStepDefinitionClass.user_launch_the_demo_web_shop_application_using_url(LoginStepDefinitionClass.java:37)
	  at ?.User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya.TechAssessment3/src/test/resources/Features/Login.feature:19)
	* Not displayable characters are replaced by '?'.		

2	When User click login and provide credentials	SKIPPED	0.001 s
	<table><tr><td>Email</td><td>Password</td></tr><tr><td>abas12@gmail.com</td><td>Abc@1234</td></tr><tr><td>alibabas12@gmail.com</td><td>Abc@123</td></tr></table>		
3	Then User get an error message	SKIPPED	0.000 s
	AFTER - com.TechAssessment3.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51614}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51614/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.TechAssessment3.HookClass.tearDown(HookClass.java:19)		