

Cucumber Report

Nov 7, 2023, 5:00:45 PM

Start : Nov 07, 5:00:17.915 PM

End : Nov 07, 5:00:44.193 PM

Duration : 26.278 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login the DemoWebShop Application</u>	26.278 s	2	0	2	0	6	2	2	2

#	Feature Name	Scenario Name
1	<u>User Login the DemoWebShop Application</u>	<u>User provide Valid credentials to login</u>
2		<u>User provide invalid credentials to login</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>User Login the DemoWebShop Application</u>	2	0	2	0	26.278 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login the DemoWebShop Application</u>	<u>User provide Valid credentials to login</u>	3	2	1	0	23.143 s
2		<u>User provide invalid credentials to login</u>	3	0	1	2	3.121 s


User Login the DemoWebShop Application

FAILED	DURATION - 26.278 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 2 Fail - 2 Skip - 2	
/ 5:00:17.915 PM // 5:00:44.193 PM /					



User provide Valid credentials to login

FAILED	DURATION - 23.143 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 5:00:17.919 PM // 5:00:41.062 PM /				
User Login the DemoWebShop Application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration				
1	Given User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"	PASSED	7.194 s				
2	When User click login and provide credentials	PASSED	2.090 s				
	<table><tr><td>Email</td><td>Password</td></tr><tr><td>alibabas12@gmail.com</td><td>Abc@1234</td></tr></table>			Email	Password	alibabas12@gmail.com	Abc@1234
Email	Password						
alibabas12@gmail.com	Abc@1234						
3	Then User geta a confirmation message						
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='ico-logout']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4a844de5f8335f0ab7455e62ce92dab3, findElement {using=xpath, value=//a[@class='ico-logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56304}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56304/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4a844de5f8335f0ab7455e62ce92dab3</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p>	FAILED	5.072 s				

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.TechAssessment3.LoginStepDefinitionClass.user_geta_a_confirmation_message(LoginStepDefinitionClass.java:61) at ?.User geta a confirmation message(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya.TechAssessment3/src/test/resources/Features/Login.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.TechAssessment3.HookClass.tearDown(io.cucumber.java.Scenario)</p> <p>User provide Valid credentials to login</p> <p>java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "com.TechAssessment3.HelperClass.log" is null</p> <pre> at com.TechAssessment3.HelperClass.tearDown(HelperClass.java:44) at com.TechAssessment3.HookClass.tearDown(HookClass.java:22) </pre> 	FAILED	2.106 s

User provide invalid credentials to login

FAILED	DURATION - 3.121 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 5:00:41.072 PM // 5:00:44.193 PM /				
User Login the DemoWebShop Application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration						
1	<div>Given User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"</div> <div>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, get {url=https://demowebshop.tricentis.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\WebDriver-Chrome\chrome\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:56290}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56290/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at com.TechAssessment3.HelperClass.openPage(HelperClass.java:27) at com.TechAssessment3.LoginStepDefinitionClass.user_launch_the_demo_web_shop_application_using_url(LoginStepDefinitionClass.java:37) at ?.User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya.TechAssessment3/src/test/resources/Features/Login.feature:18) * Not displayable characters are replaced by '?'. </div>	FAILED	0.002 s						
2	<div>When User click login and provide credentials</div> <table><tr><td>Email</td><td>Password</td></tr><tr><td>abas12@gmail.com</td><td>Abc@1234</td></tr><tr><td>alibabas12@gmail.com</td><td>Abc@123</td></tr></table>	Email	Password	abas12@gmail.com	Abc@1234	alibabas12@gmail.com	Abc@123	SKIPPED	0.002 s
Email	Password								
abas12@gmail.com	Abc@1234								
alibabas12@gmail.com	Abc@123								
3	<div>Then User get an error message</div>	SKIPPED	0.000 s						
	<div>AFTER - com.TechAssessment3.HookClass.tearDown(io.cucumber.java.Scenario)</div> <div>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\WebDriver-Chrome\chrome\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:56290}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56290/devtools, se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </div>	FAILED	0.001 s						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.TechAssessment3.HookClass.tearDown(HookClass.java:19)		