

Cucumber Report

Nov 7, 2023, 2:37:57 PM

Start : Nov 07, 2:37:06.295 PM

End : Nov 07, 2:37:52.284 PM

Duration : 45.989 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 1
FAILED - 2
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login the DemoWebShop Application</u>	45.989 s	2	0	2	0	6	1	2	3

#	Feature Name	Scenario Name
1	<u>User Login the DemoWebShop Application</u>	<u>User provide Valid credentials to login</u>
2		<u>User provide invalid credentials to login</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>User Login the DemoWebShop Application</u>	2	0	2	0	45.989 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login the DemoWebShop Application</u>	<u>User provide Valid credentials to login</u>	3	1	1	1	28.115 s
2		<u>User provide invalid credentials to login</u>	3	0	1	2	17.861 s

User Login the DemoWebShop Application

FAILED	DURATION - 45.989 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 1 Fail - 2 Skip - 3	
/ 2:37:06.295 PM // 2:37:52.284 PM /					

User provide Valid credentials to login

FAILED	DURATION - 28.115 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 2:37:06.299 PM // 2:37:34.414 PM /				
User Login the DemoWebShop Application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration		
1	Given User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"	PASSED	15.115 s		
2	When User click login and provide credentials <table><tr><td>Email</td><td>Password</td></tr><tr><td>alibabas12@gmail.com</td><td>Abc@1234</td></tr></table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='Email']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4baa7d2591fa4b660bffbdee03032d98, findElement {using=xpath, value=//input[@id='Email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\1</p>	Email	Password	alibabas12@gmail.com	Abc@1234
Email	Password				
alibabas12@gmail.com	Abc@1234				

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.TechAssessment3.LoginStepDefinitionClass.user_click_login_and_provide_credentials(LoginStepDefinitionClass.java:50) at ?.User click login and provide credentials(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya.TechAssessment3/src/test/resources/Features/Login.feature:9) * Not displayable characters are replaced by '?'. </pre>		
3	Then User get a confirmation message	SKIPPED	0.001 s

User provide invalid credentials to login

FAILED DURATION - 17.861 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 2:37:34.423 PM // 2:37:52.284 PM /			
User Login the DemoWebShop Application			
@InvalidCredentials			

#	Step / Hook Details	Status	Duration
1	<p>Given User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76bea13287152af95d39b275c02d0145, get {url=https://demowebshop.tricentis.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50994}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:50994/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76bea13287152af95d39b275c02d0145 </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration						
	<div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div> <div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304)</div> <div>at com.TechAssessment3.HelperClass.openPage(HelperClass.java:21)</div> <div>at com.TechAssessment3.LoginStepDefinitionClass.user_launch_the_demo_web_shop_application_using_url(LoginStepDefinitionClass.java:37)</div> <div>at ?.User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya.TechAssessment3/src/test/resources/Features/Login.feature:19)</div> <div>* Not displayable characters are replaced by '?'. </div>								
2	<div>When User click login and provide credentials</div> <table><tr><td>Email</td><td>Password</td></tr><tr><td>abas12@gmail.com</td><td>Abc@1234</td></tr><tr><td>alibabas12@gmail.com</td><td>Abc@123</td></tr></table>	Email	Password	abas12@gmail.com	Abc@1234	alibabas12@gmail.com	Abc@123	SKIPPED	0.001 s
Email	Password								
abas12@gmail.com	Abc@1234								
alibabas12@gmail.com	Abc@123								
3	<div>Then User get an error message</div>	SKIPPED	0.000 s						
	<div>AFTER - com.TechAssessment3.HookClass.tearDown()</div> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=114.0.5735.199) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76bea13287152af95d39b275c02d0145, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:50994}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:50994/devtoo..., se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76bea13287152af95d39b275c02d0145</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</div> <div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</div>	FAILED	3.192 s						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:409) at com.TechAssessment3.HelperClass.tearDown(HelperClass.java:36) at com.TechAssessment3.HookClass.tearDown(HookClass.java:14)		