
Cucumber Report



| Feature | | | Scei | nario | | Step | | | |
|--|----------|---|------|-------|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Launch DemoWebShop Application and add product in wishlist | 30.413 s | 1 | 0 | 1 | 0 | 5 | 1 | 1 | 3 |

FAIL & SKIP SCENARIOS -- 3 --


| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | Launch DemoWebShop Application and add product in wishlist | User Login and add a product to wishlist and removes it |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|-------|--|---|---|---|---|----------|
| 1 | Launch DemoWebShop Application and add product in wishlist | 1 | 0 | 1 | 0 | 30.413 s |


SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---|----------|
| 1 | Launch DemoWebShop Application and add product in wishlist | User Login and add a product to wishlist and removes it | 5 | 1 | 1 | 3 | 30.406 s |

DETAILED SECTION -- 6 --

Launch DemoWebShop Application and add product in wishlist



User Login and add a product to wishlist and removes it



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the demoWebShop application url | PASSED | 3.101 s |
| 2 | When logins the Application | FAILED | 13.789 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='button-2 add-to-wishlist-button]"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [89b30097a5d2ed87f224574b13d785c1, findElement {using=xpath, value=//input[@class='button-2 add-to-wishlist-button]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\LSETHU~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:59639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59639/devtoo, se:cdp/ersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 89b30097a5d2ed87f224574b13d785c1 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy23.click(Unknown Source) | | |
| | at com.TechAssessment3.WishListActions.clickAddToWishlist(WishListActions.java:32) | | |
| | at com.TechAssessment3.WishListActions.wishlist(WishListActions.java:59) | | |
| | at com.TechAssessment3.WishListStepDefinition.logins_the_application(WishListStepDefinition.java:37) | | |
| | at ?.logins the Application(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya.TechAssessment3/src/ | | |
| | test/resources/Features/Wishlist.feature:6) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | And User adds a product to wishlist | SKIPPED | 0.001 s |
| 4 | And User remove the product from wishlist | SKIPPED | 0.001 s |
| 5 | Then User get the confirmation message | SKIPPED | 0.000 s |