

# Cucumber Report

Nov 7, 2023, 4:35:05 PM

**Start : Nov 07, 4:34:46.175 PM**

**End : Nov 07, 4:35:04.605 PM**

**Duration : 18.430 s**

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 2

SKIPPED - 0

PASSED - 1

FAILED - 2

SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login the DemoWebShop Application</u>	18.430 s	2	0	2	0	6	1	2	3

#	Feature Name	Scenario Name
1	<u>User Login the DemoWebShop Application</u>	<u>User provide Valid credentials to login</u>
2		<u>User provide invalid credentials to login</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>User Login the DemoWebShop Application</u>	2	0	2	0	18.430 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login the DemoWebShop Application</u>	<u>User provide Valid credentials to login</u>	3	1	1	1	15.890 s
2		<u>User provide invalid credentials to login</u>	3	0	1	2	2.526 s


## User Login the DemoWebShop Application

<b>FAILED</b>	<b>DURATION - 18.430 s</b>	Scenarios		Steps	
/ 4:34:46.175 PM // 4:35:04.605 PM /		Total - 2		Total - 6	
		Pass - 0		Pass - 1	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 3	



## User provide Valid credentials to login

<div>FAILED</div> <div>DURATION - 15.890 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 4:34:46.180 PM // 4:35:02.070 PM /</div>				
<div>User Login the DemoWebShop Application</div>				
<div>@ValidCredentials</div>				

#	Step / Hook Details	Status	Duration				
1	Given User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"	PASSED	2.993 s				
2	When User click login and provide credentials <table><tr><td>Email</td><td>Password</td></tr><tr><td>alibabas12@gmail.com</td><td>Abc@1234</td></tr></table> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='Email']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [20e88a6a968dd8b73c4b48a149e0d885, findElement {using=xpath, value=//input[@id='Email']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\chrome-win-114.0.5735.199\chrome-win\chrome\devtools\chrome-devtools-frontend-114.0.5735.199, goog:chromeOptions: {debuggerAddress: localhost:55390}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55390/devtools..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 20e88a6a968dd8b73c4b48a149e0d885 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p>	Email	Password	alibabas12@gmail.com	Abc@1234	FAILED	5.113 s
Email	Password						
alibabas12@gmail.com	Abc@1234						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.TechAssessment3.LoginStepDefinitionClass.user_click_login_and_provide_credentials(LoginStepDefinitionClass.java:50) at ?.User click login and provide credentials(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya.TechAssessment3/src/test/resources/Features/Login.feature:8) * Not displayable characters are replaced by '?'. </pre>		
3	Then User get a confirmation message	SKIPPED	0.001 s
	AFTER - com.TechAssessment3.HookClass.tearDown(io.cucumber.java.Scenario)	FAILED	1.759 s
	User provide Valid credentials to login		
	<pre> java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "com.TechAssessment3.HelperClass.log" is null at com.TechAssessment3.HelperClass.tearDown(HelperClass.java:44) at com.TechAssessment3.HookClass.tearDown(HookClass.java:22) </pre>		
			

### User provide invalid credentials to login

FAILED		DURATION - 2.526 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2			
/ 4:35:02.079 PM // 4:35:04.605 PM /								
User Login the DemoWebShop Application								
@InvalidCredentials								



#	Step / Hook Details	Status	Duration						
1	<div>Given User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"</div> <div>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, get {url=https://demowebshop.tricentis.com/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\WebDriver-Chrome\114.0.5735.90\chrome\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:55375}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55375/devtools, se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at com.TechAssessment3.HelperClass.openPage(HelperClass.java:27) at com.TechAssessment3.LoginStepDefinitionClass.user_launch_the_demo_web_shop_application_using_url(LoginStepDefinitionClass.java:37) at ?.User launch the DemoWebShop application using url "https://demowebshop.tricentis.com/login"(file:///C:/Users/lsethuraj/eclipse-workspace/com.Lavanya.TechAssessment3/com.Lavanya.TechAssessment3/src/test/resources/Features/Login.feature:18) * Not displayable characters are replaced by '?'. </div>	FAILED	0.005 s						
2	<div>When User click login and provide credentials</div> <table><tr><th>Email</th><th>Password</th></tr><tr><td>abas12@gmail.com</td><td>Abc@1234</td></tr><tr><td>alibabas12@gmail.com</td><td>Abc@123</td></tr></table>	Email	Password	abas12@gmail.com	Abc@1234	alibabas12@gmail.com	Abc@123	SKIPPED	0.001 s
Email	Password								
abas12@gmail.com	Abc@1234								
alibabas12@gmail.com	Abc@123								
3	<div>Then User get an error message</div>	SKIPPED	0.000 s						
	<div>AFTER - com.TechAssessment3.HookClass.tearDown(io.cucumber.java.Scenario)</div> <div>org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\LSETHU~1\AppData\Local\Temp\WebDriver-Chrome\114.0.5735.90\chrome\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:55375}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:55375/devtools, se.cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) </div>	FAILED	0.002 s						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:325) at com.TechAssessment3.HookClass.tearDown(HookClass.java:19)		