

HandsOn-5

My Academy team at Cognizant want to create a dashboard containing the details of ongoing and completed cohorts. A react application is created which displays the detail of the cohorts using react component. You are assigned the task of styling these react components.

Implementation

→ App.js

```
import React from 'react';
```

```
import CohortDetails from './CohortDetails';
```

```
function App() {
```

```
  return (
```

```
    <div style={{ padding: '20px', textAlign: 'center' }}>
```

```
      <h2 style={{ marginBottom: '30px' }}>Cohort Details</h2>
```

```
      <div style={{ display: 'flex', justifyContent: 'center', flexWrap: 'wrap', gap: '20px' }}>
```

```
        <CohortDetails
```

```
          name="Java Full Stack"
```

```
          batch="May 2025"
```

```
          status="ongoing"
```

```
        />
```

```
        <CohortDetails
```

```
          name="Python Data Science"
```

```
          batch="April 2025"
```

```
          status="completed"
```

```
        />
```

```
        <CohortDetails
```

```
          name="MERN Stack"
```

```
          batch="June 2025"
```

```
          status="ongoing"
```

```
        />
```

```
    </div>
  </div>
);
}
```

```
export default App;
```

→ CohortDetails.module.css

```
.box {
  width: 300px;
  display: inline-block;
  margin: 10px;
  padding: 10px 20px;
  border: 1px solid black;
  border-radius: 10px;
}
```

```
/* Style for <dt> elements */
dt {
  font-weight: 500;
}
```

→ CohortDetails.js

```
// CohortDetails.js
import React from 'react';
import styles from './CohortDetails.module.css';

const CohortDetails = (props) => {
  const { name, batch, status } = props;
```

```
// Inline styling based on status
const headingStyle = {
  color: status === 'ongoing' ? 'green' : 'blue'
};

return (
  <div className={styles.box}>
    <h3 style={headingStyle}>Cohort: {name}</h3>
    <dl>
      <dt>Batch:</dt>
      <dd>{batch}</dd>
      <dt>Status:</dt>
      <dd>{status}</dd>
    </dl>
  </div>
);
};

export default CohortDetails;
```

Output

```
cohort-dashboard > src > JS App.js > App
1 | import React from 'react';
2 | import CohortDetails from './CohortDetails';
3
4 function App() {
5   return (
6     <div style={{ padding: '20px', textAlign: 'center' }}>
7       <h2 style={{ marginBottom: '30px' }}>Cohort Details</h2>
8
9       <div style={{ display: 'flex', justifyContent: 'center', flexWrap: 'wrap', gap: '20px' }}>
10        <CohortDetails
11          name="Java Full Stack"
12          batch="May 2025"
13          status="ongoing"
14        />
15        <CohortDetails
16          name="Python Data Science"
17          batch="April 2025"
18          status="completed"
19        />
20      </div>
21    </div>
22  );
23}
24
25export default App;
```

webpack compiled successfully
Compiling...
Compiled successfully!

You can now view cohort-dashboard in the browser.

Local: http://localhost:3000
On Your Network: http://172.22.32.1:3000

Note that the development build is not optimized.
To create a production build, use `npm run build`.

webpack compiled successfully

```
JS CohortDetails.js U X # CohortDetails.module.css U JS App.js M
cohort-dashboard > src > JS CohortDetails.js > CohortDetails
2 | import React from 'react';
3 | import styles from './CohortDetails.module.css';
4
5 const CohortDetails = (props) => {
6   const { name, batch, status } = props;
7
8   // Inline styling based on status
9   const headingStyle = {
10     color: status === 'ongoing' ? 'green' : 'blue'
11   };
12
13   return (
14     <div className={styles.box}>
15       <h3 style={headingStyle}>Cohort: {name}</h3>
16       <dl>
17         <dt>Batch:</dt>
18         <dd>{batch}</dd>
19         <dt>Status:</dt>
20         <dd>{status}</dd>
21       </dl>
22     </div>
23   );
24}
25
26export default CohortDetails;
```

webpack compiled successfully
Compiling...
Compiled successfully!

You can now view cohort-dashboard in the browser.

Local: http://localhost:3000
On Your Network: http://172.22.32.1:3000

Note that the development build is not optimized.
To create a production build, use `npm run build`.

webpack compiled successfully

Cohort Details

Cohort: Java Full Stack Batch: May 2025 Status: ongoing	Cohort: Python Data Science Batch: April 2025 Status: completed	Cohort: MERN Stack Batch: June 2025 Status: ongoing
--	--	--