

HandsOn-6

Cognizant Academy teams want to maintain a list of trainers along with their expertise in a SPA using React as the technology. You are assigned the task of creating this React app.

The following trainers' data application will deal.

1. T-ID
2. Name
3. Phone
4. Email
5. Stream
6. Skills

Implementation

→ App.js

```
// src/App.js
```

```
import { BrowserRouter, Routes, Route, Link } from "react-router-dom";  
import Home from "./Home";  
import TrainerList from "./TrainerList";  
import TrainerDetails from "./TrainerDetails";  
import { trainers } from "./TrainersMock";
```

```
function App() {  
  return (  
    <BrowserRouter>  
      <div>  
        <h1>Trainer Management System</h1>  
        <nav>  
          <Link to="/" style={{ marginRight: "10px" }}>Home</Link>  
          <Link to="/trainers">Trainers</Link>  
        </nav>  
        <hr />  
      </div>  
    </BrowserRouter>  
  );  
}
```

```

    <Routes>
      <Route path="/" element={<Home />} />
      <Route path="/trainers" element={<TrainerList data={trainers} />} />
      <Route path="/trainer/:id" element={<TrainerDetails />} />
    </Routes>
  </div>
</BrowserRouter>
);
}

export default App;

```

→ Trainer.js

```

class Trainer {
  constructor(trainerId, name, email, phone, technology, skills) {
    this.trainerId = trainerId;
    this.name = name;
    this.email = email;
    this.phone = phone;
    this.technology = technology;
    this.skills = skills;
  }
}

export default Trainer;

```

→TrainerDetails.js

```
import { useParams } from "react-router-dom";
import { trainers } from "../TrainersMock";

function TrainerDetails() {
  const { id } = useParams();
  const trainer = trainers.find((t) => t.trainerId === parseInt(id));

  if (!trainer) return <p>Trainer not found</p>;

  return (
    <div>
      <h2>Trainer Details</h2>
      <p><strong>Name:</strong> {trainer.name}</p>
      <p><strong>Email:</strong> {trainer.email}</p>
      <p><strong>Phone:</strong> {trainer.phone}</p>
      <p><strong>Technology:</strong> {trainer.technology}</p>
      <p><strong>Skills:</strong> {trainer.skills.join(", ")}</p>
    </div>
  );
}
export default TrainerDetails;
```

→TrainerList.js

```
import { Link } from "react-router-dom";

function TrainerList({ data }) {
  return (
    <div>
      <h2>Trainers List</h2>
```

```

    <ul>
      {data.map((trainer) => (
        <li key={trainer.trainerId}>
          <Link to={`/trainer/${trainer.trainerId}`}>{trainer.name}</Link>
        </li>
      ))}
    </ul>
  </div>

);
}
export default TrainerList;

```

→ TrainersMock.js

```

import Trainer from "../Trainer";

export const trainers = [
  new Trainer(1, "Alice", "alice@mail.com", "9876543210", "Java", ["Spring", "Hibernate"]),
  new Trainer(2, "Bob", "bob@mail.com", "8765432109", "Python", ["Django", "Flask"]),
  new Trainer(3, "Charlie", "charlie@mail.com", "7654321098", "React", ["Hooks", "Redux"])
];

```

Output

```
trainersapp > src > JS App.js > App
1 // src/App.js
2 import { BrowserRouter, Routes, Route, Link } from "react-router-dom";
3 import Home from "./Home";
4 import TrainerList from "./TrainerList";
5 import TrainerDetails from "./TrainerDetails";
6 import { trainers } from "./TrainersMock";
7
8 Tabnine | Edit | Test | Explain | Document
9 function App() {
10   return (
11     <BrowserRouter>
12       <div>
13         <h1>Trainer Management System</h1>
14         <nav>
15           <Link to="/" style={{ marginRight: "10px" }}>Home</Link>
16           <Link to="/trainers">Trainers</Link>
17         </nav>
18         <hr />
19         <Routes>
20           <Route path="/" element={<Home />} />
21           <Route path="/trainers" element={<TrainerList data={trainers} />} />
22           <Route path="/trainer/:id" element={<TrainerDetails />} />
23         </Routes>
24       </div>
25     </BrowserRouter>
26   );
27 }
28
29 PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS node - trainersapp
30
31 Local: http://localhost:3000
32 On Your Network: http://172.22.32.1:3000
33
34 Note that the development build is not optimized.
35 To create a production build, use npm run build.
36
37 webpack compiled successfully
```

```
JS Trainer.js U X JS TrainersMock.js U JS App.js M JS Home.js U JS TrainerList.js U JS
trainersapp > src > JS Trainer.js > ...
1 // Trainer.js
2 class Trainer {
3   constructor(trainerId, name, email, phone, technology, skills) {
4     this.trainerId = trainerId;
5     this.name = name;
6     this.email = email;
7     this.phone = phone;
8     this.technology = technology;
9     this.skills = skills;
10  }
11 }
12
13 export default Trainer;
14
```

```
JS Trainer.js U JS TrainersMock.js U X JS App.js M JS Home.js U JS TrainerList.js U JS TrainerDetails.js U
trainersapp > src > JS TrainersMock.js > ...
1 // src/TrainersMock.js
2 import Trainer from "./Trainer";
3
4
5 export const trainers = [
6   new Trainer(1, "Alice", "alice@mail.com", "9876543210", "Java", ["Spring", "Hibernate"]),
7   new Trainer(2, "Bob", "bob@mail.com", "8765432109", "Python", ["Django", "Flask"]),
8   new Trainer(3, "Charlie", "charlie@mail.com", "7654321098", "React", ["Hooks", "Redux"])
9 ];
```

```
trainersapp > src > JS TrainerList.js > TrainerList > data.map() callback
1 // src/TrainerList.js
2 import { Link } from "react-router-dom";
3
4 function TrainerList({ data }) {
5   return (
6     <div>
7       <h2>Trainers List</h2>
8       <ul>
9         {data.map((trainer) => (
10           <li key={trainer.trainerId}>
11             <Link to={`/trainer/${trainer.trainerId}`}>{trainer.name}</Link>
12           </li>
13         ))}
14       </ul>
15     </div>
16   );
17 }
18
19 export default TrainerList;
20
```

JS Trainer.js U	JS TrainersMock.js U	JS App.js M	JS Home.js U	JS TrainerList.js U	JS TrainerDetails.js
-----------------	----------------------	-------------	--------------	---------------------	----------------------

```
trainersapp > src > JS TrainerDetails.js > TrainerDetails
1 // src/TrainerDetails.js
2 import { useParams } from "react-router-dom";
3 import { trainers } from "../TrainersMock";
4
5 function TrainerDetails() {
6   const { id } = useParams();
7   const trainer = trainers.find((t) => t.trainerId === parseInt(id));
8
9   if (!trainer) return <p>Trainer not found</p>;
10
11   return (
12     <div>
13       <h2>Trainer Details</h2>
14       <p><strong>Name:</strong> {trainer.name}</p>
15       <p><strong>Email:</strong> {trainer.email}</p>
16       <p><strong>Phone:</strong> {trainer.phone}</p>
17       <p><strong>Technology:</strong> {trainer.technology}</p>
18       <p><strong>Skills:</strong> {trainer.skills.join(", ")}</p>
19     </div>
20   );
21 }
22
23 export default TrainerDetails;
24
```




Trainer Management System

[Home](#) [Trainers](#)

Welcome to Trainer Management Portal

Select a menu option to continue.



Trainer Management System

[Home](#) [Trainers](#)

Trainers List

- [Alice](#)
- [Bob](#)
- [Charlie](#)



Trainer Management System

[Home](#) [Trainers](#)

Trainer Details

Name: Alice

Email: alice@mail.com

Phone: 9876543210

Technology: Java

Skills: Spring, Hibernate



Trainer Management System

[Home](#) [Trainers](#)

Trainer Details

Name: Bob

Email: bob@mail.com

Phone: 8765432109

Technology: Python

Skills: Django, Flask



Trainer Management System

[Home](#) [Trainers](#)

Trainer Details

Name: Charlie

Email: charlie@mail.com

Phone: 7654321098

Technology: React

Skills: Hooks, Redux

