

HandsOn-8

Create a React App “counterapp” which will have a component named “CountPeople” which will have 2 methods.

UpdateEntry() → which will display the number of people who entered the mall.

UpdateExit() → which will display the number of people who exited the mall.

Use Constructor and state to Store the entrycount and exitcount.

The component has 2 buttons

1. Login → when clicked, the entrycount should get incremented by 1
2. Exit → when clicked, the exitcount should get incremented by 1

Implementation

→ App.js

```
// src/App.js
```

```
import React from 'react';
```

```
import './App.css';
```

```
import CountPeople from './components/CountPeople';
```

```
function App() {
```

```
  return (
```

```
    <div className="App">
```

```
      <CountPeople />
```

```
    </div>
```

```
  );
```

```
}
```

```
export default App;
```

→ CountPeople.js

```
// src/components/CountPeople.js

import React, { Component } from 'react';
import './CountPeople.css';

class CountPeople extends Component {
  constructor(props) {
    super(props);
    this.state = {
      entryCount: 0,
      exitCount: 0
    };
  }

  UpdateEntry = () => {
    this.setState({ entryCount: this.state.entryCount + 1 });
  };

  UpdateExit = () => {
    this.setState({ exitCount: this.state.exitCount + 1 });
  };

  render() {
    return (
      <div className="container">
        <h1>People Counting App</h1>
        <div className="count-box">
          <p><b>People Entered:</b> {this.state.entryCount}</p>
          <p><b>People Exited:</b> {this.state.exitCount}</p>
          <button onClick={this.UpdateEntry}>Login</button>
        </div>
      </div>
    );
  }
}
```

```
        <button onClick={this.UpdateExit}>Exit</button>
      </div>
    </div>
  );
}
}
```

```
export default CountPeople;
```

→CountPeople.css


```
/* src/components/CountPeople.css */
```

```
.container {
  text-align: center;
  margin-top: 50px;
}
```

```
.count-box {
  border: 2px solid lightgray;
  padding: 20px;
  display: inline-block;
  border-radius: 10px;
  background-color: #f9f9f9;
}
```

```
button {
  margin: 10px;
  padding: 10px 20px;
  font-size: 16px;
```

Output



```
JS CountPeople.js U # CountPeople.css U JS App.js M X
counterapp > src > JS App.js > App
1 // src/App.js
2 import React from 'react';
3 import './App.css';
4 import CountPeople from './components/CountPeople';
5
6 function App() {
7   return (
8     <div className="App">
9       <CountPeople />
10     </div>
11   );
12 }
13
14 export default App;
15
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

node - counterapp + v ... x


cated. Please use the 'setupMiddlewares' option.
(Use 'node --trace-deprecation ...' to show where the warning was created)
(node:13316) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddlewares' option.
starting the development server...
Compiled successfully!

You can now view counterapp in the browser.


Local: http://localhost:3000
On Your Network: http://172.22.32.1:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully



```
JS CountPeople.js U X # CountPeople.css U JS App.js M
counterapp > src > components > JS CountPeople.js > CountPeople > render
4
5 class CountPeople extends Component {
6   constructor(props) {
7     super(props);
8     this.state = {
9       entryCount: 0,
10      exitCount: 0
11    };
12  }
13
14  UpdateEntry = () => {
15    this.setState({ entryCount: this.state.entryCount + 1 });
16  };
17
18  UpdateExit = () => {
19    this.setState({ exitCount: this.state.exitCount + 1 });
20  };
21
22  render() {
23    return (
24      <div className="container">
25        <h1>People Counting App</h1>
26        <div className="count-box">
27          <p><b>People Entered:</b> {this.state.entryCount}</p>
28          <p><b>People Exited:</b> {this.state.exitCount}</p>
29          <button onClick={this.UpdateEntry}>Login</button>
30          <button onClick={this.UpdateExit}>Exit</button>
31        </div>
32      </div>
33    );
34  }
35 }
36
37 export default CountPeople;
38
```



People Counting App

People Entered: 2

People Exited: 0

LoginExit

People Counting App

People Entered: 4

People Exited: 2

Login

Exit