

## HandsOn-11

Create a React Application “eventexamplesapp” to handle various events of the form elements in HTML.

### Implementation

#### →App.js

```
// src/App.js

import React from 'react';
import './App.css';
import Counter from './components/Counter';
import CurrencyConvertor from './components/CurrencyConvertor';
function App() {
  return (
    <div className="App">
      <h1 style={{ textAlign: 'left', marginLeft: '20px', color: '#0077b6' }}>
        Event Examples App
      </h1>
      <Counter />
      <hr style={{ width: '80%' }} />
      <CurrencyConvertor />
    </div>
  );
}
export default App;
```

#### →App.css

```
/* src/App.css */

.App {
  font-family: Arial, sans-serif;
  padding: 20px;
```

```
}  
button {  
  padding: 5px 15px;  
  margin: 5px;  
  background-color: #0077b6;  
  color: white;  
  border: none;  
  border-radius: 4px;  
}  
input {  
  padding: 5px;  
  width: 200px;  
}
```

## →Counter.js

```
// src/components/Counter.js  
import React, { Component } from 'react';  
class Counter extends Component {  
  constructor(props) {  
    super(props);  
    this.state = {  
      count: 0  
    };  
    this.handleSyntheticEvent = this.handleSyntheticEvent.bind(this);  
  }  
  increment = () => {  
    this.setState({ count: this.state.count + 1 });  
    alert("Incremented!");  
  };  
  decrement = () => {
```

```

    this.setState({ count: this.state.count - 1 });
    alert("Decrement!");
  };
  sayHello = () => {
    alert("Hello! This is a static message.");
  };
  sayWelcome = (msg) => {
    alert(msg);
  };
  handleSyntheticEvent(event) {
    alert("I was clicked (synthetic event)!");
  }
  render() {
    return (
      <div style={{ marginBottom: '30px' }}>
        <h2>React Event Handling Example</h2>
        <p>Counter Value: {this.state.count}</p>
        <button onClick={this.increment}>Increment</button>{" "}
        <button onClick={this.decrement}>Decrement</button><br /><br />
        <button onClick={() => this.sayWelcome("Welcome to the Event App!")}>
          Say Welcome
        </button><br /><br />
        <button onClick={this.handleSyntheticEvent}>Synthetic Event</button>
      </div>
    );
  }
}

export default Counter;

```

## →CurrencyConverter.js

```
// src/components/CurrencyConvertor.js

import React, { Component } from 'react';

class CurrencyConvertor extends Component {

  constructor(props) {

    super(props);

    this.state = {

      rupees: "",

    };

  }

  handleChange = (event) => {

    this.setState({ rupees: event.target.value });

  };

  handleSubmit = (event) => {

    event.preventDefault();

    const euroValue = (this.state.rupees / 90).toFixed(2);

    alert(`Converted ₹${this.state.rupees} to €${euroValue}`);

  };

  render() {

    return (

      <div>

        <h2>Currency Convertor (INR to Euro)</h2>

        <form onSubmit={this.handleSubmit}>

          <label>Enter amount in ₹ Rupees:</label><br />

          <input

            type="number"

            value={this.state.rupees}

            onChange={this.handleChange}

            required

          /><br /><br />

        </div>

      );


    }


  }

}
```

```
        <button type="submit">Convert</button>
      </form>
    </div>
  );
}
}
export default CurrencyConvertor;
```

## Output





Counter Value: 1

