

HandsOn-18

My Academy team at Cognizant want to create a dashboard containing the details of ongoing and completed cohorts. A react application is created which displays the detail of the cohorts using React component. You are assigned the task of unit testing the component to ensure it's free of bugs..

Implementation

→App.js

```
import React from 'react';
import CohortDetails from './CohortDetails';
import { CohortData } from './Cohort';
function App() {
  return (
    <div style={{ padding: '20px' }}>
      <h2>Cohort List</h2>
      {CohortData.map((cohort, index) => (
        <div key={index} style={{ marginBottom: '20px', borderBottom: '1px solid #ccc',
paddingBottom: '10px' }}>
          <CohortDetails cohort={cohort} />
        </div>
      ))}
    </div>
  );
}
export default App;
```

→App.css

```
.App {
  text-align: center;
}
.App-logo {
```

```
height: 40vmin;
pointer-events: none;
}
@media (prefers-reduced-motion: no-preference) {
  .App-logo {
    animation: App-logo-spin infinite 20s linear;
  }
}
.App-header {
  background-color: #282c34;
  min-height: 100vh;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  font-size: calc(10px + 2vmin);
  color: white;
}
.App-link {
  color: #61dafb;
}
@keyframes App-logo-spin {
  from {
    transform: rotate(0deg);
  }
  to {
    transform: rotate(360deg);
  }
}
```

→Cohort.js

```
export const CohortData = [  
  {  
    code: "FS-JULY23",  
    name: "Full Stack July 2023",  
    status: "Ongoing"  
  },  
  {  
    code: "DA-MAY23",  
    name: "Data Analytics May 2023",  
    status: "Completed"  
  }  
];
```

→CohortDetails.js

```
// src/CohortDetails.js  
import React from 'react';  
  
const CohortDetails = ({ cohort }) => {  
  return (  
    <div className="cohort">  
      <h3>{cohort.code}</h3>  
      <p>{cohort.name}</p>  
      <p>{cohort.status}</p>  
    </div>  
  );  
};  
export default CohortDetails;
```

→jest.config.js


```
// jest.config.js  
module.exports = {  
  snapshotSerializers: ["enzyme-to-json/serializer"]  
};
```

→SetupTests.js

```
import { configure } from 'enzyme';
import Adapter from 'enzyme-adapter-react-16';
```

```
configure({ adapter: new Adapter() });
```

Output



The screenshot shows a VS Code editor with a project named 'fetchcohortsapp'. The file explorer on the left shows the following structure:

- src
 - App.js
 - Cohort.js
 - CohortDetails.js
 - CohortDetails.test.js
 - jest.config.js
 - setupTests.js

The main editor displays the content of `App.js`:

```
1  import CohortDetails from './CohortDetails';
2  import { CohortData } from './Cohort';
3
4
5  function App() {
6    return (
7      <div style={{ padding: '20px' }}>
8        <h2>Cohort List</h2>
9        <div style={{ margin: '10px 0' }}>
10         <div key={index} style={{ margin: '10px 0' }}>
11           <CohortDetails cohort={cohort} />
12         </div>
13       </div>
14     );
15   }
16
17   export default App;
```

The terminal at the bottom shows the output of running the application:

```
Local: http://localhost:3000
On Your Network: http://172.22.32.1:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```

Cohort List

FS-JULY23

Full Stack July 2023

Ongoing

DA-MAY23

Data Analytics May 2023

Completed
