


SISTEM OPERASI

Praktikum Operasi File dan Struktur Direktori

Lavina 2341760062

Percobaan 1: Direktori

A terminal window with a dark background and a title bar showing '~ /C'. The terminal displays a series of commands and their outputs, with timestamps on the right side of each line. The commands include 'pwd', 'echo \$HOME', 'cd .', and 'cd ..', showing the user navigating through the directory structure from /home/lavina to /home.

```
~ 18:43:33
> pwd
/home/lavina

~ 18:43:36
> echo $HOME
/home/lavina

~ 18:43:42
>

~ 18:43:46
> pwd
/home/lavina

~ 18:43:54
> cd .

~ 18:43:58
> pwd
/home/lavina

~ 18:44:02
> cd ..

/home 18:44:07
> pwd
/home

/home 18:44:11
> cd
```

```

~ 18:44:16
> pwd
/home/lavina

~ 18:44:20
> mkdir A B C A/D A/E B/F A/D/A

~ 18:45:00
> ls -l
total 68
drwxr-xr-x 4 lavina lavina 4096 Mar 14 18:45 A
drwxr-xr-x 3 lavina lavina 4096 Mar 14 18:45 B
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 C
drwxr-xr-x 3 lavina lavina 4096 Mar 3 09:38 backup
-rw-r--r-- 1 lavina lavina 24 Mar 8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar 8 13:35 baru.urut
-rw-r--r-- 1 lavina lavina 137 Mar 7 09:41 dead.letter
-rw-r--r-- 1 lavina lavina 64 Mar 8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina 23 Mar 8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina 23 Mar 8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar 8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar 3 09:39 mydir
-rw-r--r-- 1 lavina lavina 56 Mar 8 11:45 myerror.txt
-rw-r--r-- 1 lavina lavina 52 Mar 8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina 20 Mar 8 12:08 out
-rw-r--r-- 1 lavina lavina 0 Mar 8 12:09 output
-rw-r--r-- 1 lavina lavina 59 Mar 8 13:38 rmdirerror.txt
-rw-r--r-- 1 lavina lavina 13 Mar 8 11:52 surat

~ 18:45:06

```

```

~ 18:45:06
> ls -l A
total 8
drwxr-xr-x 3 lavina lavina 4096 Mar 14 18:45 D
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 E

~ 18:45:24
> ls -l A/D
total 4
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 A

~ 18:46:00
> rmdir B
rmdir: failed to remove 'B': Directory not empty

```

Terjadi error karena kita tidak bisa menghapus sebuah direktori yang masih ada isinya.

```

~ 18:46:20
> ls -l B
total 4
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 F

~ 18:46:45
> rmdir B/F B

~ 18:46:56
> ls -l B
ls: cannot access 'B': No such file or directory

```

Terjadi error karena kita mencoba mengakses direktori B sedangkan direktori B sudah dihapus (ditemove).

```

~ 18:47:04
> pwd
/home/lavina

```

```

~ 18:47:21
> ls -l
total 64
drwxr-xr-x 4 lavina lavina 4096 Mar 14 18:45 A
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 C
drwxr-xr-x 3 lavina lavina 4096 Mar 3 09:38 backup
-rw-r--r-- 1 lavina lavina 24 Mar 8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar 8 13:35 baru.urut
-rw-r--r-- 1 lavina lavina 137 Mar 7 09:41 dead.letter
-rw-r--r-- 1 lavina lavina 64 Mar 8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina 23 Mar 8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina 23 Mar 8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar 8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar 3 09:39 mydir
-rw-r--r-- 1 lavina lavina 56 Mar 8 11:45 myerror.txt
-rw-r--r-- 1 lavina lavina 52 Mar 8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina 20 Mar 8 12:08 out
-rw-r--r-- 1 lavina lavina 0 Mar 8 12:09 output
-rw-r--r-- 1 lavina lavina 59 Mar 8 13:38 rmdirerror.txt
-rw-r--r-- 1 lavina lavina 13 Mar 8 11:52 surat

~ 18:47:28
> cd A

~/A 18:47:30
> pwd
/home/lavina/A

~/A 18:47:34
> cd ..

```

```

~ 18:47:50
> pwd
/home/lavina

~ 18:47:56
> cd /home/lavina/C

~/C 18:48:05
> pwd
/home/lavina/C

~/C 18:48:09
> cd /lavina/C
cd: no such file or directory: /lavina/C

~/C 18:48:23
> pwd
/home/lavina/C

~/C 18:48:34
> _

```

Percobaan 2: Manipulasi File

```

~ 19:28:53
> cat > contoh
Membuat sebuah file

~ 7s 19:29:11
> cp contoh contoh1

~ 19:29:19
> ls -l
total 72
drwxr-xr-x 4 lavina lavina 4096 Mar 14 19:28 A
drwxr-xr-x 2 lavina lavina 4096 Mar 14 19:15 C
drwxr-xr-x 3 lavina lavina 4096 Mar 3 09:38 backup
-rw-r--r-- 1 lavina lavina 24 Mar 8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar 8 13:35 baru.urut
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:29 contoh
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:29 contoh1
-rw----- 1 lavina lavina 137 Mar 7 09:41 dead.letter
-rw-r--r-- 1 lavina lavina 64 Mar 8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina 23 Mar 8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina 23 Mar 8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar 8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar 3 09:39 mydir

```

```
~ 19:31:24  
> cp contoh A
```

```
~ 19:31:34  
> ls -l A  
total 12  
drwxr-xr-x 3 lavina lavina 4096 Mar 14 19:28 D  
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 E  
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:31 contoh
```

```
~ 19:31:37  
> cp contoh contoh1 A/D
```

```
~ 19:31:46  
> ls -l A/D  
total 12  
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 A  
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:31 contoh  
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:31 contoh1
```

```
~ 19:31:59  
> mv contoh contoh2
```

```
~ 19:32:15  
> ls -l  
total 72  
drwxr-xr-x 4 lavina lavina 4096 Mar 14 19:31 A  
drwxr-xr-x 2 lavina lavina 4096 Mar 14 19:15 C  
drwxr-xr-x 3 lavina lavina 4096 Mar 3 09:38 backup  
-rw-r--r-- 1 lavina lavina 24 Mar 8 13:46 baru  
-rw-r--r-- 1 lavina lavina 1598 Mar 8 13:35 baru.urut
```

```
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:29 contoh1  
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:29 contoh2  
-rw-r--r-- 1 lavina lavina 137 Mar 7 09:41 dead.letter  
-rw-r--r-- 1 lavina lavina 64 Mar 8 13:49 hello.txt  
-rw-r--r-- 1 lavina lavina 23 Mar 8 12:21 kelas.txt  
-rw-r--r-- 1 lavina lavina 23 Mar 8 12:21 kelas1.txt  
drwxr-xr-x 2 lavina lavina 4096 Mar 8 13:37 latihan2  
drwxr-xr-x 2 lavina lavina 4096 Mar 3 09:39 mydir  
-rw-r--r-- 1 lavina lavina 56 Mar 8 11:45 myerror.txt  
-rw-r--r-- 1 lavina lavina 52 Mar 8 11:43 myfile.txt  
-rw-r--r-- 1 lavina lavina 20 Mar 8 12:08 out  
-rw-r--r-- 1 lavina lavina 0 Mar 8 12:09 output  
-rw-r--r-- 1 lavina lavina 59 Mar 8 13:38 rmdirerror.txt  
-rw-r--r-- 1 lavina lavina 13 Mar 8 11:52 surat
```

```
~ 19:32:21
> mv contoh1 contoh2 A/D

~ 19:33:02
> ls -l A/D
total 16
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 A
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:31 contoh
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:29 contoh1
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:29 contoh2
```

```
~ 19:35:03
> cd A/D

~/A/D 19:35:12
> mv contoh contoh1 ../../C

~/A/D 19:36:32
> cd ../../

~ 19:36:43
> ls -l C
total 8
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:31 contoh
-rw-r--r-- 1 lavina lavina 20 Mar 14 19:29 contoh1
```

```
~/A/D 19:37:17
> rm contoh2

~/A/D 19:37:21
> ls -l
total 4
drwxr-xr-x 2 lavina lavina 4096 Mar 14 18:45 A
```

```

~ 19:39:54
> rm -i contoh
rm: cannot remove 'contoh': No such file or directory

~ 19:39:58
> rm -rf A C

~ 19:40:04
> ls -l
total 56
drwxr-xr-x 3 lavina lavina 4096 Mar  3 09:38 backup
-rw-r--r-- 1 lavina lavina  24 Mar  8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar  8 13:35 baru.urut
-rw-r--r-- 1 lavina lavina  137 Mar  7 09:41 dead.letter
-rw-r--r-- 1 lavina lavina  64 Mar  8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina  23 Mar  8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina  23 Mar  8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar  8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar  3 09:39 mydir
-rw-r--r-- 1 lavina lavina  56 Mar  8 11:45 myerror.txt
-rw-r--r-- 1 lavina lavina  52 Mar  8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina  20 Mar  8 12:08 out
-rw-r--r-- 1 lavina lavina   0 Mar  8 12:09 output
-rw-r--r-- 1 lavina lavina  59 Mar  8 13:38 rmdirerror.txt
-rw-r--r-- 1 lavina lavina  13 Mar  8 11:52 surat

```

Percobaan 3: Symbolic Link

```

~ 19:56:58
> echo "Hallo apa khabar" > halo.txt

~ 19:57:16
> ls -l
total 60
drwxr-xr-x 3 lavina lavina 4096 Mar  3 09:38 backup
-rw-r--r-- 1 lavina lavina  24 Mar  8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar  8 13:35 baru.urut
-rw-r--r-- 1 lavina lavina  137 Mar  7 09:41 dead.letter
-rw-r--r-- 1 lavina lavina  17 Mar 14 19:57 halo.txt
-rw-r--r-- 1 lavina lavina  64 Mar  8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina  23 Mar  8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina  23 Mar  8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar  8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar  3 09:39 mydir
-rw-r--r-- 1 lavina lavina  56 Mar  8 11:45 myerror.txt
-rw-r--r-- 1 lavina lavina  52 Mar  8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina  20 Mar  8 12:08 out
-rw-r--r-- 1 lavina lavina   0 Mar  8 12:09 output
-rw-r--r-- 1 lavina lavina  59 Mar  8 13:38 rmdirerror.txt
-rw-r--r-- 1 lavina lavina  13 Mar  8 11:52 surat

```

```

~ 19:57:22
> ln halo.txt z

~ 19:57:41
> ls -l
total 64
drwxr-xr-x 3 lavina lavina 4096 Mar  3 09:38 backup
-rw-r--r-- 1 lavina lavina  24 Mar  8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar  8 13:35 baru.urut
-rw----- 1 lavina lavina  137 Mar  7 09:41 dead.letter
-rw-r--r-- 2 lavina lavina   17 Mar 14 19:57 halo.txt
-rw-r--r-- 1 lavina lavina   64 Mar  8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina   23 Mar  8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina   23 Mar  8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar  8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar  3 09:39 mydir
-rw-r--r-- 1 lavina lavina   56 Mar  8 11:45 myerror.txt
-rw-r--r-- 1 lavina lavina   52 Mar  8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina   20 Mar  8 12:08 out
-rw-r--r-- 1 lavina lavina    0 Mar  8 12:09 output
-rw-r--r-- 1 lavina lavina   59 Mar  8 13:38 rmdirerror.txt
-rw-r--r-- 1 lavina lavina   13 Mar  8 11:52 surat
-rw-r--r-- 2 lavina lavina   17 Mar 14 19:57 z

~ 19:57:47
> cat z
Hallo apa khabar

```

```

~ 19:58:14
> ln z mydir/halo.juga

~ 19:58:54
> cat mydir/halo.juga
Hallo apa khabar

~ 19:59:06
> ln -s z bye.txt

~ 19:59:22
> ls -l bye.txt
lrwxrwxrwx 1 lavina lavina 1 Mar 14 19:59 bye.txt -> z

~ 19:59:33
> cat bye.txt
Hallo apa khabar

```


Percobaan 4: Melihat Isi File

```
~ 20:04:38
> ls -l
total 64
drwxr-xr-x 3 lavina lavina 4096 Mar  3 09:38 backup
-rw-r--r-- 1 lavina lavina  24 Mar  8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar  8 13:35 baru.urut
lrwxrwxrwx 1 lavina lavina   1 Mar 14 19:59 bye.txt → z
-rw-r--r-- 1 lavina lavina  137 Mar  7 09:41 dead.letter
-rw-r--r-- 3 lavina lavina  17 Mar 14 19:57 halo.txt
-rw-r--r-- 1 lavina lavina  64 Mar  8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina  23 Mar  8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina  23 Mar  8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar  8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar 14 19:58 mydir
-rw-r--r-- 1 lavina lavina  56 Mar  8 11:45 myerror.txt
-rw-r--r-- 1 lavina lavina  52 Mar  8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina  20 Mar  8 12:08 out
-rw-r--r-- 1 lavina lavina   0 Mar  8 12:09 output
-rw-r--r-- 1 lavina lavina  59 Mar  8 13:38 rmdirerror.txt
-rw-r--r-- 1 lavina lavina  13 Mar  8 11:52 surat
-rw-r--r-- 3 lavina lavina  17 Mar 14 19:57 z

~ 20:04:42
> file halo.txt
halo.txt: ASCII text

~ 20:04:51
> file bye.txt
bye.txt: symbolic link to z
```

Percobaan 5: Mencari File

```
~ 20:05:55
> find /home -name "*.txt" -print > myerror.txt

~ 20:06:26
> cat myerror.txt
/home/lavina/kelas1.txt
/home/lavina/backup/prog.txt
/home/lavina/.oh-my-zsh/plugins/emoji/emoji-data.txt
/home/lavina/.oh-my-zsh/plugins/golang/templates/package.tx
t
/home/lavina/.oh-my-zsh/plugins/golang/templates/search.txt
/home/lavina/.oh-my-zsh/.github/workflows/dependencies/requ
irements.txt
/home/lavina/.oh-my-zsh/LICENSE.txt
```

```
/home/lavina/myerror.txt
/home/lavina/myfile.txt
/home/lavina/kelas.txt
/home/lavina/rmdirerror.txt
/home/lavina/bye.txt
/home/lavina/halo.txt
/home/lavina/hello.txt
/home/lavina/.vscode-server/bin/019f4d1419fbc8219a181fab789
2ebccf7ee29a2/node_modules/vscode-oniguruma/NOTICES.txt
/home/lavina/.vscode-server/bin/019f4d1419fbc8219a181fab789
2ebccf7ee29a2/node_modules/vscode-oniguruma/LICENSE.txt
/home/lavina/.vscode-server/bin/019f4d1419fbc8219a181fab789
2ebccf7ee29a2/node_modules/@vscode/vscode-languagedetection
/dist/lib/index.js.LICENSE.txt
/home/lavina/.vscode-server/bin/019f4d1419fbc8219a181fab789
2ebccf7ee29a2/node_modules/@xterm/addon-image/lib/addon-ima
ge.js.LICENSE.txt
```

```
~ 20:06:32
> find . -name "*.txt" -exec wc -l '{} ' ';'
4 ./kelas1.txt
56 ./backup/prog.txt
4122 ./oh-my-zsh/plugins/emoji/emoji-data.txt
29 ./oh-my-zsh/plugins/golang/templates/package.txt
0 ./oh-my-zsh/plugins/golang/templates/search.txt
2 ./oh-my-zsh/.github/workflows/dependencies/requirements.
txt
21 ./oh-my-zsh/LICENSE.txt
34 ./myerror.txt
1 ./myfile.txt
4 ./kelas.txt
1 ./rmdirerror.txt
1 ./bye.txt
1 ./halo.txt
7 ./hello.txt
41 ./vscode-server/bin/019f4d1419fbc8219a181fab7892ebccf7e
e29a2/node_modules/vscode-oniguruma/NOTICES.txt
23 ./vscode-server/bin/019f4d1419fbc8219a181fab7892ebccf7e
e29a2/node_modules/vscode-oniguruma/LICENSE.txt
154 ./vscode-server/bin/019f4d1419fbc8219a181fab7892ebccf7
ee29a2/node_modules/@vscode/vscode-languagedetection/dist/l
ib/index.js.LICENSE.txt
24 ./vscode-server/bin/019f4d1419fbc8219a181fab7892ebccf7e
e29a2/node_modules/@xterm/addon-image/lib/addon-image.js.LI
CENSE.txt
0 ./vscode-server/bin/019f4d1419fbc8219a181fab7892ebccf7ee
29a2/extensions/github/testWorkspace/PULL_REQUEST_TEMPLATE/
x.txt
```

```
~ 20:07:53
> which ls
ls: aliased to ls --color=tty
```

```
~ 20:09:20
> locate "*.txt"
```

Percobaan 6: Mencari Teks pada File

```
~ 20:12:19
> grep Hallo *.txt
bye.txt:Hallo apa khabar
halo.txt:Hallo apa khabar

~ 20:12:29
> _
```

1. Cobalah urutan perintah berikut :

```
$ cd
$ pwd
$ ls -al
$ cd .
$ pwd
$ cd ..
$ pwd
$ ls -al
$ cd ..
$ pwd
$ ls -al
$ cd /etc
$ ls -al | more
$ cat passwd
$ cd -
$ pwd
```

```
~ 20:12:54
> cd

~ 20:12:56
> pwd
/home/lavina

~ 20:12:58
> ls -al
total 360
drwxr-x— 8 lavina lavina 4096 Mar 14 20:13 .
drwxr-xr-x 3 root root 4096 Feb 24 16:06 ..
-rw— 1 lavina lavina 1377 Mar 5 19:15 .bash_histo
ry
-rw-r--r-- 1 lavina lavina 220 Feb 24 16:06 .bash_logou
t
```

```

-rw-r--r-- 1 lavina lavina 3771 Feb 24 16:06 .bashrc
drwxr-xr-x 4 lavina lavina 4096 Mar 14 19:11 .cache
-rw----- 1 lavina lavina 20 Mar 3 09:21 .lessht
-rw-r--r-- 1 lavina lavina 0 Mar 5 17:19 .motd_shown
drwxr-xr-x 12 lavina lavina 4096 Mar 5 17:27 .oh-my-zsh
-rw-r--r-- 1 lavina lavina 9857 Mar 5 19:49 .p10k.zsh
-rw-r--r-- 1 lavina lavina 807 Feb 24 16:06 .profile
-rw----- 1 lavina lavina 902 Mar 10 13:23 .python_his
tory
-rw-r--r-- 1 lavina lavina 10 Mar 5 17:27 .shell.pre-
oh-my-zsh
-rw-r--r-- 1 lavina lavina 0 Feb 28 10:17 .sudo_as_ad
min_successful
drwxr-xr-x 5 lavina lavina 4096 Mar 5 17:37 .vscode-ser
ver

```

```

/boot
~ 20:13:03
> cd .
~ 20:13:05
> pwd
/home/lavina
~ 20:13:09
> cd ..
/home 20:13:16
> pwd
/home
/home 20:13:19
> ls -al
total 12
drwxr-xr-x 3 root root 4096 Feb 24 16:06 .
drwxr-xr-x 19 root root 4096 Mar 14 18:43 ..
drwxr-xr-x 8 lavina lavina 4096 Mar 14 20:13 lavina
/home 20:13:23
> cd /etc
/etc 20:13:29
> ls -al | more
total 824
drwxr-xr-x 88 root root 4096 Mar 14 18:43 .
drwxr-xr-x 19 root root 4096 Mar 14 18:43 ..
-rw----- 1 root root 0 Nov 23 04:36 .pwd.lock
drwxr-xr-x 2 root root 4096 Nov 23 04:37 PackageKit

```

```
/etc 20:13:49
> cat passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:100:102:systemd Network Management,,,:/run/systemd:/usr/sbin/nologin
systemd-resolve:x:101:103:systemd Resolver,,,:/run/systemd:/usr/sbin/nologin
messagebus:x:102:105:/:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:103:106:systemd Time Synchronization,,,:/run/systemd:/usr/sbin/nologin
syslog:x:104:111:/:/home/syslog:/usr/sbin/nologin
```

```
/etc 20:13:57
> cd -
/home

/home 20:14:00
> pwd
/home
```

2. Lanjutkan penelusuran pohon pada sistem file menggunakan cd, ls, pwd dan cat.

Telusuri direktory /bin, /usr/bin, /sbin, /tmpdan /boot.

```
~ 20:17:42
> cd ../../bin

/bin 20:17:57
> ls -l
total 101916
lrwxrwxrwx 1 root root 4 Feb 17 2020 NF → col1
lrwxrwxrwx 1 root root 1 Mar 25 2022 X11 → .
-rwxr-xr-x 1 root root 51632 Feb 7 2022 '['
-rwxr-xr-x 1 root root 35344 Jun 6 2023 aa-enabled
-rwxr-xr-x 1 root root 35344 Jun 6 2023 aa-exec
-rwxr-xr-x 1 root root 31248 Jun 6 2023 aa-feature
s-abi
-rwxr-xr-x 1 root root 14478 Oct 24 20:07 add-apt-re
pository
-rwxr-xr-x 1 root root 14712 Feb 21 2022 addpart
lrwxrwxrwx 1 root root 26 Jun 4 2023 addr2line
→ x86_64-linux-gnu-addr2line
-rwxr-xr-x 1 root root 2568 Apr 14 2023 apport-bug
-rwxr-xr-x 1 root root 13360 Apr 14 2023 apport-cli
lrwxrwxrwx 1 root root 10 Apr 14 2023 apport-col
lect → apport-bug
-rwxr-xr-x 1 root root 2070 Apr 14 2023 apport-unp
ack
lrwxrwxrwx 1 root root 6 Mar 18 2022 apropos →
whatis
-rwxr-xr-x 1 root root 18824 Oct 6 15:53 apt
lrwxrwxrwx 1 root root 18 Oct 24 20:07 apt-add-re
pository → add-apt-repository
-rwxr-xr-x 1 root root 84448 Oct 6 15:53 apt-cache
-rwxr-xr-x 1 root root 27104 Oct 6 15:53 apt-cdrom

/bin 20:18:02
> cd ../

/ 20:22:43
> cd boot

/boot 20:23:28
> ls -l
total 0
```


3. Telusuri direktory /dev. Identifikasi perangkat yang tersedia. Identifikasi tty (terminal) Anda (ketik who am i); siapa pemilih tty Anda (gunakan ls -l).

```
/ 20:53:19
> cd dev

/dev 20:53:27
> whoami
lavina

/dev 20:53:42
> ls -l
total 0
crw-r--r-- 1 root root 10, 235 Mar 14 18:43 autofs
drwxr-xr-x 2 root root 40 Mar 14 18:43 block
drwxr-xr-x 2 root root 80 Mar 14 18:43 bsg
crw----- 1 root root 10, 234 Mar 14 18:43 btrfs-control
crw----- 1 root root 5, 1 Mar 14 18:43 console
crw----- 1 root root 10, 61 Mar 14 18:43 cpu_dma_latency
crw----- 1 root root 10, 203 Mar 14 18:43 cuse
crw-rw-rw- 1 root root 10, 63 Mar 14 18:43 dxg
lrwxrwxrwx 1 root root 13 Mar 14 18:43 fd -> /proc/self/fd
crw-rw-rw- 1 root root 1, 7 Mar 14 18:43 full
crw-rw-rw- 1 root root 10, 229 Mar 14 18:43 fuse
crw-r--r-- 1 root root 1, 11 Mar 14 18:43 kmsg
crw----- 1 root root 10, 232 Mar 14 18:43 kvm
crw----- 1 root root 10, 237 Mar 14 18:43 loop-control
brw----- 1 root root 7, 0 Mar 14 18:43 loop0
brw----- 1 root root 7, 1 Mar 14 18:43 loop1
brw----- 1 root root 7, 2 Mar 14 18:43 loop2
brw----- 1 root root 7, 3 Mar 14 18:43 loop3
brw----- 1 root root 7, 4 Mar 14 18:43 loop4
brw----- 1 root root 7, 5 Mar 14 18:43 loop5
brw----- 1 root root 7, 6 Mar 14 18:43 loop6
brw----- 1 root root 7, 7 Mar 14 18:43 loop7
drwxr-xr-x 2 root root 60 Mar 14 18:43 mapper
crw----- 1 root root 1, 1 Mar 14 18:43 mem
drwxr-xr-x 2 root root 60 Mar 14 18:43 net
crw-rw-rw- 1 root root 1, 3 Mar 14 18:43 null
crw----- 1 root root 10, 144 Mar 14 18:43 nvram
crw----- 1 root root 108, 0 Mar 14 18:43 ppp
crw-rw-rw- 1 root root 5, 2 Mar 14 20:53 ptmx
drwxr-xr-x 2 root root 0 Mar 14 18:43 pts
brw----- 1 root root 1, 0 Mar 14 18:43 ram0
brw----- 1 root root 1, 1 Mar 14 18:43 ram1
brw----- 1 root root 1, 10 Mar 14 18:43 ram10
brw----- 1 root root 1, 11 Mar 14 18:43 ram11
brw----- 1 root root 1, 12 Mar 14 18:43 ram12
```

4. Telusuri directory /proc. Tampilkan isi file interrupts, devices, cpuinfo, meminfo dan uptime menggunakan perintah cat. Dapatkah Anda melihat mengapa directory /proc disebut pseudo -filesystem yang memungkinkan akses ke struktur data kernel ?

```

/ 20:42:02
> cd /proc

/proc 20:42:49
> ls -l
total 0
dr-xr-xr-x  9 root    root          0 Mar 14 18:43 1
dr-xr-xr-x  9 root    root          0 Mar 14 20:43 11
dr-xr-xr-x  9 root    root          0 Mar 14 20:43 12
dr-xr-xr-x  9 lavina  lavina       0 Mar 14 18:43 13
dr-xr-xr-x  9 lavina  lavina       0 Mar 14 20:43 17
dr-xr-xr-x  9 lavina  lavina       0 Mar 14 20:43 27
36
dr-xr-xr-x  9 lavina  lavina       0 Mar 14 18:43 50
dr-xr-xr-x  2 root    root          0 Mar 14 20:43 ac
pi
-r--r--r--  1 root    root          0 Mar 14 20:43 bu
ddyinfo
dr-xr-xr-x  4 root    root          0 Mar 14 20:43 bu
s

```

```

/proc 20:44:27
> cat interrupts

```

	CPU0	CPU1	CPU2	CPU3	
8:	0	0	0	0	IO-APIC
8-edge	rtc0				
9:	97	0	0	0	IO-APIC
9-fasteoi	acpi				
24:	0	0	0	0	Hyper-V P
CiE MSI -1476395008-edge			virtio0-config		
25:	0	0	0	98649	Hyper-V P
CiE MSI -1476395007-edge			virtio0-requests		
26:	0	0	0	0	Hyper-V P
CiE MSI -1073741824-edge			virtio1-config		
27:	0	504	0	0	Hyper-V P
CiE MSI -1073741823-edge			virtio1-requests		
28:	0	0	0	0	Hyper-V P
CiE MSI 268435456-edge			virtio2-config		
29:	0	0	0	0	Hyper-V P
CiE MSI 268435457-edge			virtio2-requests		
NMI:	0	0	0	0	Non-mask
able interrupts					
LOC:	0	0	0	0	Local ti
mer interrupts					
SPU:	0	0	0	0	Spurious
interrupts					
PMI:	0	0	0	0	Performa


```
/proc 20:44:37
> cat devices
Character devices:
 1 mem
 4 /dev/vc/0
 4 tty
 4 ttyS
 5 /dev/tty
 5 /dev/console
 5 /dev/ptmx
 7 vcs
10 misc
13 input
21 sg
108 ppp
128 ptm
136 pts
245 vhost-vdpa
246 vfio
247 uio
248 macvtap
249 ipvtap
250 bsg
251 rtc
252 dax
253 dimmctl
254 ndctl

Block devices:
 1 ramdisk
```

```
/proc 20:44:57
> cat cpuinfo
processor       : 0
vendor_id      : GenuineIntel
cpu family     : 6
model          : 140
model name     : 11th Gen Intel(R) Core(TM) i3-1115G4 @ 3.
00GHz
stepping       : 1
microcode      : 0xffffffff
cpu MHz        : 2995.200
cache size     : 6144 KB
physical id    : 0
siblings       : 4
core id        : 0
cpu cores      : 2
apicid         : 0
initial apicid : 0
fpu            : yes
fpu_exception  : yes
cpuid level    : 27
wp             : yes
```

```

/proc 20:45:06
> cat meminfo
MemTotal:      3921212 kB
MemFree:       3446832 kB
MemAvailable:  3633884 kB
Buffers:       20836 kB
Cached:        351876 kB
SwapCached:    0 kB
Active:        107284 kB
Inactive:      273120 kB
Active(anon):   92 kB
Inactive(anon): 7660 kB
Active(file):   107192 kB
Inactive(file): 265460 kB
Unevictable:    0 kB

```

```

/proc 20:45:16
> cat uptime
7335.48 29318.47

```

Direktori /proc disebut pseudo-filesystem karena memungkinkan pengguna untuk mengakses dan memanipulasi struktur data kernel secara real-time. Hal ini memungkinkan pengguna untuk memantau dan mengontrol sistem operasi, serta men-debug masalah.

5. Ubahlah direktory home ke user lain secara langsung menggunakan `cd ~username`.

```

/ 20:58:29
> cd ~lavina

~ 20:58:33
> pwd
/home/lavina

```

6. Ubah kembali ke direktory home Anda.

```

~ 21:00:18
> cd ../

/home 21:00:20
> _

```

7. Buatsubdirektory work dan play.

```

~ 21:02:23
> mkdir work

~ 21:02:26
> mkdir play

```

```

~ 21:02:41
> ls -l
total 72
drwxr-xr-x 3 lavina lavina 4096 Mar  3 09:38 backup
-rw-r--r-- 1 lavina lavina  24 Mar  8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar  8 13:35 baru.urut
lrwxrwxrwx 1 lavina lavina   1 Mar 14 19:59 bye.txt → z
-rw----- 1 lavina lavina  137 Mar  7 09:41 dead.letter
-rw-r--r-- 3 lavina lavina   17 Mar 14 19:57 halo.txt
-rw-r--r-- 1 lavina lavina   64 Mar  8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina   23 Mar  8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina   23 Mar  8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar  8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar 14 19:58 mydir
-rw-r--r-- 1 lavina lavina 3113 Mar 14 20:06 myerror.txt
-rw-r--r-- 1 lavina lavina   52 Mar  8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina   20 Mar  8 12:08 out
-rw-r--r-- 1 lavina lavina    0 Mar  8 12:09 output
drwxr-xr-x 2 lavina lavina 4096 Mar 14 21:02 play
-rw-r--r-- 1 lavina lavina   59 Mar  8 13:38 rmdirerror.txt
-rw-r--r-- 1 lavina lavina   13 Mar  8 11:52 surat
drwxr-xr-x 2 lavina lavina 4096 Mar 14 21:02 work
-rw-r--r-- 3 lavina lavina   17 Mar 14 19:57 z

```

8. Hapus subdirektory work.

```

~ 21:04:51
> rmdir work

~ 21:05:38
> ls -l
total 68
drwxr-xr-x 3 lavina lavina 4096 Mar  3 09:38 backup
-rw-r--r-- 1 lavina lavina  24 Mar  8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar  8 13:35 baru.urut
lrwxrwxrwx 1 lavina lavina   1 Mar 14 19:59 bye.txt → z
-rw----- 1 lavina lavina  137 Mar  7 09:41 dead.letter
-rw-r--r-- 3 lavina lavina   17 Mar 14 19:57 halo.txt
-rw-r--r-- 1 lavina lavina   64 Mar  8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina   23 Mar  8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina   23 Mar  8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar  8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar 14 19:58 mydir
-rw-r--r-- 1 lavina lavina 3113 Mar 14 20:06 myerror.txt
-rw-r--r-- 1 lavina lavina   52 Mar  8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina   20 Mar  8 12:08 out
-rw-r--r-- 1 lavina lavina    0 Mar  8 12:09 output
drwxr-xr-x 2 lavina lavina 4096 Mar 14 21:02 play
-rw-r--r-- 1 lavina lavina   59 Mar  8 13:38 rmdirerror.txt
-rw-r--r-- 1 lavina lavina   13 Mar  8 11:52 surat
-rw-r--r-- 3 lavina lavina   17 Mar 14 19:57 z

```

9. Copy file /etc/passwd ke direktory home Anda.

```
~ 18:52:33
> cd /etc
/etc 18:53:53
> cp passwd ../home/lavina
/etc 18:54:24
> cd ../
/ 18:54:36
> cd home/lavina
~ 18:54:43
> ls -l
total 76
drwxr-xr-x 3 lavina lavina 4096 Mar  3 09:38 backup
-rw-r--r-- 1 lavina lavina  24 Mar  8 13:46 baru
-rw-r--r-- 1 lavina lavina 1598 Mar  8 13:35 baru.urut
lrwxrwxrwx 1 lavina lavina  1 Mar 14 19:59 bye.txt -> z
-rw-r--r-- 1 lavina lavina 137 Mar  7 09:41 dead.letter
-rw-r--r-- 3 lavina lavina 17 Mar 14 19:57 halo.txt
-rw-r--r-- 1 lavina lavina  64 Mar  8 13:49 hello.txt
-rw-r--r-- 1 lavina lavina 1507 Mar 14 21:08 home
-rw-r--r-- 1 lavina lavina  23 Mar  8 12:21 kelas.txt
-rw-r--r-- 1 lavina lavina  23 Mar  8 12:21 kelas1.txt
drwxr-xr-x 2 lavina lavina 4096 Mar  8 13:37 latihan2
drwxr-xr-x 2 lavina lavina 4096 Mar 14 19:58 mydir
-rw-r--r-- 1 lavina lavina 3113 Mar 14 20:06 myerror.txt
-rw-r--r-- 1 lavina lavina  52 Mar  8 11:43 myfile.txt
-rw-r--r-- 1 lavina lavina  20 Mar  8 12:08 out
-rw-r--r-- 1 lavina lavina  0 Mar  8 12:09 output
-rw-r--r-- 1 lavina lavina 1507 Mar 20 18:54 passwd
```

10. Pindahkan ke subirectory play.

```
~/play 18:56:16
> cd play
~/play 18:56:20
> cd ../
~ 18:56:28
> mv passwd play
~ 18:56:38
> cd play
~/play 18:56:44
> ls -l
total 4
-rw-r--r-- 1 lavina lavina 1507 Mar 20 18:54 passwd
```

11. Ubahlah ke subdirektory play dan buat symbolic link dengan nama terminal yang menunjuk ke perangkat tty. Apa yang terjadi jika melakukan hard link ke perangkat tty

```
~/play 18:56:47
> ln -s /dev/tty terminal
~/play 19:01:22
> ls -l
total 4
-rw-r--r-- 1 lavina lavina 1507 Mar 20 18:54 passwd
lrwxrwxrwx 1 lavina lavina  8 Mar 20 19:01 terminal -> /dev/tty
```

Tidak akan terjadi apapun saat melakukan hard link ke perangkat tty karena pada dasarnya hard link hanyalah alias dari sebuah file yang ada di perangkat.

12. Buatlah file bernama hello.txt yang berisi kata "hello word". Dapatkah Anda gunakan "cp" menggunakan "terminal" sebagai file asal untuk menghasilkan efek yang sama ?

```
~ 19:07:13
> echo "Hello World" > hello.txt

~ 19:07:41
> ls
backup      halo.txt    latihan2    output
baru        hello.txt  mydir      play
baru.urut   home      myerror.txt rmdirerror.txt
bye.txt     kelas.txt  myfile.txt surat
dead.letter kelas1.txt out        z

~ 19:07:48
> cp /dev/tty hello.txt
^C

~ 6s 19:08:21
> ls
backup      halo.txt    latihan2    output
baru        hello.txt  mydir      play
baru.urut   home      myerror.txt rmdirerror.txt
bye.txt     kelas.txt  myfile.txt surat
dead.letter kelas1.txt out        z
```

13. Copy hello.txt ke terminal. Apa yang terjadi ?

```
~ 19:10:51
> cp hello.txt home

~ 19:11:07
> ls
backup      halo.txt    latihan2    output
baru        hello.txt  mydir      play
baru.urut   home      myerror.txt rmdirerror.txt
bye.txt     kelas.txt  myfile.txt surat
dead.letter kelas1.txt out        z
```

14. Masih direktory home, copy keseluruhan direktory play ke direktory bernama work menggunakan symbolic link.

```
~ 19:12:51
> ln -s play work

~ 19:13:31
> cd work

~/work 19:13:45
> ls -l
total 4
-rw-r--r-- 1 lavina lavina 1507 Mar 20 18:54 passwd
lrwxrwxrwx 1 lavina lavina   8 Mar 20 19:01 terminal → /dev/tty
```

15. Hapus direktory work dan isinya dengan satu perintah

```
~ 19:16:09
> rm -f work

~ 19:16:15
> cd work
cd: no such file or directory: work
```