

Need an amazing tutor?

www.teachme2.com/matric



Collected and collated by

teachme2



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

SENIOR CERTIFICATE EXAMINATIONS/ NATIONAL SENIOR CERTIFICATE EXAMINATIONS

GEOGRAPHY P1

MAY/JUNE 2025

MARKING GUIDELINES

MARKS: 150

These marking guidelines consist of 12 pages.

PRINCIPLES FOR MARKING GEOGRAPHY- NSC NOVEMBER 2024 AND SC/NSC JUNE 2025

The following marking principles have been developed to standardise marking in all provinces.

MARKING

- ALL questions **MUST** be marked, irrespective of whether it is correct or incorrect
- Where the maximum marks have been allocated for a particular question, place an **M** over the remainder of the text to indicate the maximum marks have been achieved.
- Where a correct fact has been mentioned more than once in a specific response **R**
- A clear, neat tick must be used: ✓
 - If ONE mark is allocated, ONE tick must be used: ✓
 - If TWO marks are allocated, TWO ticks must be used: ✓✓
 - The tick must be placed at the FACT that a mark is being allocated for
 - Ticks must be kept SMALL, as various layers of moderation may take place
- Incorrect answers must be marked with a clear, neat cross: ✕
 - Use MORE than one cross across a paragraph/discussion style questions to indicate that all facts have been considered
 - Do NOT draw a line through an incorrect answer
 - Do NOT underline the incorrect facts

For the following action words, ONE-word answers are acceptable: **list, name, state, identify**

For the following action words, a FULL sentence must be written: **describe, explain, evaluate, analyse, suggest, differentiate, distinguish, define, discuss, why, how**

The following action words need to be read within its context to determine whether a ONE- word answer or FULL sentence is required: **provide, what, tabulate** and **give**

NOTE THE FOLLOWING

- If the numbering is incorrect or left out, as long as the sequence of answers to questions is followed candidates can be credited
- Spelling errors if recognisable, award the marks provided the meaning is correct.
- Be sensitive to the sense of an answer, which may be stated in a different way
- In questions where a letter is the accepted response, but the learner writes the actual answer- award marks.
- There will be additional guidelines for the marking of certain questions.

TOTALLING AND TRANSFERRING OF MARKS

- Each sub-question must be totalled
 - Questions in Section A has five sub-sections, therefore five sub-totals per question required. Section B has three sub-sections and three sub-totals.
 - Sub-section totals to be written in the right-hand margin at the end of the sub-section and underlined
 - Sub-totals must be written legibly
 - Leave room to write in moderated marks on different levels
- Total sub-totals and transfer total to top left-hand margin next to question number
- Transfer total to cover of answer book

30

QUESTION 1

1.1.1 A (South Atlantic High) (1) ✓

1.1.2 B (Kalahari High) (1) ✓

1.1.3 B (South Indian) (1) ✗

2

1.2.1 Melting snow ✓

1.2.2 Mouth ✗


1.2.3 Third order ✓

2

1.3.1 Katabatic ✗

1.3.2 1 occurs during the day while 2 occurs at night ✓✓

1.3.3 Cold air rolls down into the valley and forms an inversion ✓✓

6

1.4.1 Shape of front concave ✗

Steep gradient of front ✓

1.4.2 Warm air undercuts the cold air ✗

1.4.3 Air behind the cold front is colder than the air in front. Cold air moves faster than warm air ahead of it. Cold front catches up with the warm front. ✓✓ ✓✓

7

1.5.1 (a) A river that only flows all year round ✗

(b) The river channel is wide ✗

(c) Regularity of rainfall and the soil type over which the streams flow. ✓✓ ✓✓

1.5.2 Gauteng and the Eastern Cape ✗

1.5.3 The cost of food production will increase as it is costly to buy purified water. Farmers will have to buy more chemicals to purify water. Chemicals cost a lot and this will increase production costs. It will be costly to purify water for use in electricity generation. These costs will be included in electricity prices. Costs will increase the price of electricity during production. There will be less clean water to generate hydro- electricity.

13

SECTION A: CLIMATE AND WEATHER AND GEOMORPHOLOGY**QUESTION 1: CLIMATE AND WEATHER**

- | | | | | |
|-----|-------|-------|---------|-----|
| 1.1 | 1.1.1 | A (1) | | |
| | 1.1.2 | C (1) | | |
| | 1.1.3 | C (1) | | |
| | 1.1.4 | A (1) | | |
| | 1.1.5 | D (1) | | |
| | 1.1.6 | C (1) | | |
| | 1.1.7 | D (1) | | |
| | 1.1.8 | C (1) | (8 x 1) | (8) |
| 1.2 | 1.2.1 | Z (1) | | |
| | 1.2.2 | Y (1) | | |
| | 1.2.3 | Y (1) | | |
| | 1.2.4 | Y (1) | | |
| | 1.2.5 | Y (1) | | |
| | 1.2.6 | Z (1) | | |
| | 1.2.7 | Y (1) | (7 x 1) | (7) |

1.3	1.3.1	Eastwards (1)	(1 x 1)	(1)
	1.3.2	The mid-latitude cyclone is steered by the westerlies (2)		
	Why in this direction	This cyclone occurs in the westerly wind belt (2) [ANY ONE]	(1 x 2)	(2)
	1.3.3	The cold air undercuts the warm air (2)		
	Account for heavy rainfall at A as cold front approaches	The warm air is rapidly uplifted (along the cold front) (2) Results in rapid cooling of air (2) (Vertical) condensation takes place (2) Formation of cumulonimbus clouds (2) [ANY TWO]	(2 x 2)	(4)
	1.3.4	<u>WEATHER CONDITIONS</u>		
	Paragraph Explain how different weather conditions associated with a cold front have a negative impact on tourists in the W Cape F+Q	Heavy rainfall/thunderstorms Strong/gusty winds Snow Low temperatures Lightning Overcast conditions Frontal fog/mist Hail [MUST BE LINKED TO AN IMPACT]		
		<u>NEGATIVE IMPACT</u>		
		Outdoor activities being cancelled (accept examples) (2)		
		Tourist destinations inaccessible (accept examples) (2)		
		Prevent marine craft going out to sea suspending tourist activities (accept examples) (2)		
		Flooding of tourist attractions/coastal areas (accept examples) (2)		
		Suspend flights leading to tourists suffering financial losses (2)		
		Transport routes to tourist destinations dangerous (accept examples) (2)		
		Outdoor activities dangerous for tourists (accept examples) (2)		
		Tourists get sick (2)		
		Poor visibility increases accidents for tourists (2)		
		Mass movements (accept examples) will be dangerous for tourists (2)		
		Power outages may affect accommodation facilities (accept examples) (2)		
		[ANY FOUR- WEATHER CONDITIONS AND IMPACTS] (4 x 2)		(8)
		[IF ONLY QUALIFIERS ARE MENTIONED NO MARKS ARE AWARDED]		

INSTRUCTIONS FOR PART MARKING

Heavy rainfall/thunderstorms (1)

Strong/gusty winds (1)

Snow (1)

Low temperatures (1)

Lightning (1)

Overcast conditions (1)

Frontal fog/mist (1)

Hail (1)

[MAXIMUM OF FOUR MARKS]

1.4	1.4.1	Clockwise circulation (of air around the eye) (1)	(1 x 1)	(1)
	1.4.2	Eye (1)	(1 x 1)	(1)
	1.4.3	(Upper air) Convergence/accumulation of air above the eye (2) A pressure gradient is created (higher pressure above the eye) (2) Air above the eye is cold and dense (2) [ANY ONE]	(1 x 2)	(2)
	1.4.4	 (1) [ROTATION MUST BE CLOCKWISE]	(1 x 1)	(1)
	1.4.5	Rapid evaporation/upliftment of warm air over warm oceans (2) Intense updrafts/convection currents/strong pressure gradient occurs at B (2) Rapid cooling of air (2) This will favour rapid (vertical) condensation (2) [ANY TWO]	(2 x 2)	(4)
	1.4.6	Coastal erosion (accept examples) would take place (2) Soil erosion would occur on the land (2) Mass movements (accept examples) change the landscape (2) Reshaping of the coastline (2) Habitats would be destroyed (accept examples) (2) Food chains/Food webs are destroyed (accept examples) (2) Biodiversity would be diminished (accept examples) (2) Contamination of water sources (accept examples) (2) Silt up of rivers (2) Increased leaching of nutrients (2) [ANY THREE]	(3 x 2)	(6)
	1.5.1	Hot dry winds that blows from the interior (down the escarpment) to the coast (2) [CONCEPT]	(1 x 2)	(2)
		ACCEPT Hot, dry winds (1) Blows from the interior (down the escarpment) to the coast (1)		
	1.5.2	(Kalahari) High-pressure cell (1) Coastal low- pressure cell (1)	(2 x 1)	(2)
	1.5.3	It undergoes heating caused by the adiabatic process (1) It heats up by approximately 1 °C per 100 metres as it descends (1) [ANY ONE]	(1 x 1)	(1)

1.5.4 35 °C (2) (1 x 2) (2)

1.5.5 Higher air temperatures (2)
 Why is the threat of wildfires greater in the day with berg winds?
 Greater amount of evaporation/dries out vegetation (2)
 Low relative humidity (dry air) increases the possibility of fires (2)
 More human activities (accept examples) occur that can start a fire (2)
[ANY TWO] (2 x 2) (4)

1.5.6 Dry (windy) conditions damage crops/pastoral land (2)
Explain why berg winds are associated with lower agricultural productivity on farms F+Q
 Dry (windy) conditions cause soil erosion (2)
 High temperatures cause livestock/crops to wither/die (2)
 Strong winds fan fires that destroy farm land/infrastructure (2)
 Wildfires associated with berg winds kill livestock/damage crops (2)
 High temperatures cause heat stress which reduces workers productivity (2)
 Increased evaporation reduces soil moisture content (2)
[ANY TWO] (2 x 2) (4)

[IF ONLY QUALIFIERS ARE MENTIONED NO MARKS ARE AWARDED]

INSTRUCTIONS FOR PART MARKING

Dry (windy) conditions (1)
 High temperatures (1)
 Strong winds (1)
 Development of wildfires (1)
 Increased evaporation (1)
[MAXIMUM OF TWO MARKS]

[60]

QUESTION 2: GEOMORPHOLOGY

2.1	2.1.1	A (1)		
	2.1.2	C (1)		
	2.1.3	B (1)		
	2.1.4	A (1)		
	2.1.5	A (1)		
	2.1.6	C/D (1)		
	2.1.7	C (1)		
	2.1.8	C (1)	(8 x 1)	(8)
2.2	2.2.1	Z (1)		
	2.2.2	Z (1)		
	2.2.3	Y (1)		
	2.2.4	Z (1)		
	2.2.5	Z (1)		
	2.2.6	Y (1)		
	2.2.7	Z (1)	(7 x 1)	(7)
2.3	2.3.1	Deposition (1)	(1 x 1)	(1)
	2.3.2	Both branch off into smaller channels (2)		
	State ONE physical similarity between braided streams and deltas	Both have sand islands (2)		
		Velocity of the river is low (2)		
		Shallow stream channel (2)		
		Both have a wide river channel (2)		
		Both rivers experience laminar flow (2)		
		[ANY ONE]	(1 x 2)	(2)
	2.3.3	The gradient is gentle (2)		
	Give TWO reasons why braided streams are common in the lower course	Speed of the river decreases (2)		
		Lower carrying capacity of the water (2)		
		(Increased) deposition/bedload (2)		
		Laminar flow dominates (2)		
		Wider stream channel (2)		
		Shallow stream channels (2)		
		[ANY TWO]	(2 x 2)	(4)

2.3.4 Less silt/sediment deposited (2)
 Why do
 deltas
 not form
 in all
 rivers
 Strong ocean currents/tidal action (2)
 Some rivers have a steep gradient at the mouth (2)
 Deep continental shelf (2)
[ANY TWO] (2 x 2) (4)

2.3.5 They provide fertile soil for crop farming (2)
 Explain
 why
 deltas are
 suitable
 for
 agriculture
 F+Q
 Flat land allows for use of machinery (2)
 Access to water supply from the distributaries for irrigation (2)
 Distributaries create transport routes for farming products (2)
[ANY TWO] (2 x 2) (4)
[IF ONLY QUALIFIERS ARE MENTIONED NO MARKS ARE AWARDED]

INSTRUCTIONS FOR PART MARKING

Fertile soil (1)
 Flat land (1)
 Water supply (1)
 Transport routes (1)
[MAXIMUM OF TWO MARKS]

2.4 2.4.1 River cutting/eroding backwards through the watershed (2)
 Headward
 erosion
 Erosion towards the source (2)
 River lengthening from the source (2)
[CONCEPT- ANY ONE] (1 x 2) (2)

2.4.2 The steeper gradient (1)
 ONE factor
 to promote
 headward
 erosion
 Flowing at a lower level (1)
[ANY ONE] (1 x 1) (1)


2.4.3 It has captured the headwaters of stream B (2) (1 x 2) (2)

2.4.4 After the elbow of capture there is less water flowing/reduced carrying
 River
 gravels in
 wind gap
 capacity (2)
 Sediment is deposited (2) (2 x 2) (4)

2.4.5 Erosion will increase (2)
 Explain
 how the
 fluvial
 processes
 change
 in
 stream
 A after
 river
 capture
 Vertical erosion will increase (2)
 Lateral erosion will increase (2)
 Transportation will increase (2)
 Deposition will decrease (2)
[ANY THREE] (3 x 2) (6)

SECTION B

QUESTION 3: GEOGRAPHICAL SKILLS AND TECHNIQUES

3.1	3.1.1	C (1)	(1 x 1)	(1)
	3.1.2	B (1)	(1 x 1)	(1)
	3.1.3	Actual distance = Map distance x Map scale length of dam wall (m) 0,6 (1) cm x 500 (Range 0,5 - 0,7) cm = 300 m (1) (Range 250m – 350m)	(2 x 1)	(2)
	3.1.4	24 x 9' = 216 ' / 3° 36' (1) Magnetic declination 21° 43' + (1) 3° 36' 25° 19' West of True North (1)	(3 x 1)	(3)
	3.1.5	Rough cross-section from 6 to 7 on the orthophoto map 		
		1 mark for convex slope 1 mark for concave slope	(2 x 1)	(2)
	3.1.6	There is a convex slope (1) No Intervisibility (Accept: there is an obstruction/crest) (1) [ANY ONE]	(1 x 1)	(1)
3.2	3.2.1	Katabatic (1)	(1 x 1)	(1)
	3.2.2	Cold air sinks downslope (2)	(1 x 2)	(2)
	3.2.3	(a) 8 (1)	(1 x 1)	(1)
		Give evidence for the low rate of evaporation in this area (b) It is a built-up area (2) It is made up of artificial surfaces/less vegetation (accept examples) (2) Drainage (infrastructure) channels water away (2) [ANY ONE]	(1 x 2)	(2)
	3.2.4	It was declared a nature reserve (2) It was declared a protected area/ buffering of area (2) [ANY ONE]	(1 x 2)	(2)

	3.2.5	(a) Meander (1)	(1 x 1)	(1)
		(b) Inner (bank) (1)	(1 x 1)	(1)
		(c) Deposition takes place (2)	(1 x 2)	(2)
3.3	3.3.1	Different data layers of information (with specific themes) placed on top of one another (2) [CONCEPT]	(1 x 2)	(2)
	3.3.2	Transport/Roads/Bridge (1) Buildings (1) Dam wall (accept perennial water/dam) (1) Communication Tower (1) [ANY TWO]	(2 x 1)	(2)
	3.3.3	Collection of information of the earth from a (vertical) distance (without any contact with the earth) (2) [CONCEPT]	(1 x 2)	(2)
	3.3.4	Able to source information from inaccessible areas (accept examples) (2) Rescue efforts will be prompt (accept examples) (2) Emergency personnel would be able to take less risks (2) Continual monitoring would lead to effective action (2) Information will be updated regularly (2) Identify areas at high risk of flooding (2) Put in place early warning system (2) [ANY ONE]	(1 x 2)	(2)
TOTAL SECTION B:				30
GRAND TOTAL:				150