

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	NIKO
MANUFACTURER PART #	26.X01
MANUFACTURER DRAWING #	N/A
DESCRIPTION	STOP - END END STOP FOR NIKO RAIL PROFILE NUMBER 26.
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033204

CERTIFICATIONS

REQUIRED DOCUMENTS	Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor- ; Catalog.pdf C2_Light_weight_Over ; head_Cranes.pdf

UNIT OF MEASURE	Number of parts
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211190000
MATERIAL GROUP DESCRIPTION	Energy- SUPPORTS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.97

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

SIEMENS

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS ENERGY INC.
Power and Gas

STOP / END

E1B100033178

REVISION
0

DATE
03-Apr-2017

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	Niko
MANUFACTURER PART #	26.B04
MANUFACTURER DRAWING #	N/A
DESCRIPTION	BRACKET - ADJUSTABLE ADJUSTABLE BRACKET FOR NIKO TRACK PROFILE NUMBER 26. DIAMETER OF STUD - M24 SUPPLIED WITH FASTENERS
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033208

CERTIFICATIONS

REQUIRED DOCUMENTS	Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor- ; Catalog.pdf C2_Light_weight_Over ; head_Cranes.pdf

UNIT OF MEASURE	Number of parts
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211240000
MATERIAL GROUP DESCRIPTION	Energy- BRACKETS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.98

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

SIEMENS

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS ENERGY INC.
Power and Gas

BRACKET / ADJUSTABLE

E1B100033179

REVISION
0

DATE
03-Apr-2017

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	NIKO
MANUFACTURER PART #	26.B49
MANUFACTURER DRAWING #	N/A
DESCRIPTION	TRACK - JOINT SPLICE JOINT FOR NIKO TRACK SIZE PROFILE NUMBER 26. INCLUDES FASTENERS FOR ALIGNING TRACK SEGMENTS.
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033231

CERTIFICATIONS

REQUIRED DOCUMENTS	Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor- ; Catalog.pdf C2_Light_weight_Over ; head_Cranes.pdf

UNIT OF MEASURE	Number of parts
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211190000
MATERIAL GROUP DESCRIPTION	Energy- SUPPORTS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.99

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS

SIEMENS ENERGY INC.
Power and Gas

TRACK / JOINT

E1B100033180

REVISION
0

DATE
03-Apr-2017

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	NIKO
MANUFACTURER PART #	26.A04
MANUFACTURER DRAWING #	N/A
DESCRIPTION	Track - Switch TRACK Y SWITCH FOR NIKO TRACK PROFILE NUMBER 26.
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033252

CERTIFICATIONS

REQUIRED DOCUMENTS	Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor-Catalog.pdf ;

UNIT OF MEASURE	Number of parts
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211190000
MATERIAL GROUP DESCRIPTION	Energy- SUPPORTS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.100

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

SIEMENS

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS ENERGY INC.
Power and Gas

TRACK / SWITCH

E1B100033238

REVISION
0

DATE
03-Apr-2017

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	NIKO
MANUFACTURER PART #	26.B11
MANUFACTURER DRAWING #	N/A
DESCRIPTION	SUPPORT _ BRACKET HEIGHT ADJUSTABLE SUPPORT JOINT FOR NIKO TRACK PROFILE NUMBER 26.
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033583

CERTIFICATIONS

REQUIRED DOCUMENTS	Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor-Catalog.pdf ;

UNIT OF MEASURE	Number of parts
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211190000
MATERIAL GROUP DESCRIPTION	Energy- SUPPORTS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.101

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

SIEMENS

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS ENERGY INC.
Power and Gas

SUPPORT / BRACKET

E1B100033476

REVISION
0

DATE
04-Apr-2017

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	NIKO
MANUFACTURER PART #	26.000
MANUFACTURER DRAWING #	N/A
DESCRIPTION	NIKO TRACK PROFILE 26. MATERIAL: ZINC PLATED STEEL SUPPLIED IN LENGTHS OF 6 METERS.
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033613

CERTIFICATIONS

REQUIRED DOCUMENTS	Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor- ; Catalog.pdf C2_Light_weight_Over ; head_Cranes.pdf

UNIT OF MEASURE	Number of pairs
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211190000
MATERIAL GROUP DESCRIPTION	Energy- SUPPORTS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.102

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS

SIEMENS ENERGY INC.
Power and Gas

TRACK / -

E1B100033477

REVISION
0

DATE
04-Apr-2017

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	NIKO
MANUFACTURER PART #	26.C38
MANUFACTURER DRAWING #	N/A
DESCRIPTION	30° CURVE TRACK SECTION PROFILE 26. MATERIAL: ZINC PLATED STEEL
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033611

CERTIFICATIONS

REQUIRED DOCUMENTS	Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor-Catalog.pdf ;

UNIT OF MEASURE	Number of parts
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211211000
MATERIAL GROUP DESCRIPTION	Energy- TRENT ACOUSTICS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.103

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

SIEMENS

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS ENERGY INC.
Power and Gas

TRACK / BEND

E1B100033610

REVISION
0

DATE
04-Apr-2017

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	NIKO
MANUFACTURER PART #	26.C08
MANUFACTURER DRAWING #	N/A
DESCRIPTION	90° BEND TRACK PROFILE NUMBER 26. MATERIAL: ZINC PLATED STEEL
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033616

CERTIFICATIONS

REQUIRED DOCUMENTS	Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor-Catalog.pdf ;

UNIT OF MEASURE	Number of parts
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211211000
MATERIAL GROUP DESCRIPTION	Energy- TRENT ACOUSTICS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.104

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

SIEMENS

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS ENERGY INC.
Power and Gas

TRACK / BEND

E1B100033615

REVISION
0

DATE
04-Apr-2017

ITEM DATA SHEET

NON-GEOMETRIC SPECIFICATION / UNCONTROLLED

MANUFACTURER	NIKO
MANUFACTURER PART #	26.T46
MANUFACTURER DRAWING #	N/A
DESCRIPTION	WELDED PIN TROLLEY FOR NIKO TRACK PROFILE NUMBER 26. SAFE WORKING LOAD: 400 kg BODY STYLE: WELDED NUMBER OF WHEELS: 4
S_PART TO BE SERIALIZED	NO
RRESI DRAWING #	E1B100033622

CERTIFICATIONS

REQUIRED DOCUMENTS	Certificate - Proof Load Test Manual - Installation, Operation, Maintenance
ATTACHMENTS AND LINKS	C1-Conveyor- ; Catalog.pdf C2_Light_weight_Over ; head_Cranes.pdf

UNIT OF MEASURE	Number of parts
ITEM TYPE	PLM 2020 Part (HALB)
MATERIAL GROUP	211211000
MATERIAL GROUP DESCRIPTION	Energy- TRENT ACOUSTICS
SUBSYSTEM ACCOUNTABILITY	E-Strc Acoust Ancl
REFERENCE PART NUMBER, ID	
CHANGE ORDER NUMBER	76104.105

NON-GEOMETRIC SPECIFICATION

ACCOMPANYING GEOMETRIC DRAWING
MAY BE REQUIRED.

EXPORT-CONTROLLED DOCUMENT

This document contains technical data whose export is restricted by the Export Administration Act of 1979, as amended (Title 50, U.S.C., App 2401, Et Seq.) and is controlled by the Export Administration Regulations (15 CFR parts 730-774) under ECCN EAR99. Diversion contrary to US export law is prohibited.

This document is printed upon demand from a Siemens Energy data management system. While this information is given in good faith based upon the latest information available to Siemens AG, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Siemens AG or any of its subsidiary companies.

SIEMENS

SIEMENS ENERGY INC.
Power and Gas

TROLLEY / -

E1B100033619

REVISION
0

DATE
04-Apr-2017

12

11

10

9

8

7

6

5

4

3

2

1

H

G

F

E

D

C

B

A

H

G

F

E

D



C

B

A

NOTES:

1. SIEMENS ITEM NUMBER ARE SHOWN THUS: (400) AND ARE LISTED ON THE ASSOCIATED BOM.
2. TORQUE PER GEM 0032.
3. MARK FOR PART IDENTIFICATION PER GEM 0026.
4. SLIDE STOP - END (REF ITEM 404) AND BRACKET - ADJUSTABLE (REF ITEM 405) ONTO RAIL PRIOR TO INSTALLATION OF STUD-DOUBLE END AND FASTENERS (REF ITEMS 416, 418 & 419).
5. REMOVE THE TOP NUT AND WASHER OF BRACKET - ADJUSTABLE (REF ITEM 405) PRIOR TO THREADED ROD BEING INSERTED INTO HOLE OF SUPPORT - RAIL (REF ITEM 400). ONCE INSTALLED, REATTACH NUT & WASHER AND ENSURE HORIZONTAL ALIGNMENT WITH MATING RAIL SECTIONS.
6. TIGHTEN ALIGNMENT SCREWS TO SECURE RAILS INTO PLACE. ALIGN RAILS TO ENABLE TROLLEY (REF ITEM 412) TO MOVE SMOOTHLY BETWEEN RAIL SECTIONS.
7. AFTER CUTTING, REMOVE BURRS AND GRIND EDGES SMOOTH.
8. LUBRICATE TROLLEY (REF ITEM 412) PER MANUFACTURER'S GUIDELINES.
9. FOR MOTOR INSTALLATION, ENCLOSURE DOOR MAY REQUIRE REMOVAL FOR CLEARANCE.



EXPORT-CONTROLLED DOCUMENT
THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED (TITLE 50, U.S.C., APP 2401, ET SEQ.) AND IS CONTROLLED BY THE EXPORT ADMINISTRATION REGULATIONS (15 CFR PARTS 730-774) UNDER ECN EAR99. DIVERSION CONTRARY TO US EXPORT LAW IS PROHIBITED.

© Siemens Energy, Inc., 2016
We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden.

3RD ANGLE PROJECTION

ENGR. 2: R LEBOLD
ENGR. 1: J MCGLOCKLIN
APPR. BY: J SPRANKEL
CHKD. BY: M FAHRION
DWG. DATE: 24MAY17

A	76104.117 INITIAL RELEASE	24MAY17 MKF
REV NO	ECO NO / DESCRIPTION	DATE
	REVISION HISTORY	BY
ISSUE	E. A153	

SIEMENS

SIEMENS ENERGY, INC. POWER AND GAS

TOOL - MOTOR REMOVAL
(UNIT TOOLING)

SIZE	A1	E 1B1000 3460 2	REV	A
SCALE	NONE		SHEET: 1 OF: 5	

E1B100034602/A

12

11

10

9

8

7

6

5

4

3

2

1

UNIGRAPHICS
DRAWING

12

11

10

9

8

7

6

5

4

3

2

1

H

G

F




E

D



C

B

A



DETAIL B

STARBOARD GT ACOUSTIC
ENCLOSURE WALL

EXPORT-CONTROLLED DOCUMENT
THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE
EXPORT IS RESTRICTED BY THE EXPORT
ADMINISTRATION ACT OF 1979, AS AMENDED (TITLE
50, U.S.C., APP. 2401, ET SEQ.) AND IS CONTROLLED
BY THE EXPORT ADMINISTRATION REGULATIONS (15
CFR PARTS 730-774) UNDER ECN EAR99. DIVERSION
CONTRARY TO US EXPORT LAW IS PROHIBITED.

© Siemens Energy, Inc., 2016
We reserve all rights in this document and in
the information contained therein. Reproduction,
use or disclosure to third parties without
express authority is strictly forbidden.

3RD ANGLE PROJECTION

ENGR. 2: R LEBOLD
ENGR. 1: J MCGLOCKLIN
APPR. BY: J SPRANKEL
CHKD. BY: M FAHRION
DWG. DATE: 24MAY17

REV NO	ECO NO / DESCRIPTION	DATE
	REVISION HISTORY	BY
ISSUE		
<div>SIEMENS</div>		
SIEMENS ENERGY, INC.		POWER AND GAS
TOOL – MOTOR REMOVAL (UNIT TOOLING)		
SIZE A1	E 1B1000 3460 2	REV A
SCALE : NONE	SHEET: 2 OF: 5	

E1B100034602/A

12

11

10

9

8

7

6

5

4

3

2

1

UNIGRAPHICS
DRAWING

H

G

F

E

D

C

B

A

ALL SHEETS ARE THE SAME REVISION STATUS.

12

11

10

9

8

7

6

5

4

3

2

1

H

G

F


E

D


C

B


A



PLAN VIEW
ITEMS HAVE BEEN REMOVED FOR CLARITY



SECTION A - A
INSTALLATION TO PLENUM SUPPORT
& GT ACOUSTIC ENCLOSURE



VIEW SHOWING LIFTING
BEAM AND MOTOR CONNECTION
(SEE NOTE 9)

EXPORT-CONTROLLED DOCUMENT
THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE
EXPORT IS RESTRICTED BY THE EXPORT
ADMINISTRATION ACT OF 1979, AS AMENDED (TITLE
50, U.S.C., APP 2401, ET SEQ.) AND IS CONTROLLED
BY THE EXPORT ADMINISTRATION REGULATIONS (15
CFR PARTS 730-774) UNDER ECN EAR99. DIVERSION
CONTRARY TO US EXPORT LAW IS PROHIBITED.

© Siemens Energy, Inc., 2016
We reserve all rights in this document and in
the information contained therein. Reproduction,
use or disclosure to third parties without
express authority is strictly forbidden.

3RD ANGLE PROJECTION

ENGR. 2: R LEBOLD
ENGR. 1: J MCGLOCKLIN
APPR. BY: J MCGLOCKLIN
CHKD. BY: J SPRANKEL
DRAWN BY: M FAHRION
DWG. DATE: 24MAY17

REV NO	ECO NO / DESCRIPTION	DATE
REVISION HISTORY		BY
ISSUE		
<div>SIEMENS</div>		
SIEMENS ENERGY, INC.		POWER AND GAS
TOOL – MOTOR REMOVAL (UNIT TOOLING)		
SIZE	E 1B1000 3460 2	REV
A1		A
SCALE: NONE	SHEET: 3 OF 3	

E1B1000 3460 2/A

UNIGRAPHICS
DRAWING

12

11

10

9

8

7

6

5

4

3

2

1

12

11

10

9

8

7

6

5

4

3

2

1

H

G

F

E

D

C

B

A

H

G

F


E

D

C

B

A



ASSEMBLY OF TOOL - MOTOR REMOVAL
(INCLUDING INSTALLATION TO GT ACOUSTIC
ENCLOSURE & PLENUM SUPPORT)

EXPORT-CONTROLLED DOCUMENT
THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE
EXPORT IS RESTRICTED BY THE EXPORT
ADMINISTRATION ACT OF 1979, AS AMENDED (TITLE
50, U.S.C., APP 2401, ET SEQ.) AND IS CONTROLLED
BY THE EXPORT ADMINISTRATION REGULATIONS (15
CFR PARTS 730-774) UNDER ECN EAR99. DIVERSION
CONTRARY TO US EXPORT LAW IS PROHIBITED.
© Siemens Energy, Inc., 2016
We reserve all rights in this document and in
the information contained therein. Reproduction,
use or disclosure to third parties without
express authority is strictly forbidden.

3RD ANGLE PROJECTION
ENGR. 2: R LEBOLD
ENGR. 1: J MCGLOCKLIN
APPR. BY: J MCGLOCKLIN
CHKD. BY: J SPRANKEL
DRAWN BY: M FAHRION
DWG. DATE: 24MAY17

REV NO	ECO NO / DESCRIPTION	DATE BY	
	REVISION HISTORY		
ISSUE			
<div>SIEMENS</div>			
SIEMENS ENERGY, INC.			POWER AND GAS
TOOL — MOTOR REMOVAL (UNIT TOOLING)			
SIZE	E 1B1000 3460 2		
A1			
SCALE: NONE		SHEET: 4 OF: 5	

E1B1000 3460 2/A

UNIGRAPHICS
DRAWING

12

11

10

9

8

7

6

5

4

3

2

1

