Name: - Laxmi Swami

Topic: - Create User using Jenkins

STEP 1: go browser and hit the public Ip and sign in Jenkins and go to system manage and click on Users for create user







STEP 2: after that go to browser and hit public ip and sign in which user you create





STEP 3: As you see below image the user Disha have all permission.





STEP 4: go to user and create one more user as disksh21







STEP 5: Go to security in that disable "keep me signed in?" and also allow to sign up after save and apply the register /sign up is enable


AWS Management Console
Instances | EC2 | us-east-1
Manage Jenkins - Jenkins
Not secure 54.160.249.130:8080/manage/
All Bookmarks
Jenkins / Manage Jenkins
System
Configure global settings and paths.
Tools
Configure tools, their locations and automatic installers.
Plugins
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.
Nodes
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.
Clouds
Add, remove, and configure cloud instances to provision agents on-demand.
Appearance
Configure the look and feel of Jenkins
Security
Security
Secure Jenkins; define who is allowed to access/use the system.
Credentials
Configure credentials
Credential Providers
Configure the credential providers and types
Users
Create/delete/modify users that can log in to this Jenkins.
Status Information
System Information
Displays various environmental information to assist
System Log
System log captures output from java.util.logging output related to Jenkins.
Load Statistics
Check your resource utilization and see if you need more computers for your builds.
54.160.249.130:8080/manage/configureSecurity
25°C
Partly cloudy
Search
ENG
IN
20:32
21-08-2025


AWS Management Console
Instances | EC2 | us-east-1
Security - Jenkins
Not secure 54.160.249.130:8080/manage/configureSecurity/
All Bookmarks
Jenkins / Manage Jenkins / Security
Security
Authentication
Disable "Keep me signed in"
Security Realm
Jenkins' own user database
Allow users to sign up
With signup enabled, anyone on your network can become an authenticated user. It is recommended in this case to minimize the permissions granted to any authenticated user.
Authorization
Logged-in users can do anything
Allow anonymous read access
Markup Formatter
Save
Apply
25°C
Partly cloudy
Search
ENG
IN
20:32
21-08-2025


AWS Management Console
Instances | EC2 | us-east-1
Security - Jenkins
Not secure 54.160.249.130:8080/manage/configureSecurity/
All Bookmarks
Jenkins / Manage Jenkins / Security
Markup Formatter
Markup Formatter
Plain text
Shows descriptions mostly as written. HTML unsafe characters like < and & are escaped to their respective character entities, and line breaks are converted to their HTML equivalent.
Agents
TCP port for inbound agents
Fixed
Random
Disable
CSRF Protection
Crumb Issuer
Save
Apply
25°C
Partly cloudy
Search
ENG
IN
20:32
21-08-2025





STEP 6: give user specific Permission what you want so go to security and click on Logged-in user can do anything > Matrix-based security



Add the user to whom you want to give permission





Now the user disha21 give permission as read only



STEP 7: see below image the user diksha have only read permission



STEP 8: Now give some specific permission for the user


AWS Management Console
Instances | EC2 | us-east-1
Security - Jenkins
Not secure
54.160.249.130:8080/manage/configureSecurity/
All Bookmarks
Jenkins
Manage Jenkins
Security
User/group
Overall
Credentials
Agent
Job
Run
View
SCM
Metrics
Administer
Read
Create
Delete
ManageDomains
Update
View
Build
Configure
Connect
Create
Delete
Disconnect
Provision
Build
Cancel
Configure
Create
Delete
Discover
Move
Read
Workspace
Delete
Replay
Update
Configure
Create
Delete
Read
Tag
HealthCheck
ThreadDump
View
Anonymous
Authenticated Users
Diksha Mathpati
Laxmi
Add user...
Add group...
Markup Formatter
Markup Formatter
Plain text
Shows descriptions mostly as written. HTML unsafe characters like < and & are escaped to their respective character entities, and line breaks are converted to their HTML equivalent.
Save
Apply
USD/INR
+0.33%
Search
ENG
IN
20:39
21-08-2025


Diksha Mathpati - Jenkins
Not secure
54.160.249.130:8080/user/diksha21/
Incognito
All Bookmarks
Jenkins
Diksha Mathpati
Status
Builds
My Views
Account
Appearance
Preferences
Security
Experiments
Credentials
Diksha Mathpati
Add description
Jenkins User ID: diksha21
REST API
Jenkins 2.516.1
54.160.249.130:8080/user/diksha21/appearance
USD/INR
+0.33%
Search
ENG
IN
20:40
21-08-2025


Dashboard - Jenkins
Not secure
54.160.249.130:8080/user/diksha21/my-views/view/all/
Incognito
All Bookmarks
Jenkins
Diksha Mathpati
My Views
All
Build History
Project Relationship
Check File Fingerprint
Build Queue
No builds in the queue.
Build Executor Status
0/2
Add description
All
S
W
Name ↓
Last Success
Last Failure
Last Duration
my-first-job
1 day 5 hr
#1
N/A
0.21 sec
my-second-job
1 day 4 hr
#1
1 day 4 hr
#5
16 ms
private-repo-job
1 day 4 hr
#3
N/A
0.33 sec
public_repo_job
1 day 4 hr
#1
N/A
3.5 sec
Icon:
S
M
L
REST API
Jenkins 2.516.1
USD/INR
+0.33%
Search
ENG
IN
20:41
21-08-2025

STEP 9 : Now Store workspace folder in another folder as Jenkinsbackup folder using copy command:

Cp -r /var/lib/Jenkins/workspace/. Jenkinsbackup





STEP 9: First create S3 bucket install aws cli and Create access key after that fetch >credential configure . for give access key and secret access key


AWS Management Console
Create access key | IAM | Global
Manage Jenkins - Jenkins
us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/security_credentials/access-key-wizard
All Bookmarks
Search
[Alt+S]
Global
Account ID: 9037-0958-8747
Laxmi_AWS
IAM > Security credentials > Create access key
Step 1
Alternatives to root user access keys
Step 2
Retrieve access key
Alternatives to root user access keys Info
Root user access keys are not recommended
We don't recommend that you create root user access keys. Because you can't specify the root user in a permissions policy, you can't limit its permissions, which is a best practice.
Instead, use alternatives such as an IAM role or a user in IAM Identity Center, which provide temporary rather than long-term credentials. Learn More
If your use case requires an access key, create an IAM user with an access key and apply least privilege permissions for that user. Learn More
Continue to create access key?
I understand creating a root access key is not a best practice, but I still want to create one.
Cancel
Create access key
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
25°C
Partly cloudy
Search
ENG
IN
20:49
21-08-2025


AWS Management Console
Create access key | IAM | Global
Manage Jenkins - Jenkins
us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/security_credentials/access-key-wizard
All Bookmarks
Search
[Alt+S]
Global
Account ID: 9037-0958-8747
Laxmi_AWS
IAM > Security credentials > Create access key
Access key created
This is the only time that the secret access key can be viewed or downloaded. You cannot recover it later. However, you can create a new access key any time.
Step 1
Alternatives to root user access keys
Step 2
Retrieve access key
Retrieve access key Info
Access key
If you lose or forget your secret access key, you cannot retrieve it. Instead, create a new access key and make the old key inactive.
Access key Copied
Secret access key
AKIA5E2KJ7UF3CXAUU46
*************** Show
Access key best practices
Never store your access key in plain text, in a code repository, or in code.
Disable or delete access key when no longer needed.
Enable least-privilege permissions.
Rotate access keys regularly.
For more details about managing access keys, see the best practices for managing AWS access keys.
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
25°C
Partly cloudy
Search
ENG
IN
20:49
21-08-2025





After that copy workspace folder in s3 bucker > aws s3 cp /var/lib/Jenkins/workspace/ s3: //bucketname –recursive root@ip-172-31-28-84: /

```
upload failed: var/lib/jenkins/workspace/ to s3://mubucket331909/ Parameter validation failed:
Invalid length for parameter Key, value: 0, valid min length: 1
root@ip-172-31-28-84:/# ls
bin   dev  home           lib    lib64   lost+found  mnt  proc  run   snap  sys  usr
boot  etc  jenkinsbackup  lib32  libx32  media       opt  root  sbin  srv   tmp  var
root@ip-172-31-28-84:/# cd var/lib/jenkins/workspace
root@ip-172-31-28-84:/var/lib/jenkins/workspace# pwd
/var/lib/jenkins/workspace
root@ip-172-31-28-84:/var/lib/jenkins/workspace# cd /
root@ip-172-31-28-84:/# aws s3 cp /var/lib/jenkins/workspace/ s3://mubucket331909 --recursive
upload: var/lib/jenkins/workspace/private-repo-job/.git/description to s3://mubucket331909/private-repo-job/.git/description
upload: var/lib/jenkins/workspace/private-repo-job/.git/config to s3://mubucket331909/private-repo-job/.git/config
upload: var/lib/jenkins/workspace/private-repo-job/.git/HEAD to s3://mubucket331909/private-repo-job/.git/HEAD
upload: var/lib/jenkins/workspace/my-first-job/devops/abc.txt to s3://mubucket331909/my-first-job/devops/abc.txt
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/applypatch-msg.sample to s3://mubucket331909/private-repo-job/.git/hooks/applypatch
-msg.sample
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/post-update.sample to s3://mubucket331909/private-repo-job/.git/hooks/post-update.s
ample
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/pre-receive.sample to s3://mubucket331909/private-repo-job/.git/hooks/pre-receive.s
ample
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/pre-merge-commit.sample to s3://mubucket331909/private-repo-job/.git/hooks/pre-merg
e-commit.sample
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/pre-push.sample to s3://mubucket331909/private-repo-job/.git/hooks/pre-push.sample
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/push-to-checkout.sample to s3://mubucket331909/private-repo-job/.git/hooks/push-to-
checkout.sample
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/fsmonitor-watchman.sample to s3://mubucket331909/private-repo-job/.git/hooks/fsmoni
tor-watchman.sample
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/pre-commit.sample to s3://mubucket331909/private-repo-job/.git/hooks/pre-commit.sam
ple
upload: var/lib/jenkins/workspace/private-repo-job/.git/index to s3://mubucket331909/private-repo-job/.git/index
upload: var/lib/jenkins/workspace/private-repo-job/.git/FETCH_HEAD to s3://mubucket331909/private-repo-job/.git/FETCH_HEAD
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/update.sample to s3://mubucket331909/private-repo-job/.git/hooks/update.sample
upload: var/lib/jenkins/workspace/private-repo-job/.git/info/exclude to s3://mubucket331909/private-repo-job/.git/info/exclude
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/pre-rebase.sample to s3://mubucket331909/private-repo-job/.git/hooks/pre-rebase.sam
ple
upload: var/lib/jenkins/workspace/private-repo-job/.git/hooks/pre-applypatch.sample to s3://mubucket331909/private-repo-job/.git/hooks/pre-applyp
atch.sample
upload: var/lib/jenkins/workspace/private-repo-job/.git/objects/38/6afec34f46f0e5a48b65cdb358f842465fb006 to s3://mubucket331909/private-repo-job
/.git/objects/38/6afec34f46f0e5a48b65cdb358f842465fb006
upload: var/lib/jenkins/workspace/private-repo-job/.git/objects/0c/3380ddd1eeed26fd715a75cadf7edc506fe83f to s3://mubucket331909/private-repo-job
/.git/objects/0c/3380ddd1eeed26fd715a75cadf7edc506fe83f
```

25°C Partly cloudy Search ENG IN 20:57 21-08-2025

root@ip-172-31-28-84: /

```
upload: var/lib/jenkins/workspace/public_repo_job/.git/logs/refs/remotes/origin/master to s3://mubucket331909/public_repo_job/.git/logs/refs/remo
tes/origin/master
upload: var/lib/jenkins/workspace/public_repo_job/.git/objects/04/48e815d63db86c8ea2a319028be7005113ac85 to s3://mubucket331909/public_repo_job/.
git/objects/04/48e815d63db86c8ea2a319028be7005113ac85
upload: var/lib/jenkins/workspace/public_repo_job/.git/logs/refs/remotes/origin/AWs to s3://mubucket331909/public_repo_job/.git/logs/refs/remotes
/origin/AWs
upload: var/lib/jenkins/workspace/public_repo_job/.git/hooks/update.sample to s3://mubucket331909/public_repo_job/.git/hooks/update.sample
upload: var/lib/jenkins/workspace/public_repo_job/.git/objects/68/53a3b0b0d41edc95709af4f9ddd46d906d1473 to s3://mubucket331909/public_repo_job/.
git/objects/68/53a3b0b0d41edc95709af4f9ddd46d906d1473
upload: var/lib/jenkins/workspace/public_repo_job/.git/objects/6b/c6d2e9120d6c5ba1a7e8e9b95b63307f9f6b1b to s3://mubucket331909/public_repo_job/.
git/objects/6b/c6d2e9120d6c5ba1a7e8e9b95b63307f9f6b1b
upload: var/lib/jenkins/workspace/public_repo_job/.git/objects/e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391 to s3://mubucket331909/public_repo_job/.
git/objects/e6/9de29bb2d1d6434b8b29ae775ad8c2e48c5391
upload: var/lib/jenkins/workspace/public_repo_job/.git/hooks/prepare-commit-msg.sample to s3://mubucket331909/public_repo_job/.git/hooks/prepare-
commit-msg.sample
upload: var/lib/jenkins/workspace/public_repo_job/.git/objects/ae/e7ea75077f0192df96d49341d48d0dfe1b3d89 to s3://mubucket331909/public_repo_job/.
git/objects/ae/e7ea75077f0192df96d49341d48d0dfe1b3d89
upload: var/lib/jenkins/workspace/public_repo_job/.git/refs/remotes/origin/AWs to s3://mubucket331909/public_repo_job/.git/refs/remotes/origin/AW
s
upload: var/lib/jenkins/workspace/public_repo_job/.git/objects/f7/18fdcf35ae36295ad7af84a92ccb989d368447 to s3://mubucket331909/public_repo_job/.
git/objects/f7/18fdcf35ae36295ad7af84a92ccb989d368447
upload: var/lib/jenkins/workspace/public_repo_job/.git/refs/remotes/origin/master to s3://mubucket331909/public_repo_job/.git/refs/remotes/origin
/master
upload: var/lib/jenkins/workspace/public_repo_job/giti.txt to s3://mubucket331909/public_repo_job/giti.txt
upload: var/lib/jenkins/workspace/public_repo_job/laxi.txt to s3://mubucket331909/public_repo_job/laxi.txt
upload: var/lib/jenkins/workspace/public_repo_job/.git/objects/09/8201035486d20650df844027f79cfed3435965 to s3://mubucket331909/public_repo_job/.
git/objects/09/8201035486d20650df844027f79cfed3435965
upload: var/lib/jenkins/workspace/public_repo_job/my file to s3://mubucket331909/public_repo_job/my file
upload: var/lib/jenkins/workspace/public_repo_job/rashi.txt to s3://mubucket331909/public_repo_job/rashi.txt
root@ip-172-31-28-84:/# ls
bin   dev  home           lib    lib64   lost+found  mnt  proc  run   snap  sys  usr
boot  etc  jenkinsbackup  lib32  libx32  media       opt  root  sbin  srv   tmp  var
root@ip-172-31-28-84:/# cd var/lib/jenkins/workspace
root@ip-172-31-28-84:/var/lib/jenkins/workspace# ls
my-first-job  my-second-job  private-repo-job  private-repo-job@tmp  public_repo_job
root@ip-172-31-28-84:/var/lib/jenkins/workspace# cd /
root@ip-172-31-28-84:/# aws s3 rm s3://mubucket331909
root@ip-172-31-28-84:/# ls
bin   dev  home           lib    lib64   lost+found  mnt  proc  run   snap  sys  usr
boot  etc  jenkinsbackup  lib32  libx32  media       opt  root  sbin  srv   tmp  var
root@ip-172-31-28-84:/# 
```

25°C Partly cloudy Search ENG IN 20:59 21-08-2025


AWS Management Console
mubucket331909 - S3 bucket
Security credentials | IAM | Glo
Manage Jenkins - Jenkins
AWS S3 upload fix
us-east-1.console.aws.amazon.com/s3/buckets/mubucket331909?region=us-east-1&tab=objects&bucketType=general
All Bookmarks
Search
[Alt+S]
United States (N. Virginia)
Account ID: 9037-0958-8747
Laxmi_AWS
Amazon S3
Buckets
mubucket331909
Amazon S3
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Access Grants
Access Points (General Purpose Buckets, FSx file systems)
Access Points (Directory Buckets)
Object Lambda Access Points
Multi-Region Access Points
Batch Operations
IAM Access Analyzer for S3
Block Public Access settings for this account
Storage Lens
Dashboards
Storage Lens groups
mubucket331909 Info
Objects
Metadata
Properties
Permissions
Metrics
Management
Access Points
Objects (3)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
my-first-job/
Folder
private-repo-job/
Folder
public_repo_job/
Folder
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
25°C
Partly cloudy
Search
ENG
IN
20:57
21-08-2025