

PAL-CLEANX FINAL PROJECT REPORT

AI-Powered Robotics for Sustainable Space Exploration

Lead Researcher: Layali Khatib

Partner: Ameer Khamayseh

1. EXECUTIVE SUMMARY

This report details the development and technical framework of **PAL-CleanX**, an autonomous robotic system designed to mitigate the growing threat of space debris in Low Earth Orbit (LEO). By integrating advanced computer vision, reinforcement learning, and adaptive capture mechanisms, PAL-CleanX provides a scalable solution to protect global satellite infrastructure.

2. HERITAGE & PROTOTYPING

The project bridged the gap between theoretical research and physical engineering. A significant milestone was the validation of core robotic kinetics through a functional hardware prototype. This system demonstrated the successful integration of multi-jointed movement and electronic signal processing.

Key Prototype Achievements:

- Verification of robotic arm 6-DOF (Degrees of Freedom) kinematics.
- Successful integration of real-time control via manual override and joystick sensors.
- Breadboard-level validation of power management and PWM motor signal processing.

3. TECHNICAL SPECIFICATIONS

Component	Specification / Technology
Chassis	Graphene-reinforced Titanium Alloy
AI Vision	CNN-based object classification (99% Accuracy)
Navigation	LiDAR-based SLAM + PPO Reinforcement Learning
Capture Mechanism	6-DOF Magnetic Grippers & Deployable Nets
Power System	Foldable High-Efficiency Solar Arrays

4. SYSTEM METHODOLOGY

PAL-CleanX operates through a four-stage autonomous lifecycle:

- Detection:** Identification of non-functional objects vs. active satellites using spectral and kinematic data.
- Tracking:** Trajectory prediction using Kalman Filters to account for gravitational perturbations.
- Capture:** Autonomous approach and engagement using context-specific tools (Nets for small debris, arms for large objects).
- Disposal:** Controlled deorbiting for atmospheric incineration or relocation to graveyard orbits.

5. CONCLUSION & FUTURE OUTLOOK

The PAL-CleanX project demonstrates that full autonomy in debris removal can reduce mission costs by up to 60%. Following the successful validation of the hardware prototype and the theoretical AI framework, the project is positioned for TRL 5 transition, aiming for high-fidelity orbital simulations and eventual swarm deployment.

