WATCHTIME

http://watchtime.epizy.com/

Smer: Internet tehnologije

Modul: WEB programiranje

Predmet: WEB programiranje PHP 1

Student: Filip Lazarević 134/19

Sadrzaj

WATCHTIME	1
2 Uvod	4
2.1 Korisćene tehnologije	4
2.2 Opis funkcionalnosti	4
3 Sema baze podataka	6
4 Template	6
5 Mapa sajta	6
5.1 sitemap.xml	7
5.2 Index.php	9
5.3 blog.php	12
5.4 Login.php	13
5.5 register.php	14
5.6 Profile.php	15
5.7 createPost.php	16
5.8 Edit-post.php	17
5.9 newpost.php	18
5.10 blog-details.php	19
5.11 Contact.php	21
5.12 Admin.php	22
6 Kodovi	24
6.1 Fixed	24
6.1.1 Head.php	24
6.2.2 nav.php	25
6.1.3 footer.php	27
6.2 index.php	29
6.3 blog.php	33
6.4 login.php	35
6.5 register.php	
6.6 blog-details.php	38
67 newpost.php	
6.8 profile.php	43

6.9 edit-post.php	46
7.0 contact.php	48
7.1 author.php	50
7.3 admin.php	50
7.4 err404.php	53
7.5 modals	53
7.5.1 proccessRegistration.php	53
7.5.2 proccessLogin.php	55
7.5.3 logout.php	56
7.5.4 upload&editPost.php	56
7.5.5 proccessEditPost.php	60
7.5.6 proccessComment.php	61
7.5.7 proccessMessages.php	62
7.5.8 deletePost.php	64
7.5.9 deleteUser.php	64
7.5.10 addCategory.php	65
7.5.11 adminGetCats.php	66
7.5.12 adminGetPosts.php	67
7.5.13 adminGetSurveys.php	68
7.5.14 adminGetUsers.php	70
7.5.15 deleteCategory.php	71
7.5.16 deleteSurvey.php	72
7.5.17 insertSurvey.php	72
7.5.19 proccessSurvey	74
7.5.20 functions.php	74
7.6 config	82
7.6.1 connection.php	82
7.6.2 php.ini	82
7.7 CSS	82
7.7.1 style.css	82
7.7.2 dashboard.css	88
7.8 main is	90

2 Uvod

Watchtime je web-aplikacija namenjen za postavljanje postova o satovima.

2.1 Korisćene tehnologije

- PHP
- HTML 5
- CSS 3
- Bootstrap
- Javascript
- jQuery
- AJAX
- MySQL

2.2 Opis funkcionalnosti

Sajt se sastoji od 12 stranica:

- index.php
- blog.php
- blog-details.php
- login.php
- register.php
- newpost.php
- admin.php
- contact.php
- profile.php
- autor.php

- err404.php
- edit-post.php


Sajt je responsive i poseduje sledeće funkcionalnosti:

- Registracija Kada se korisnik registruje, njemu se omogucava da kaci postove i komentare. Ukoliko to ne uradi onda moze samo da razgleda postove.
- Logovanje Nakon uspesne registracije, korisnik se redirektuje na stranicu za logovanje. Uspesnim logovanjem setuje se sesija u kojoj se cuvaju podaci o ulogovanom korisniku. U zavisnosti od uloge korisnika prikazuje odredjeni sadrzaj.
- Validacija forme Sve forme koje se nalaze su validirane na klijenskoj i na serverskoj strani
- Stranicenje Realizovano je stranicenje na stranicama blog.php,admin.php, profil.php sa I bez koriscenja AJAX-a
- Profil Realizovana stranica za profil korisnika koja sadrzi informacije o ulogovanom korisniku, kao i sve postove koje je on okacio, ukoliko ih ima. Korisnik na ovoj stranici moze da menja svoje postove i da ih brise
- Admin Panel Samo korisnik sa ulogom admina moze da pristupi ovoj stranici. Ulaskom na stranicu adminu se prikazuje ukupan broj korisnika, postova I kategorija. Klikom na odredjeni link u navigaciji sa leve strane, adminu se AJAX-om prikazuje u vidu tabele sve kategorije, postovi I korisnici. Admin moze da brise sve korisnike, postove I kategorije kao I da doda novu kategoriju.
- Anketa Admin moze da kreira nove ankete, da brise neaktivne ankete, da aktivira anketu koja nije aktivna. Samo jedna anketa moze biti aktivna.
- Detalji o postovima Klikom na svaki post otvara se single page view. Stranica sa podacima vezana za taj post. Na ovoj stranici korisnik ukoliko je autorizovan moze da postavlja komentare
- Kreiranje novog posta Samo je omoguceno autorizovanim korisnicima, korisnik mora da unese naslov, kategoriju posta, sliku i sadrzaj tog posta. Ukoliko su podaci validni, salju se u bazu podataka
- Menu Dinamicko ispisivanje menija iz baze podataka na svim stranicama u headeru i footeru, zavisno od uloge korisnika

Kontakt – Omoguceno je slanje poruke koja ce biti sacuvana u bazi

• Odjava – Ukoliko je korisnik ulogovan, klikom na logout se brisu podaci iz sesije i korisnik se preusmerava na pocetnu stranicu

3 Sema baze podataka



4 Template

Sto se tice admin stranice koriscen je template koji je preuzet sa zvanicnog bootstrap-ovog sajta.Za sve ostale stranice sav html I css kod je pisan.

5 Mapa sajta


Admin panel je stranica dostupna samo autorizovanim korisnicima koji su admini. Profilna stranica je dostupna samo autorizovanim korisnicima. Login i register stranice su dostupne samo neautorizovanim korisnicima. Stranica za kreiranje postova je dostupna samo autorizovanim korisnicima.

5.1 sitemap.xml

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
   <url>
       <loc>http://watchtime.epizy.com/index.php </loc>
       <lastmod>2021-4-24
       <changefreq>daily</changefreq>
       <priority>1</priority>
   </url>
   <url>
       <loc>http://watchtime.epizy.com/blog.php </loc>
       <lastmod>2021-4-24</lastmod>
       <changefreq>daily</changefreq>
       <priority>0.95</priority>
   </url>
   <url>
       <loc>http://watchtime.epizy.com/blog-details.php </loc>
       <lastmod>2021-4-24
       <changefreq>daily</changefreq>
       <priority>0.90</priority>
   </url>
   <url>
       <loc> http://watchtime.epizy.com/profile.php </loc>
       <lastmod>2021-4-24
       <changefreq>daily</changefreq>
       <priority>0.92</priority>
   </url>
   <url>
       <loc> http://watchtime.epizy.com/edit-post.php </loc>
       <lastmod>2021-4-24</lastmod>
       <changefreq>weekly</changefreq>
       <priority>0.75</priority>
   </url>
   <url>
       <loc> http://watchtime.epizy.com/contact.php </loc>
       <lastmod>2021-4-24
       <changefreq>yearly</changefreq>
       <priority>0.80</priority>
   </url>
     <url>
       <loc> http://watchtime.epizy.com/login.php </loc>
       <lastmod>2021-4-24
       <changefreq>monthly</changefreq>
       <priority>0.85</priority>
   </url>
```


```
<url>
       <loc> http://watchtime.epizy.com/register.php </loc>
       <lastmod>2021-4-24
       <changefreq>monthly</changefreq>
       <priority>0.82</priority>
   </url>
   <url>
   <loc> http://watchtime.epizy.com/newpost.php </loc>
       <lastmod>2021-4-24
       <changefreq>monthly</changefreq>
       <priority>0.80</priority>
   </url>
   <url>
       <loc>http://watchtime.epizy.com/admin.php </loc>
       <lastmod>2021-4-24</lastmod>
       <changefreq>weekly</changefreq>
       <priority>0.8</priority>
   </url>
   <url>
       <loc> http://watchtime.epizy.com/author.php </loc>
       <lastmod>2021-4-22</lastmod>
       <changefreq>yearly</changefreq>
       <priority>0.75</priority>
   </url>
   <url>
       <loc> http://watchtime.epizy.com/err404.php</loc>
       <lastmod>2021-4-24
       <changefreq>yearly</changefreq>
       <priority>0.70</priority>
   </url>
</urlset>
```

5.2 Index.php




Ova sekcija sadrzi 3 najnovija okacena posta, svaki artikal o postu sadrzi podatke o autoru, kategoriji ,datum kad je postavljen, koliko komentara ima i. Sadrzi i naslov tog posta i prvih 50 karaktera glavnog teksta. Klikom na neki post korisnik se salje na stranicu blogdetails.php i koja sadrzi podatke tog posta

Visoka škola strukovnih studija za informacione I telekomunikacione tehnologije




Ova sekcija sadrzi 3 posta sa najvise komentara




Footer koji sadrzi anketu na koju samo autorizovani korisnici mogu da odgovore, nakon sto odgovore podaci se cuvaju u bazi. Footer takodje sadrzi dinamicki ispisane linkove iz baze podataka

5.3 blog.php




Ova sekcija inicijalno sadrzi 6 postova. Postovi sadrze iste funkcionalnosti kao i na index.php. Ispod se nalazi paginacija.Paginacija je prilagodjena broju postova koji zadovoljavaju izabranu kategoriju

5.4 Login.php




Na ovoj stranici se nalazi forma za logovanje, validacija se vrsi na klijentskoj i serverskoj strani. Ukoliko se uneti mejl i lozinka ne poklapaju sa tim istim podacima od vec registrovanog korisnika, korisniku se ispisuje poruka da je uneo pogresne kredencijale za logovanje. Ukoliko su ispravni podaci, korisnik se redirektuje na njegov profil

5.5 register.php



Na ovoj stranici se nalazi forma za registraciju korisnika, korisnik mora da unese svoje ime i prezime, mejl i lozinku. Validacija se izvrsava na klijentskoj i na serverskoj strani. Ukoliko neki od podataka ne prodje proveru, korisniku se ispisuje greska ili ukoliko unese vec postojeci mejl koji se nalazi u bazi podataka. Ukoliko je sve validno, korisnik se redirektuje ka stranici login.php


5.6 Profile.php



Korisnik na ovoj stranici moze da vidi svoje unete podatke


Ulogovani korisnik moze da vidi sve svoje postove koje je okacio ukoliko ih ima, ovde moze da menja i brise iste. Odradjena je i paginacija tako da se prikazuju maksimalno 6 po stranici. Ukoliko korisnik klikne na dugme 'Delete' korisnik brise izabran post. Klikom na 'Edit' mu se ispisuje forma sa vec unetim podacima tog posta koje korisnik moze da menja.

5.7 createPost.php




Na ovoj stranici svi autorizovani korisnici postavljaju postove. Potrebno je da sve podatke unesu ispravno. Provera je sa klijentske i serverske strane. Korisnik mora uneti sliku sa najvecom velicinom do 2 mb. Ukoliko ne unese ispravno podatke, ispisuje se opis greske odredjenih polja.

5.8 Edit-post.php




Korisnik klikom na dugme 'Edit', prikazuje mu se forma sa vec popunjenim podacima tog posta. Korisnik moze da izmeni sav sadrzaj vec okacenog posta. Ukoliko zeli da izmeni podatke, obavezno je da ispravno unese sve podatke koji se proveravaju na klijentskoj i na serverskoj strani. Ako je uspesna izmena, korisnik se redirektuje na stranicu koja sadrzi sadrzaj tog posta, tako da moze da vidi izmene odmah.

5.9 newpost.php




Na ovoj stranici svi autorizovani korisnici postavljaju postove. Potrebno je da sve podatke unesu ispravno. Provera je sa klijentske i serverske strane. Korisnik mora uneti sliku sa najvecom velicinom do 2 mb. Ukoliko ne unese ispravno podatke, ispisuje se opis greske odredjenih polja.

5.10 blog-details.php




Korisnik na ovoj stranici vidi sve podatke o postu na koji je kliknuo(autor posta, kojoj kategoriji pripada, kada je postavljen, koliko ima komentara, komentare ostalih korisnika ukoliko ih ima, sliku i tekst posta)




Svaki autorizovani korisnik moze da postavlja komentare za postove, dok oni koji nisu ulogovani mogu samo da gledaju komentare ukoliko ih ima za taj post. Korisniku nakon sto unese komentar, ispisuje se poruka da je uspesno postavio komentar i stranica ce se ucitati ponovo kako bi video komentar. Ukoliko nema komentara bice obavesten sa porukom'. Ukoliko ih ima ispisace se ime korisnika koji je postavio i datum kad je postavljen.


5.11 Contact.php





Ovoj stranici moze da pristupi svaki korisnik, validacija unetih podataka se izvrsava na klijentskoj i na serverskoj strani. Ukoliko sve ispravno popuni, ispisuje mu se poruka da je uspesno poslao.

5.12 Admin.php









Samo korisnici sa ulogom = 1 mogu da pristupe ovoj stranici. Inicijalni prikaz admin panela. Gde mu se inicajlno ispisuje ukupan broj korisnika, postova I kategorija Klikom na neki link AJAX-om se dohvataju podaci iz baze podataka u vidu tabele sa popunjenim podacima. Admin moze da ukloni sve od navedenog, da dodaje kategorije I ankete.

6 Kodovi

6.1 Fixed

6.1.1 Head.php

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <!-- meta tagovi -->
    <meta name="keywords" content="watch,watchtime,blog,posts,stories" />
    <meta name="description" content="The Watchtime is blog where you can find al</pre>
1 stories and news about all kind of watches." />
    <link rel="shorcut icon" type="image/icon" href="assets/img/favico.ico" />
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dis</pre>
t/css/bootstrap.min.css" integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="an
onymous">
    <!-- font awesome -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.2/css/all.min.css" integrity="sha512-
HK5fgLBL+xu6dm/Ii3z4xhlSUyZgTT9tuc/hSrtw6uzJOvgRr2a9jyxxT1ely+B+xFAmJKVSTbpM/CuL7
qx08w==" crossorigin="anonymous" />
    <link rel="stylesheet" href="assets/css/style.css">
    <link rel='stylesheet' href='assets/css/dashboard.css'>
    <title>WatchTime | Blog</title>
</head>
```

6.2.2 nav.php

```
$meni = getAll("meni");
                  // var dump($meni);
                  for ($i = 0; $i < count($meni); $i++) {</pre>
                      if (isset($_SESSION["user"])) {
                         if ($_SESSION["user"]-
>uloga == "Korisnik" && stripos($meni[$i]-
>naziv, "admin") == "" && stripos($meni[$i]-
>naziv, "login") == "" && (stripos($meni[$i]->naziv, "register")) == "") {
                             echo ("
                             <a class='nav-link' href='{$meni[$i]-</pre>
>putanja}'>{$meni[$i]->naziv}</a>
                         ");
                         } else if ($_SESSION["user"]-
>uloga == "Admin" && stripos($meni[$i]-
>naziv, "login") == "" && (stripos($meni[$i]->naziv, "register")) == "") {
                             echo ("
                         <a class='nav-link' href='{$meni[$i]-</pre>
>putanja}'>{$meni[$i]->naziv}</a>
                      ");
                         }
                      } else {
                         if (stripos($meni[$i]-
>naziv, "admin") == "" && stripos($meni[$i]-
>naziv, "profile") == "" && stripos($meni[$i]-
>naziv, "new post") == "" && stripos($meni[$i]->naziv, "log out") == "") {
                             echo ("
                             <a class='nav-link' href='{$meni[$i]-</pre>
>putanja}'>{$meni[$i]->naziv}</a>
                             ");
              </div>
       </nav>
   </div>
```

6.1.3 footer.php

```
<?php
global $meni;
<footer class="section-footer mt-5">
    <div class="container">
        <div class="row">
            <div class="col-lg-3 col-md-6">
                <?php
                if (isset($_SESSION["user"])) {
                    $survey = getActiveSurvey();
                    echo "<h4>$survey->pitanje</h4>";
                    echo "<input type='hidden' id='hiddenSurvey' value='$survey-
>id_anketa'>";
                    $options = getOptions($survey->id_anketa);
                    foreach ($options as $option) {
                        echo "<div class='form-check m-2'>
                        <input class='form-check-</pre>
input' type='radio' name='rb' id='exampleRadios1' value='$option->id_odgovor'>
                        <label class='form-check-label' for='exampleRadios1'>
                          $option->odgovor
                        </label>
                      </div>";
                    echo "<button type='button' id='btnSend' class='btn btn-
primary my-1'>Send</button>";
                }
                <h2>WatchTime</h2>
                <a href="https://www.twitter.com/" target="_blank"><i class="fab</pre>
fa-twitter fa-2x"></i></a>
                <a href="https://www.facebook.com/" target="_blank"><i class="fab</pre>
fa-facebook fa-2x"></i></a>
                <a href="https://www.youtube.com/" target="_blank"><i class="fab</pre>
fa-youtube fa-2x"></i></a>
            </div>
            <div class="col-lg-3 col-md-6">
                <h3>Company Info</h3>
                <l
                    for ($i = 0; $i < count($meni); $i++) {
```

```
if (isset($_SESSION["user"])) {
                          if ($_SESSION["user"]-
>uloga == "Korisnik" && stripos($meni[$i]-
>naziv, "admin") == "" && stripos($meni[$i]-
>naziv, "login") == "" && (stripos($meni[$i]->naziv, "register")) == "") {
                              echo ("
                                      <a href='{$meni[$i]-</pre>
>putanja}'>{$meni[$i]->naziv}</a>
                                  ");
                           } else if ($_SESSION["user"]-
>uloga == "Admin" && stripos($meni[$i]-
>naziv, "login") == "" && (stripos($meni[$i]->naziv, "register")) == "") {
                              echo ("
                                  <a href='{$meni[$i]->putanja}'>{$meni[$i]-
>naziv}</a>
                              ");
                       } else {
                          if (stripos($meni[$i]-
>naziv, "admin") == "" && stripos($meni[$i]-
>naziv, "profile") == "" && stripos($meni[$i]-
>naziv, "new post") == "" && stripos($meni[$i]->naziv, "log out") == "") {
                               echo (">
                                      <a href='{$meni[$i]-</pre>
>putanja}'>{$meni[$i]->naziv}</a>
                                      ");
               </div>
           <div class="col-lg-3 col-md-6">
               <h3>Useful Links</h3>
               <l
                   <a href="assets/xml/sitemap.xml">Sitemap</a>
                   <a href="#">Documentation</a>
               </div>
           <div class="col-lg-3 col-md-6">
               <h3>Subscribe</h3>
               Subscribe to our newsletter.
               <form name=email-form method="POST" date-netlify='true'>
                  <div class="email-form">
```

```
<input type="email" name="email" id="emailFooter" class="</pre>
control" placeholder="Email" size='40'>
                         <button type="submit" value="Submit" class="form-</pre>
control submit">
                             <i class="fas fa-chevron-right"></i></i>
                         </button>
                    </div>
                </form>
            </div>
        </div>
    </div>
</footer>
<script src="https://code.jquery.com/jquery-3.6.0.min.js" integrity="sha256-</pre>
/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4=" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js</pre>
 ' integrity="sha384-
9/reFTGAW83EW2RDu2S0VKaIzap3H661ZH81PoYlFhbGU+6BZp6G7niu735Sk71N" crossorigin="an
onymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstrap.min.j</pre>
s" integrity="sha384-
w1Q4orYjBQndcko6MimVbzY0tgp4pWB41Z7lr30WKz0vr/aWKhXdBNmNb5D92v7s" crossorigin="an
onymous"></script>
<script src="assets/js/main.js" type="text/javascript"></script>
</body>
</html>
```

6.2 index.php

```
<div class="col-md-7 mt-5 p-4 ">
                <h2 class="mt-5">WatchTime Blog</h2>
                4">Welcome to WatchTime's blog - the watch collector's daily resource for the lat
est news on watches and the watch industry. We are one of the most popular watch b
logs in Europe!
                <a href="blog.php" class="my-btn mt-2 font-weight-bold rounded-</pre>
pill">See More</a>
            </div>
       </div>
   </div>
</section>
<section>
   <div class="container mt-5">
       <div class="row">
           <div class="col-md-12">
                <h3 class="title-
post">Newest Stories<span class="line"></span></h3>
            </div>
       </div>
   </div>
</section>
<section>
   <div class="container">
        <div class="row">
            <?php
            foreach ($newPosts as $post) :
                $shortDesc = substr($post->tekst, 0, 200);
                $shortDesc = stripslashes($shortDesc);
                $commentsByPost = getComments($post->id);
                <div class="col-md-6 col-lg-4 col-sm-12 my-4">
                    <div class="cardd">
                        <div class="card-header">
                            <a href="blog-details.php?id=<?= $post->id ?>">
                                <img src=" <?= $path . $post-</pre>
>src ?>" alt="<?= $post->naslov ?>" />
                            </a>
                        </div>
                        <div class="card-body">
                            <div class="w-100 d-flex justify-content-between">
                                <span class="tag"><?= $post->naziv ?></span>
                                <span class="ml-</pre>
3"><?= count($commentsByPost) ?><i class="ml-1 fas fa-comment"></i>
```

```
</div>
                            <a href="blog-details.php?id=<?= $post->id ?>">
                                <h4><?= stripslashes($post->naslov) ?></h4>
                            </a>
                            <?= $shortDesc ?> <a class="link" href="blog-</p>
details.php?id=<?= $post->id ?>">See more...</a>
                            <div class="user">
                                <div class="user-info">
                                    <h5><?= $post->ime . " " . $post-
>prezime ?></h5>
                                    <small><?= date("M d, Y", strtotime($post-</pre>
>datum)) ?></small>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            <?php
            endforeach;
       </div>
   </div>
</section>
<section class="baner my-5">
</section>
<section>
   <div class="container mt-5">
        <div class="row">
            <div class="col-md-12">
                <h3 class="title-
post">Most commented blogs<span class="line"></span></h3>
            </div>
       </div>
   </div>
</section>
<section>
   <div class="container">
       <div class="row">
            <?php
            foreach ($mostCommentPost as $post) :
                $shortDesc = substr($post->tekst, 0, 200);
                $shortDesc = stripslashes($shortDesc);
                $commentsByPost = getComments($post->id);
```

```
<div class="col-md-6 col-lg-4 col-sm-12 my-4">
                    <div class="cardd">
                        <div class="card-header">
                            <a href="blog-details.php?id=<?= $post->id ?>">
                                <img src=" <?= $path . $post-</pre>
>src ?>" alt="<?= $post->naslov ?>" />
                        </div>
                        <div class="card-body">
                            <div class="w-100 d-flex justify-content-between">
                                <span class="tag"><?= $post->naziv ?></span>
                                <span class="ml-</pre>
3"><?= count($commentsByPost) ?><i class="ml-1 fas fa-comment"></i></span>
                            </div>
                            <a href="blog-details.php?id=<?= $post->id ?>">
                                <h4><?= stripslashes($post->naslov) ?></h4>
                            </a>
                            <?= $shortDesc ?> <a class="link" href="blog-</pre>
details.php?id=<?= $post->id ?>">See more...</a>
                            <div class="user">
                                <div class="user-info">
                                    <h5><?= $post->ime . " " . $post-
>prezime ?></h5>
                                    <small><?= date("M d, Y", strtotime($post-</pre>
>datum)) ?></small>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            <?php
            endforeach;
        </div>
    </div>
</section>
<?php
include_once("fixed/footer.php");
```

6.3 blog.php

```
<?php
include_once("fixed/head.php");
include once("fixed/nav.php");
include_once("config/connection.php");
include_once("models/functions.php");
// var_dump($posts);
$path = "assets/uploaded img/";
$limit = isset($_GET['page']) ? $_GET['page'] : 0;
$posts = getAllPostsWithCatandAuthor($limit);
<section class="showcase-other mb-5">
    <div class="container">
        <div class="row">
            <div class="col-md-7 mt-5 p-4 ">
               <h1 class="logo">Blogs</h1>
               3">News and stories for all watch enthusiast
            </div>
       </div>
    </div>
</section>
<section class="section">
   <div class="container">
       <div class="row">
            <?php
            foreach ($posts as $post) :
               $shortDesc = substr($post->tekst, 0, 200);
               $shortDesc = stripslashes($shortDesc);
               $commentsByPost = getComments($post->id);
               <div class="col-md-6 col-lg-4 col-sm-12 my-4">
                    <div class="cardd">
                        <div class="card-header">
                            <a href="blog-details.php?id=<?= $post->id ?>">
                                <img src=" <?= $path . $post-</pre>
>src ?>" alt="<?= $post->naslov ?>" />
                            </a>
                        </div>
                        <div class="card-body">
```

```
<div class="w-100 d-flex justify-content-between">
                               <span class="tag"><?= $post->naziv ?></span>
                               <span class="ml-</pre>
3"><?= count($commentsByPost) ?><i class="ml-1 fas fa-comment"></i></span>
                           </div>
                           <a href="blog-details.php?id=<?= $post->id ?>">
                               <h4><?= stripslashes($post->naslov) ?></h4>
                           </a>
                           <?= $shortDesc ?> <a class="link" href="blog-</p>
details.php?id=<?= $post->id ?>">See more...</a>
                          <div class="user">
                               <div class="user-info">
                                  <h5><?= $post->ime . " " . $post-
>prezime ?></h5>
                                  <small><?= date("M d, Y", strtotime($post-</pre>
>datum)) ?></small>
                              </div>
                           </div>
                       </div>
                   </div>
               </div>
           <?php
           endforeach;
       </div>
   </div>
</section>
$numberofPages = numberOfPagess("postovi");
<section>
   <div class="container">
       <div class="row">
           <nav aria-label="Page navigation example" class="ml-auto">
               <?php
                   for ($i = 0; $i < $numberofPages; $i++) :</pre>
                       <a class="page-</pre>
link" href="blog.php?page=<?= $i ?>"><?= $i + 1 ?></a>
                   <?php
                   endfor;
```

6.4 login.php

```
<?php
include_once("fixed/head.php");
include once("fixed/nav.php");
include_once("config/connection.php");
// session_start();
?>
<section class="showcase-other mb-5">
   <div class="container">
        <div class="row">
           <div class="col-md-12 mt-5 p-4 ">
                <h1>Login</h1>
            </div>
       </div>
   </div>
</section>
<section>
    <div class="container">
        <div class="row">
            <div class="col-md-6 mx-auto">
                <h3 class="text-center my-3">Sign In</h3>
                <form class="mb-5">
                    <div class="form-group">
                        <label for="email">Email address</label>
                        <input type="email" class="form-control" id="email">
                        <small class="form-text text-</pre>
danger hide">Please enter a valid email adress.
                    </div>
                    <div class="form-group">
                        <label for="passwordLog">Password</label>
```

```
<input type="password" class="form-</pre>
control" id="passwordLog">
                         <small class="form-text text-</pre>
danger hide">Please enter a valid password.</small>
                    </div>
                    Don't have account? <a href="register.php" class="link">Si</a>
gn Up Here.</a>
                    <input type="button" id="btnLog" class="btn btn-</pre>
primary" value="Submit" />
                    <div id="msg"></div>
                </form>
            </div>
        </div>
    </div>
</section>
<?php
include_once("fixed/footer.php");
```

6.5 register.php

```
<?php
include_once("fixed/head.php");
include_once("fixed/nav.php");
include_once("config/connection.php");
<section class="showcase-other mb-5">
   <div class="container">
       <div class="row">
            <div class="col-md-7 mt-5 p-4 ">
                <h1>Register</h1>
            </div>
        </div>
   </div>
</section>
<section>
   <div class="container">
       <div class="row">
            <div class="col-md-6 mx-auto">
                <h3 class="text-center mb-4">Sign Up</h3>
                <form>
                    <div class="form-row">
                        <div class="form-group col-md-6">
```

```
<label for="fname">Frist Name</label>
                             <input type="text" class="form-control" id="fname">
                             <small class="form-text text-</pre>
danger hide">E.q John</small>
                         </div>
                         <div class="form-group col-md-6">
                             <label for="lname">Last Name</label>
                             <input type="text" class="form-control" id="lname">
                             <small class="form-text text-</pre>
danger hide">E.q. Doe</small>
                         </div>
                     </div>
                     <div class="form-group">
                         <label for="emailRegister">Email</label>
                         <input type="text" class="form-</pre>
control" id="emailRegister">
                         <small class="form-text text-</pre>
danger hide">E.q. johndoe@something.com</small>
                     </div>
                     <div class="form-group">
                         <label for="password">Password</label>
                         <input type="password" class="form-</pre>
control" id="password">
                         <small class="form-text text-</pre>
danger hide">Password must contain minimum eight characters, at least one upperca
se letter, one lowercase letter and one number.
                     <div class="form-group">
                         <label for="passwordRe">Confirm Password</label>
                         <input type="password" class="form-</pre>
control" id="passwordRe">
                         <small class="form-text text-</pre>
danger hide">Password don't match</small>
                     </div>
                     <input type="button" id="btnReg" class=" btn btn-</pre>
primary" value="Submit" />
                </form>
                 <div id="msg"></div>
            </div>
        </div>
    </div>
 /section>
```

```
<?php
include_once("fixed/footer.php");
?>
```

6.6 blog-details.php

```
<?php
include_once("config/connection.php");
include_once("fixed/head.php");
include once("fixed/nav.php");
if (isset($_GET['id'])) {
    $path = "assets/uploaded_img/";
    $idPost = $ GET["id"];
    $singlePost = getSinglePost($idPost);
    // var dump($singlePost);
    $commentsByPost = getComments($idPost);
    // var_dump($commentsByPost);
<div class="container py-5 ">
    <div class="row ">
        <div class="mx-auto col-md-9">
            <img src=" <?= $path . $singlePost->src ?>" alt="<?= $singlePost-</pre>
>naziv ?>">
        </div>
    </div>
</div>
<div class="container my-5 ">
    <div class="row ">
        <div class="col-md-12">
            <span class="tag text-uppercase"><?= $singlePost->naziv ?></span>
            <h2 class="proba2 mt-2"><?= stripslashes($singlePost->naslov) ?></h2>
            <div class="row mt-3">
                <div class="col-md-3">
                    By <?= $singlePost->ime . " " . $singlePost-
>prezime ?>
                </div>
                <div class="col-md-3">
                    <small><?= date("M d, Y", strtotime($singlePost-</pre>
>datum)) ?></small>
                </div>
                <div class="col-md-3">
                    <span class="ml-3"><?= count($commentsByPost) ?><i class="ml-</pre>
1 fas fa-comment"></i></span>
```

```
</div>
           </div>
           <?= stripslashes($singlePost->tekst) ?>
       </div>
    </div>
</div>
<div class="container mt-5">
   <h2 class="my-5">Comments:</h2>
   <?php
   if ($commentsByPost) :
       <?php
       foreach ($commentsByPost as $comm) :
           <div class="row">
               <div class="col-md-6"><?= $comm->ime . " " . $comm-
>prezime ?></div>
               <div class="col-md-6 text-
right"><?= date("M d, Y", strtotime($comm->vreme_unosa)) ?></div>
           </div>
           <div class="row my-3 py-3">
               <div class="col-md-12 white-color">
                   <?= stripslashes($comm->tekst) ?>
               </div>
           </div>
       <?php
       endforeach;
    <?php else : ?>
       <div class="container">
           <div class="row">
               <h5 class="white-color">No comments yet...</h5>
           </div>
       </div>
   <?php
   endif;
</div>
<?php
if (isset($_SESSION["user"])) :
```

```
<div class="container">
        <h4 class="white-color mb-3">Leave a comment:</h4>
        <div class="row">
            <div class="col-md-6">
                <form>
                    <textarea id="taComment" cols="50" rows="8" placeholder="Comm</pre>
ent here class="from-control p-2 w-100" data-idPost="<?= $singlePost-
>id ?>"></textarea><br>
                    <small class="form-text text-</pre>
danger hide">This field can't be blank.</small>
                    <input type="button" id="btnComm" class="btn btn-primary mt-</pre>
3" value="Comment">
                <div id="msg"></div>
            </div>
        </div>
    </div>
<?php else : ?>
    <div class="container">
        <div class="row">
            <div class="my-3">
                <h4>You must be registerd to leave a comment...</h4>
            </div>
        </div>
    </div>
<?php
endif
<?php
include_once("fixed/footer.php");
```

6..7 newpost.php

```
<?php
include_once("fixed/head.php");
include_once("fixed/nav.php");
include_once("config/connection.php");
include_once("models/functions.php");
if (!isset($_SESSION['user'])) {
    header('Location: err404.php');
}
$kategorije = getAll("kategorije");</pre>
```

```
var_dump($kategorije);
<section class="showcase-other mb-5">
   <div class="container">
       <div class="row">
           <div class="col-md-7 mt-5 p-4 ">
               <h1>Create Post</h1>
           </div>
       </div>
   </div>
</section>
<?php
if (isset($_SESSION["user"])) {
   $korisnik = $_SESSION["user"];
   echo "<div class='container'>
   <div class='row'>
       <div class='col-md-12 lead'><h4>Hello {$korisnik->ime},</h4></div>
   </div></div>";
if (isset($ GET["success"])) {
   echo "<div class='container'>
   <div class='row'>
3'>You have successfully post a blog.</div>
</div>";
<section class="mb-5">
   <div class="container text-center">
       <div class="row">
           <div class="col-md-12 mt-5 ">
               <h2 class="my-1">Tell us your passion about watches.</h2>
               3 lead">Share your story and make sure other people see!
       </div>
   </div>
</section>
<section>
   <div class="container text-center">
      <div class="row">
           <div class="col-md-8 mx-auto mt-4">
```

```
<form action="models/upload&editPost.php" method="POST" enctype="</pre>
multipart/form-data" onsubmit="return checkPost();">
                    <div class="form-group col-md-10">
                         <label for="postTitle">Title</label>
                         <input type="text" name="title" class="w-100 form-</pre>
control" id="postTitle">
                        <small class="form-text text-</pre>
danger hide">Title must start with a capital letter and must be in range [3-
80] characters</small>
                    <div class="form-group col-md-10 mt-4">
                         <label for="ddl">Category:</label>
                         <select name="ddlKat" id="ddl" class="form-control">
                             <option value="0">Please select</option>
                             <?php
                             foreach ($kategorije as $kat) :
                                 <option value="<?= $kat-</pre>
>id kategorije ?>"><?= $kat->naziv ?></option>
                             <?php
                             endforeach;
                         </select>
                        <small class="form-text text-</pre>
danger hide">You must choose category</small>
                    </div>
                    <div class="form-group col-md-10">
                         <label for="tekstPost">Post content:</label>
                         <textarea name="taPost" id="tekstPost" class="form-
control" rows="12"></textarea>
                        <small class="form-text text-</pre>
danger hide">Content must contain at least 150 characters.
                    </div>
                    <div class="form-group col-md-10">
                        <label for="imgPost">Image:</label>
                         <input type="file" name="filePost" id="file" class="form-</pre>
control-file">
                        <small class="form-text text-</pre>
danger hide">You must choose image</small>
                    </div>
                    <div class="form-group col-md-10">
                        <input type="submit" value="Create Post" name="btnSubmit"</pre>
 class="btn btn-primary w-100">
                   </div>
```

```
</form>
                <?php
               if (isset($_SESSION["errType"])) {
                    echo "<p class='alert alert-danger col-md-6 mt-
3'>" . $_SESSION["errType"] . "";
                   unset($_SESSION["errType"]);
               if (isset($_SESSION["errSize"])) {
                   echo "<p class='alert alert-danger col-md-6 mt-
3'>" . $_SESSION["errSize"] . "";
                   unset($_SESSION["errSize"]);
            </div>
       </div>
    </div>
</section>
<?php
include_once("fixed/footer.php");
```

6.8 profile.php

```
?>
<section class="showcase-other mb-5">
  <div class="container">
      <div class="row">
         <div class="col-md-7 mt-5 p-4 ">
            <h1>My profile</h1>
         </div>
      </div>
   </div>
</section>
<section class="mt-5">
   <div class="container">
     <div class="row">
         <div class="col-md-7">
            <h2 class="white-color mb-3">User information:</h2>
            <div class="d-flex">
               User:
               <?= $user->ime . " " . $user-
>prezime ?>
            </div>
            <div class="d-flex">
               Email:
               <?= $user->email ?>
            </div>
            <div class="d-flex">
               User ID:
               <?= $user->id ?>
            </div>
            <div class="d-flex">
               Member since:
               <?= date("M d, Y", strtotime($user-</pre>
>vreme)) ?>
            </div>
            <div class="d-flex">
               Role:
               <?= $user->uloga ?>
            </div>
         </div>
         <?php
         if (isset($_GET["edited"])) {
            echo "<div class='col-md-1 p-2'><p class='alert alert-
success'>Edited</div>";
```

```
<div class="col-md-4" id="msg"></div>
        <div class="col-md-12 mt-3">
           <h2 class="white-color mb-3">All posts:</h2>
           <?php
           if ($allPostsForUser) :
              <thead>
                    ID Post
                       Post
                       Date
                       Edit
                       Delete
                    </thead>
                 <?php
                    foreach ($allPostsForUser as $post) :
                       <?= $post->id_post ?>
                          <?= $post->naslov ?>
                          <?= date("M d, Y", strtotime($post-
>datum)) ?>
                          <a href="edit-post.php?id=<?= $post-
>id_post ?>" class="btn btn-primary editPost white-color">Edit</a>
                          <a href="#" class="btn btn-
danger deletePost white-color" data-idpost="<?= $post-</pre>
>id_post ?>">Delete</a>
                       <?php
                    endforeach;
                 <section>
                 <div class="container">
                    <div class="row">
                       <nav aria-
label="Page navigation example" class="mx-auto">
```

```
<?php
                                    for ($i = 0; $i < $numberofPages; $i++) :</pre>
                                       <a class="page-</pre>
link" href="profile.php?page=<?= $i ?>"><?= $i + 1 ?></a>
                                    <?php
                                    endfor;
                                </nav>
                         </div>
                     </div>
                 </section>
              <?php else : ?>
                  You don't have any posts...
              <?php
              endif;
          </div>
       </div>
   </div>
</section>
<?php
include_once("fixed/footer.php")
```

6.9 edit-post.php

```
<?php
include_once("fixed/head.php");
include_once("fixed/nav.php");
if (isset($_SESSION['user'])) {
    include_once("config/connection.php");
    if (isset($_GET['id'])) {
        $idPost = $_GET["id"];
        $kategorije = getAll("kategorije");
        $singlePost = getSinglePost($idPost);
    }
}

</pre>

</p
```

```
<div class="col-md-7 mt-5 p-4 ">
                <h1>Edit Post</h1>
            </div>
        </div>
    </div>
</section>
<section>
    <div class="container mx-auto">
        <div class="row">
            <div class="col-md-12">
                <form action="models/upload&editPost.php" method="POST" enctype="</pre>
multipart/form-data" onsubmit="return checkEditedPost();">
                    <div class="form-group col-md-12">
                         <label for="postTitle">Title</label>
                         <input type="text" name="title" class="form-</pre>
control" id="editTitle" value="<?= stripslashes($singlePost->naslov) ?>">
                         <small class="form-text text-</pre>
danger hide">Title must start with a capital letter and must be in range [3-
80] characters</small>
                    </div>
                    <div class="form-group col-md-12 mt-4">
                         <label for="ddl">Category:</label>
                         <select name="ddlKat" id="ddlEdit" class="form-control">
                             <option value="0">Please select</option>
                             foreach ($kategorije as $kat) :
                                 <?php
                                 if ($kat->id_kategorije == $singlePost-
>id_kategorije) :
                                     <option value="<?= $kat-</pre>
>id_kategorije ?>" selected><?= $kat->naziv ?></option>
                                 <?php else : ?>
                                     <option value="<?= $kat-</pre>
>id_kategorije ?>"><?= $kat->naziv ?></option>
                                 <?php
                                 endif;
                             <?php
                             endforeach;
                         </select>
```

```
<small class="form-text text-</pre>
danger hide">You must choose category</small>
                    </div>
                     <div class="form-group col-md-12">
                         <label for="editText">Post content:</label>
                         <textarea name="taPost" id="editText" class="form-</pre>
control" rows="12"><?= stripslashes($singlePost->tekst) ?></textarea>
                         <small class="form-text text-</pre>
danger hide">Content must contain at least 150 characters.
                     </div>
                     <div class="form-group col-md-12">
                         <label for="imgPost">Image:</label>
                         <input type="file" name="filePost" id="editFile" class="f</pre>
orm-control-file">
                         <small class="form-text text-</pre>
danger hide">You must choose image</small>
                    </div>
                     <div class="form-group col-md-12">
                         <input type="hidden" name="postID" value="<?= $singlePost</pre>
->id ?>">
                         <input type="submit" value="Edit Post" name="editSubmit"</pre>
class="btn btn-primary w-100">
                     </div>
                </form>
            </div>
        </div>
   </div>
</section>
<?php
include_once("fixed/footer.php");
```

7.0 contact.php

```
<div class="col-md-7 mt-5 p-4 ">
                <h1>Send a message</h1>
            </div>
       </div>
    </div>
</section>
<section>
    <div class="container">
        <h3 class="mb-2 white-
color">You have a question or you just want to tell us your opinion.</h3>
        Send a message...
        <div class="row">
            <div class="col-md-12">
                <form>
                    <div class="form-row">
                        <div class="form-group col-md-6">
                            <label for="subject">Subject</label>
                            <input type="text" class="form-control" id="subject">
                            <small class="form-text text-</pre>
danger hide">This field can't be blank
                        </div>
                        <div class="form-group col-md-6">
                            <label for="emailMsg">Email</label>
                            <input type="text" class="form-</pre>
control" id="emailMsg">
                           <small class="form-text text-</pre>
danger hide">E.q. johndoe@something.com</small>
                        </div>
                    </div>
                    <div class="form-group">
                        <label for="message">Message:</label>
                        <textarea id="message" class="form-
control" rows="12"></textarea>
                        <small class="form-text text-</pre>
danger hide">Message must contain at least 20 characters.</small>
                    </div>
                    <input type="button" id="btnMsg" class=" btn btn-</pre>
primary" value="Submit" />
                </form>
                <div id="msg"></div>
            </div>
        </div>
    </div>
```

```
</section>
</php
include_once("fixed/footer.php")
?>
```

7.1 author.php

```
<?php
include_once("fixed/head.php");
include once("fixed/nav.php");
<section class="author">
    <div class="container">
        <div class="row">
            <div class="col-md-6 my-5">
                <img src="assets/img/ja1.jpg" class="rounded" alt="autor">
            <div class="col-md-6 my-5">
                My name is Filip Lazarević. I come from Pancevo. I am 21 years ol
d and I am a student of ICT collage in Belgrade that recently became academy. I s
tarted doing programming a little over a year ago and I really liked it. I would
like to do it in the future. I spend my free time mostly with family and friends. T
hat's it from me.
            </div>
       </div>
    </div>
</section>
<?php
include_once("fixed/footer.php");
```

7.3 admin.php

```
<?php
session_start();
include_once("fixed/head.php");
if (isset($_SESSION['user']->uloga) == "Admin") {
```

```
include_once("config/connection.php");
   include once("models/functions.php");
   $admin = $_SESSION['user'];
   $allUsers = getAll("korisnici");
   $allPosts = getAll("postovi");
   $allCategories = getAll("kategorije");
} else {
   header("Location: err404.php");
<body>
   <nav class="navbar navbar-dark sticky-top bg-dark flex-md-nowrap p-0 shadow">
       <a class="navbar-brand col-md-3 col-lg-2 mr-0 px-</pre>
3" href="index.php"><i class="fas fa-arrow-left"></i> WatchTime Admin Panel</a>
   <div class="container">
       <div class="row">
          <nav id="sidebarMenu" class="col-md-3 col-lg-2 d-md-block bg-</pre>
dark sidebar collapse">
              <div class=" pt-3">
                  <a class="nav-link white-
color" id="allUsers" href="#">
                            All users
                         </a>
                     <a class="nav-link white-</pre>
color" id="allPosts" href="#">
                            All posts
                         </a>
                     <a class="nav-link white-
color" id="allCats" href="#">
                            All categories
                         </a>
                     <a class="nav-link white-color" id="survey" href="#">
                           Survey
```

```
</a>
                      </div>
           </nav>
       </div>
   </div>
   <main role="main" class="col-md-9 ml-sm-auto col-lg-10 px-md-4">
       <div class="d-flex justify-content-between flex-wrap flex-md-</pre>
nowrap align-items-center pt-3 pb-2 mb-3 border-bottom">
           <h1 class="h2">Dashboard</h1>
           Admin : <?= $admin->ime . " " . $admin-
>prezime ?>
       </div>
   </main>
   <section>
       <div class="container my-3">
           <div class="row mb-5">
              <div class="col-md-3 mr-4 cardd text-center p-3">
                  <i class="fas fa-user-friends fa-2x"></i></i>
                  <h4 class="p-1">Total users</h4>
                  <?= count($allUsers) ?>
              </div>
              <div class="col-md-3 mr-4 cardd text-center p-3">
                  <i class="fas fa-mail-bulk fa-2x"></i>
                  <h4 class="p-1">Total posts</h4>
                  <?= count($allPosts) ?>
              <div class="col-md-3 mr-4 cardd text-center p-3">
                  <i class="fas fa-money-check fa-2x"></i>
                  <h4 class="p-1">Total categories</h4>
                  <?= count($allCategories) ?>
              </div>
           </div>
       </div>
   </section>
   <div class="container my-5">
       <div class="row">
           <div class="col-md-12">
              <div id="msg"></div>
           </div>
       </div>
   </div>
   <div class="container">
```

7.4 err404.php

7.5 modals

7.5.1 proccessRegistration.php

```
<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    header("Content-type: application/json");
    include_once("../config/connection.php");
    include("functions.php");
    try {

    $fName = addslashes($_POST["fnameUI"]);</pre>
```

```
$1Name = addslashes($_POST["lnameUI"]);
        $email = addslashes($_POST["emailUI"]);
        $password = $_POST["passwordUI"];
        $passwordRe = $_POST["passwordReUI"];
        err = 0;
        reFristName = "/^([A-Z][a-z]{2,15})+$/";
        reLastName = "/^([A-Z][a-z]{2,20})+$/";
        reEmail = "/^([a-zA-Z0-9_\-\.]+)@([a-zA-Z0-9_\-\.]+)\.([a-zA-Z0-9_\-\.]+)
Z]{2,5})$/";
        rePassword = "/^(?=.*[a-z])(?=.*[A-Z])(?=.*d)[a-zA-Zd]{8,}$/";
        if (isset($fName)) {
            if (!preg_match($reFristName, $fName)) {
                $err++;
            }
        if (isset($1Name)) {
            if (!preg_match($reLastName, $1Name)) {
                $err++;
        if (isset($email)) {
            if (!preg_match($reEmail, $email)) {
                $err++;
        if (isset($password)) {
            if (!preg match($rePassword, $password)) {
                $err++;
        if (isset($passwordRe)) {
            if (!preg_match($rePassword, $passwordRe)) {
                $err++;
        if ($password !== $passwordRe) {
            $err++;
        $msg = '';
        if ($err == 0) {
           try {
```

```
$encryptedPass = md5($passwordRe);
                $status = 0;
                $roleId = 2;
                $insert = insertUser($fName, $lName, $email, $encryptedPass, $sta
tus, $roleId);
                if ($insert) {
                    $msg = ['msg' => 'You have successfully registered'];
                    echo json_encode($msg);
                    http_response_code(201);
            } catch (PDOException $exception) {
                http_response_code(500);
                $msg = ['msg' => "Oops,Email that you entered already exist."];
                echo json_encode($msg);
    } catch (PDOException $exception) {
        http_response_code(500);
} else {
   header("Location: ../err404.php");
```

7.5.2 proccessLogin.php

```
if (isset($_POST["passwordUI"])) {
   if (!preg_match($rePassword, $password)) {
        $err++;
$msg = "";
if ($err == 0) {
    $encryptedPass = md5($password);
    $login = logUser($email, $encryptedPass);
    if (!is_null($login->id)) {
        $_SESSION["user"] = $login;
        $msg = ["msg" => "You have successfully logged in"];
        http_response_code(200);
        echo json_encode($msg);
    } else {
        $msg = ["msg" => "Your password/email doesn't match"];
        http response code(401);
        echo json_encode($msg);
} else {
    header("Location: ../err404.php");
```

7.5.3 logout.php

```
<?php
session_start();
if (isset($_SESSION['user'])) {
    unset($_SESSION['user']);
    header("Location: ../index.php");
} else {
    header("Location: ../err404.php");
}</pre>
```

7.5.4 upload&editPost.php

```
<?php
session_start();</pre>
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_POST["btnSubmit"]) && isset($_POST["btnSubmit"])
SESSION["user"])) {
    include_once "../config/connection.php";
    include "functions.php";
    $file = $_FILES['filePost'];
    $name = $file["name"];
   $tmpFIle = $file["tmp_name"];
   $size = $file["size"];
    $type = $file["type"];
   $errFile = $file["error"];
    $title = addslashes($_POST["title"]);
    $titleRe = "/^([A-Z]|[0-9])[\sA-z\d.?,!_-]{2,78}$/";
    $category = $_POST["ddlKat"];
    $desc = addslashes($_POST["taPost"]);
    err = 0;
    //title provera
    if (isset($title)) {
       if (!preg_match($titleRe, $title)) {
            $err++;
    //katID provera
    $allCat = getAll("kategorije");
    $arrCat = [];
    foreach ($allCat as $c) {
        $arrCat[] = $c->id_kategorije;
    if (!in_array($category, $arrCat)) {
       $err++;
    //desc provera
    if (isset($desc)) {
       if (strlen($desc) < 100) {</pre>
            $err++;
    if ($err == 0 && $errFile == 0) {
        $uploadErr = 0;
        $imgFormat = ["image/jpg", "image/jpeg", "image/png"];
        if (!in_array($type, $imgFormat)) {
          $uploadErr++;
```

```
$_SESSION['errType'] = "Image format must be .jpg, .jpeg, .png ";
        if ($size > 200000) {
            $uploadErr++;
            $_SESSION['errSize'] = "Image can't be larger then 2mb";
        if ($uploadErr == 0) {
            $newFileName = time() . "-" . $name;
            $path = "../assets/uploaded_img/" . $newFileName;
            if (move_uploaded_file($tmpFIle, $path)) {
                $korisnik = $_SESSION["user"];
                $insertPost = insertPost($title, $desc, $korisnik-
>id, $category, $newFileName);
                if ($insertPost) {
                   header("Location: ../newpost.php?success=1");
        } else {
            header("Location: ../newpost.php");
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_POST["editSubmit"]) && isset(
$_SESSION["user"])) {
    include_once "../config/connection.php";
    include "functions.php";
   $file = $_FILES['filePost'];
   $name = $file["name"];
   $tmpFIle = $file["tmp_name"];
   $size = $file["size"];
   $type = $file["type"];
   $errFile = $file["error"];
   $postId = $_POST["postID"];
   $title = addslashes($ POST["title"]);
   $titleRe = "/^([A-Z]|[0-9])[\sA-z\d.?,!_-]{2,78}$/";
   $category = $_POST["ddlKat"];
   $desc = addslashes($_POST["taPost"]);
   err = 0;
   if (isset($title)) {
```

```
if (!preg_match($titleRe, $title)) {
            $err++;
    //katID provera
   $allCat = getAll("kategorije");
   $arrCat = [];
   foreach ($allCat as $c) {
        $arrCat[] = $c->id_kategorije;
    if (!in_array($category, $arrCat)) {
        $err++;
    //desc provera
   if (isset($desc)) {
       if (strlen($desc) < 100) {</pre>
            $err++;
    if ($err == 0 && $errFile == 0) {
        $uploadErr = 0;
        $imgFormat = ["image/jpg", "image/jpeg", "image/png"];
        if (!in_array($type, $imgFormat)) {
            $uploadErr++;
            $_SESSION['errType'] = "Image format must be .jpg, .jpeg, .png ";
        if ($size > 200000) {
            $uploadErr++;
            $_SESSION['errSize'] = "Image can't be larger then 2mb";
        if ($uploadErr == 0) {
            $newFileName = time() . "-" . $name;
            $path = "../assets/uploaded_img/" . $newFileName;
            if (move uploaded file($tmpFIle, $path)) {
                $korisnik = $_SESSION["user"];
                $updatePost = updatePost($title, $desc, $korisnik-
>id, $category, $newFileName, $postId);
                if ($updatePost) {
                    header("Location: ../profile.php?edited=1");
        } else {
           header("Location: ../newpost.php");
```

```
}
}
```

7.5.5 proccessEditPost.php

```
<?php
session_start();
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_POST["btnSubmit"]) && isset($_POST["btnSubmit"])
_SESSION["user"])) {
    include_once "../config/connection.php";
    include "functions.php";
    $file = $ FILES['filePost'];
    $name = $file["name"];
    $tmpFIle = $file["tmp_name"];
    $size = $file["size"];
    $type = $file["type"];
    $errFile = $file["error"];
    $title = addslashes($ POST["title"]);
    $titleRe = "/^([A-Z]|[0-9])[\sA-z\d.?,!_-]{2,78}$/";
    $category = $ POST["ddlKat"];
    $desc = addslashes($_POST["taPost"]);
    err = 0;
    if (isset($title)) {
        if (!preg_match($titleRe, $title)) {
            $err++;
    //katID provera
    $allCat = getAll("kategorije");
    $arrCat = [];
    foreach ($allCat as $c) {
        $arrCat[] = $c->id_kategorije;
    if (!in_array($category, $arrCat)) {
        $err++;
    //desc provera
```

```
if (isset($desc)) {
       if (strlen($desc) < 100) {</pre>
            $err++;
   if ($err == 0 && $errFile == 0) {
        $uploadErr = 0;
        $imgFormat = ["image/jpg", "image/jpeg", "image/png"];
        if (!in_array($type, $imgFormat)) {
            $uploadErr++;
            $_SESSION['errType'] = "Image format must be .jpg, .jpeg, .png ";
        if ($size > 200000) {
            $uploadErr++;
            $_SESSION['errSize'] = "Image can't be larger then 2mb";
        if ($uploadErr == 0) {
            $newFileName = time() . "-" . $name;
            $path = "../assets/uploaded_img/" . $newFileName;
            if (move_uploaded_file($tmpFIle, $path)) {
                $korisnik = $_SESSION["user"];
                $insertPost = insertPost($title, $desc, $korisnik-
>id, $category, $newFileName);
                if ($insertPost) {
                    header("Location: ../newpost.php?success=1");
        } else {
            header("Location: ../newpost.php");
```

7.5.6 proccessComment.php

```
<?php
session_start();
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_SESSION["user"])) {
    header("Content-type: application/json");
    include_once("../config/connection.php");
    include("functions.php");</pre>
```

```
$comment = addslashes($_POST["commentUI"]);
    $postId = $_POST['postIdUI'];
    $userId = $_SESSION["user"]->id;
    if (isset($comment) && isset($postId) && isset($userId)) {
        if (strlen($comment) > 2) {
            $insertComment = insertComm($comment, $postId, $userId);
            if ($insertComment) {
                $msg = ["msg" => "You have successfully post a comment"];
                http_response_code(201);
                echo json_encode($msg);
            } else {
                $msg = ['msg' => "Commenting this post is currently not available
 ];
                http_response_code(500);
                echo json_encode($msg);
        } else {
            $msg = ['msg' => "Comment must have at least 3 characters"];
            http_response_code(400);
            echo json_encode($msg);
    } else {
        $msg = ['msg' => "Error!"];
        http response code(400);
        echo json encode($msg);
} else {
    header("Location: ../err404.php");
```

7.5.7 proccessMessages.php

```
<?php
if ($_SERVER['REQUEST_METHOD'] == "POST") {
    header("Content-type: application/json");
    include_once '../config/connection.php';
    include_once 'functions.php';

$message = addslashes($_POST["messageUI"]);
    $subject = addslashes($_POST["subjectUI"]);
    $email = $_POST["emailMsgUI"];
    $reEmail = "/^([a-zA-ZO-9_\-\.]+)@([a-zA-ZO-9_\-\.]+)\.([a-zA-Z]{2,5})$/";</pre>
```

```
$subjectRe = "/^([A-Z]|[0-9])[\sA-Za-z\d.?,!_-]{2,19}$/";
   err = 0;
   if (isset($email)) {
       if (!preg_match($reEmail, $email)) {
            $err++;
   if (isset($message)) {
       if (strlen($message) < 20) {</pre>
            $err++;
   if (isset($subject)) {
       if (!preg_match($subjectRe, $subject)) {
            $err++;
   if ($err == 0) {
       try {
            $insertMsg = insertMsg($subject, $message, $email);
            if ($insertMsg) {
                $msg = ['msg' => 'You have successfully send a message'];
                echo json_encode($msg);
                http_response_code(201);
        } catch (PDOException $exception) {
            http_response_code(500);
            $msg = ['msg' => "There is some problems with a server..."];
            echo json encode($msg);
    } else {
       http_response_code(500);
        $msg = ['msg' => "There is a problem with message that you insert"];
        echo json encode($msg);
} else {
   header("Location: ../err404.php");
```

7.5.8 deletePost.php

```
<?php
session_start();
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_SESSION['user']-
>uloga) == "Admin") {
    header("Content-type: application/json");
    include_once("../config/connection.php");
    include_once("functions.php");
    $id = $ POST["idPost"];
    if (isset($id)) {
        $deletePost = delete($id, "postovi", "id_post");
        if ($deletePost) {
            $msg = ["msg" => "You have successfully deleted a post."];
            http_response_code(200);
            echo json_encode($msg);
        } else {
            $msg = ["msg" => "This post can't be deleted at this moment..."];
            http_response_code(500);
            echo json_encode($msg);
    } else {
        $msg = ['msg' => 'Error with reciving data'];
        http_response_code(500);
        echo json_encode($msg);
} else {
    header('Location: ../err404.php');
```

7.5.9 deleteUser.php

```
<?php
session_start();
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_SESSION['user']-
>uloga) == "Admin") {
    header("Content-type: application/json");
    include_once("../config/connection.php");
    include_once("functions.php");
    $id = $_POST["idUser"];
    if (isset($id)) {
```

7.5.10 addCategory.php

```
<?php
session_start();
if ($ SERVER['REQUEST METHOD'] == "POST" && $ SESSION["user"]-
>uloga == "Admin") {
    header("Content-type: application/json");
    include_once '../config/connection.php';
    include_once 'functions.php';
    $categories = addslashes($_POST["nameCatUI"]);
    categoriesRe = "/^([A-Z]|[0-9])[\sA-Za-z\d.?,!-]{2,48}$/";
    if (isset($categories)) {
        if (preg match($categoriesRe, $categories)) {
            try {
                $insertMsg = insertCategory($categories);
                if ($insertMsg) {
                    $msg = ['msg' => 'You have successfully add category'];
                    echo json encode($msg);
                    http_response_code(201);
```

```
} catch (PDOException $exception) {
        http_response_code(500);
        $msg = ['msg' => "There is some problems with a server..."];
        echo json_encode($exception);
    }
} else {
    http_response_code(500);
    $msg = ['msg' => "There is a problem with category that you insert"];
    echo json_encode($msg);
    }
} else {
    header("Location: ../err404.php");
}
```

7.5.11 adminGetCats.php

```
<?php
session start();
if (isset($_SESSION["user"]) && $_SESSION["user"]->uloga == "Admin") {
   include once("../config/connection.php");
   include_once("functions.php");
   header('Content-type: application/json');
   $limit = isset($ GET['limit']) ? $ GET['limit'] : 0;
   $allCats = getAllWithLimit($limit, "kategorije");
   $numberofPages = numberOfPagess("kategorije");
   if ($allCats) {
       $output = '';
       $output .= "<h3>All Categories</h3>";
       $output .= '<div class=" d-flex justify-content-end my-2 py-2">';
       $output .= '<input type="text" class="form-control mx-</pre>
2" id="addCategories">';
       $output .= '<input type="button" id="addCat" class="btn btn-</pre>
primary white-color" value="Add category"/>';
       $output .= '</div>';
       $output .= ' ';
       $output .= ' <thead>';
       $output .= ' ID Category';
       $output .= ' Category Name ';
       $output .= ' Delete';
       foreach ($allCats as $cats) {
           $output .= "";
```

```
$output .= "" . $cats->id_kategorije . "";
           $output .= "" . $cats->naziv . "";
          $output .= '<a href="#" class="btn btn-danger deleteCat white-</pre>
color" data-idcat="' . $cats->id_kategorije . '">Delete</a>';
       $output .= '</div>';
       $output .= '<section>';
       $output .= '<div class="container">';
       $output .= '<div class="row">';
       $output .= ' <nav aria-label="Page navigation example" class="mx-auto">';
       $output .= ' ';
       for ($i = 0; $i < $numberofPages; $i++) {</pre>
          $output .= '<a class="page-link link-limit-</pre>
cats" data-idcats="' . $i . '" href="#">' . $i + 1 . '</a>';
       $output .= '</nav></div></div></section>';
       http response code(200);
       echo json_encode($output);
   } else {
       $msg = array("msg" => "There is no categories right now.");
       http_response_code(500);
       echo json_encode($msg);
```

7.5.12 adminGetPosts.php

```
<?php
session_start();
if (isset($_SESSION["user"]) && $_SESSION["user"]->uloga == "Admin") {
    include_once("../config/connection.php");
    include_once("functions.php");
    header('Content-type: application/json');
    $limit = isset($_GET['limit']) ? $_GET['limit'] : 0;
    $allPosts = getAllPostsWithCatandAuthor($limit);
    $numberofPages = numberOfPagess("postovi");
    if ($allPosts) {
        $output = '';
        $output = '';
        $output .= "<h3>All Posts</h3>";
        $output .= ' ';
        $output .= ' <thead>';
        $output .= ' ID Post';
```

```
$output .= ' Post';
      $output .= ' User';
      $output .= ' Date Of Posting';
      $output .= ' Delete';
      foreach ($allPosts as $post) {
          $output .= "";
          $output .= "" . $post->id . "";
          $output .= "" . $post->naslov . "";
          $output .= "" . $post->ime . " " . $post->prezime . "";
         $output .= "" . date("M d, Y", strtotime($post-
>datum)) . "";
         $output .= '<a href="#" class="btn btn-danger deletePost white-</pre>
color" data-idpost="' . $post->idKor . '">Delete</a>';
      $output .= '</div>';
      $output .= '<section>';
      $output .= '<div class="container">';
      $output .= '<div class="row">';
      $output .= ' <nav aria-label="Page navigation example" class="mx-auto">';
      $output .= ' ';
      for ($i = 0; $i < $numberofPages; $i++) {</pre>
          $output .= '<a class="page-link link-limit-</pre>
post" data-idpos="' . $i . '" href="#">' . $i + 1 . '</a>';
      $output .= '</nav></div></section>';
      http response code(200);
      echo json encode($output);
      $msg = array("msg" => "There is no posts right now.");
      http response code(500);
      echo json_encode($msg);
```

7.5.13 adminGetSurveys.php

```
<?php
session_start();
if (isset($_SESSION["user"]) && $_SESSION["user"]->uloga == "Admin") {
    include_once("../config/connection.php");
    include_once("functions.php");
    header('Content-type: application/json');
```

```
$limit = isset($_GET['limit']) ? $_GET['limit'] : 0;
   $allSurv = getAllWithLimit($limit, "anketa");
   $numberofPages = numberOfPagess("anketa");
   if ($allSurv) {
       $output = '';
       $output .= "<h3>All Surveys</h3>";
       $output .= '<div class=" d-flex justify-content-end my-2 py-2">';
       $output .= '<input type="button" id="addSurv" class="btn btn-</pre>
primary white-color" value="Add survey"/>';
      $output .= '</div>';
       $output .= ' ';
       $output .= ' <thead>';
       $output .= ' ID Survey';
       $output .= ' Question ';
       $output .= ' Enable/Disable';
       $output .= ' Delete';
       foreach ($allSurv as $surv) {
          $output .= "";
          $output .= "" . $surv->id anketa . "";
          $output .= "" . $surv->pitanje . "";
          if ($surv->aktivna == 1) {
              $output .= '<a href="#" class="btn btn-</pre>
danger disableSurv white-color" data-idsurv="' . $surv-
>id_anketa . '">Disable</a>';
          } else {
              $output .= '<a href="#" class="btn btn-</pre>
primary enableSurv white-color" data-idsurv="' . $surv-
>id_anketa . '">Enable</a>';
          $output .= '<a href="#" class="btn btn-danger deleteSurv white-</pre>
color" data-idsurv="' . $surv->id_anketa . '">Delete</a>';
       $output .= '</div>';
       $output .= '<section>';
       $output .= '<div class="container">';
       $output .= '<div class="row">';
       $output .= ' <nav aria-label="Page navigation example" class="mx-auto">';
       $output .= ' ';
       for ($i = 0; $i < $numberofPages; $i++) {</pre>
          $output .= '<a class="page-link link-limit-</pre>
survey" data-idsurv="' . $i . '" href="#">' . $i + 1 . '</a>';
       $output .= '</nav></div></div></section>';
```

```
http_response_code(200);
    echo json_encode($output);
} else {
    $msg = array("msg" => "There is no surveys right now.");
    http_response_code(500);
    echo json_encode($msg);
}
```

7.5.14 adminGetUsers.php

```
<?php
session start();
if (isset($ SESSION["user"]) && $ SESSION["user"]->uloga == "Admin") {
   include_once("../config/connection.php");
   include_once("functions.php");
   header('Content-type: application/json');
   $limit = isset($ GET['limit']) ? $ GET['limit'] : 0;
   $allUsers = getAllWithLimit($limit, "korisnici");
   $numberofPages = numberOfPagess("korisnici");
   if ($allUsers) {
      $output = '';
      $output .= "<h3>All Users</h3>";
      $output .= ' ';
      $output .= ' <thead>';
      $output .= ' ID User';
      $output .= ' Full Name Post';
      $output .= ' Email';
      $output .= ' Date Registred';
      $output .= ' Delete';
      foreach ($allUsers as $user) {
         $output .= "";
         $output .= "" . $user->id korisnik . "";
         $output .= "" . $user->ime . " " . $user->prezime . "";
         $output .= "" . $user->email . "";
         $output .= "" . date("M d, Y", strtotime($user-
$output .= '<a href="#" class="btn btn-danger deleteUser white-</pre>
color" data-iduser="' . $user->id_korisnik . '">Delete</a>';
      $output .= '</div>';
      $output .= '<section>';
```

7.5.15 deleteCategory.php

```
<?php
session_start();
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_SESSION['user']-
>uloga) == "Admin") {
    header("Content-type: application/json");
    include_once("../config/connection.php");
    include_once("functions.php");
    $id = $_POST["idCat"];
    if (isset($id)) {
        $deletePost = delete($id, "kategorije", "id_kategorije");
        if ($deletePost) {
            $msg = ["msg" => "You have successfully deleted a category."];
            http response code(200);
            echo json_encode($msg);
        } else {
            $msg = ["msg" => "This post can't be category at this moment..."];
            http_response_code(500);
            echo json_encode($msg);
    } else {
       $msg = ['msg' => 'Error with reciving data'];
       http_response_code(500);
```

```
echo json_encode($msg);
}
} else {
  header('Location: ../err404.php');
}
```

7.5.16 deleteSurvey.php

```
<?php
session start();
if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_SESSION['user']-
>uloga) == "Admin") {
    header("Content-type: application/json");
    include_once("../config/connection.php");
    include_once("functions.php");
    $id = $ POST["idSurv"];
    if (isset($id)) {
        $deletePost = delete($id, "anketa", "id_anketa");
        if ($deletePost) {
            $msg = ["msg" => "You have successfully deleted a survey."];
            http_response_code(200);
            echo json_encode($msg);
        } else {
            $msg = ["msg" => "This post can't be survey at this moment..."];
            http response code(500);
            echo json_encode($msg);
    } else {
        $msg = ['msg' => 'Error with reciving data'];
        http_response_code(500);
        echo json_encode($msg);
} else {
    header('Location: ../err404.php');
```

7.5.17 insertSurvey.php

```
<?php
session_start();
```

```
if (
    isset($_POST["addSurvey"]) && isset($_SESSION["user"]) && $_SESSION["user"]-
>uloga == "Admin" &&
    $_SERVER['REQUEST_METHOD'] == 'POST'
) {
    include_once '../config/connection.php';
    include_once 'functions.php';
    $answer = $_POST['answer'];
    $question = $_POST['question'];
    questionRe = "/^([A-Z]|[0-9])[\sA-Za-z\d.?,!_-]{2,48}$/";
    err = 0;
    if (is_array($answer)) {
        foreach ($answer as $a) {
            if (!preg_match($questionRe, $a)) {
                $ SESSION['surrErr1'] = 'Answer must contain only letters
                    and must start with a capital letter.';
                header('Location: ../admin.php');
                die();
    if (isset($question)) {
        if (!preg_match($questionRe, $question)) {
            $_SESSION['surrErr2'] = 'Question must contain only letters,
           question mark and must start with a capital letter.';
            header("Location: ../admin.php");
            die();
    $insertSurv = insertSurv($question);
    global $conn;
    $lastId = $conn->lastInsertId();
    $errArray = [];
    foreach ($answer as $b) {
        $insertAnswers = insertAnswers($lastId, $b);
        if (!$insertAnswers) {
            $errArray[] = "Error with server";
    if (!count($errArray)) {
        $_SESSION['insertedSurvey'] = 'You have successfully added a survey.';
        header('Location: ../admin.php');
        die();
    } else {
```

7.5.19 proccessSurvey

```
<?php
session_start();
if (isset($_SESSION["user"]) && $_SERVER['REQUEST_METHOD'] == 'POST') {
    include_once '../config/connection.php';
    include_once 'functions.php';
    $idAnswear = $_POST["idAnswear"];
    $idSurvey = $_POST["idSurvey"];
    $idUser = $_SESSION["user"]->id;
    $insertAnswear = insertAnswers($idAnswear, $idSurvey, $idUser);
    if ($insertAnswear) {
        $_SESSION['surveySucc'] = 'Thank you for answering our survey!';
    } else {
        $_SESSION['surveyErr'] = 'There was an error with getting your
survey data.';
    }
} else {
    header("Location: ../err404.php");
}
```

7.5.20 functions.php

```
<?php
function getAll($table)
{
    global $conn;
    $query = "SELECT * FROM $table";
    $result = $conn->query($query)->fetchAll();
    return $result;
}
```

```
function insertUser($fName, $1Name, $email, $encryptedPass, $status, $roleId)
    global $conn;
    $query = "INSERT INTO korisnici (ime,prezime,email,lozinka,id_uloge,je_aktiva
n) VALUES (:ime, :prezime,:email,:lozinka,:id_uloge,:je_aktivan)";
    $insert = $conn->prepare($query);
    $insert->bindParam(":ime", $fName);
    $insert->bindParam(":prezime", $1Name);
    $insert->bindParam(":email", $email);
    $insert->bindParam(":lozinka", $encryptedPass);
    $insert->bindParam(":id_uloge", $roleId);
    $insert->bindParam(":je_aktivan", $status);
    $result = $insert->execute();
    return $result;
function logUser($email, $encryptedPass)
    global $conn;
    $query = "SELECT k.id_korisnik AS id,k.ime,k.prezime,k.email,k.vreme_registra
cije AS vreme,u.naziv AS uloga,COUNT(ko.id_komentar) AS brojKomentara,COUNT(p.id_
post) AS brojPostova FROM korisnici k INNER JOIN uloge u ON k.id_uloge = u.id_ulo
ge INNER JOIN postovi p ON p.id_korisnik = k.id_korisnik INNER JOIN komentari ko
ON ko.id korisnik = k.id korisnik
   WHERE k.email = :email AND k.lozinka = :pass";
    $select = $conn->prepare($query);
    $select->bindParam("email", $email);
    $select->bindParam(":pass", $encryptedPass);
    $select->execute();
    $result = $select->fetch();
    return $result;
function insertPost($title, $desc, $id, $category, $newFileName)
    global $conn;
    $query = "INSERT INTO postovi (naslov, tekst, id korisnik, id kategorije, slika s
rc)VALUES(:naslov,:tekst,:id_kor,:id_kat,:putanja)";
    $insert = $conn->prepare($query);
    $insert->bindParam(":naslov", $title);
   $insert->bindParam(":tekst", $desc);
```

```
$insert->bindParam(":id_kor", $id);
    $insert->bindParam(":id_kat", $category);
    $insert->bindParam(":putanja", $newFileName);
    $result = $insert->execute();
    return $result;
define("OFFSET_POSTS", 6);
function getAllPostsWithCatandAuthor($limit = 0)
    global $conn;
    $query = "SELECT p.id_post AS id,p.naslov,p.tekst,p.datum,k.ime,k.prezime,k.i
d_korisnik AS idKor,p.slika_src AS src,kat.naziv FROM postovi p INNER JOIN korisn
ici k ON p.id korisnik = k.id korisnik INNER JOIN kategorije kat ON p.id kategori
je = kat.id_kategorije LIMIT :limit ,:offset";
    $select = $conn->prepare($query);
    $limit *= OFFSET POSTS;
    $select->bindParam(":limit", $limit, PDO::PARAM INT);
    $offset = OFFSET POSTS;
    $select->bindParam(":offset", $offset, PDO::PARAM_INT);
    $select->execute();
    $result = $select->fetchAll();
    return $result;
function countRows($table)
    global $conn;
    $query = "SELECT COUNT(*) AS postsNumber FROM $table";
    $select = $conn->query($query)->fetch();
    return $select;
function numberOfPagess($table)
    $numberofrows = countRows($table);
    $numberofPages = ceil($numberofrows->postsNumber / OFFSET_POSTS);
    return $numberofPages;
function getNewestPosts()
    define("OFFSET_NEWESTPOST", 3);
    define("LIMIT NEWESTPOST", 0);
```

```
global $conn;
    $query = "SELECT p.id_post AS id,p.naslov,p.tekst,p.datum,k.ime,k.prezime,p.
slika_src AS src,kat.naziv FROM postovi p INNER JOIN korisnici k ON p.id_korisnik
 = k.id_korisnik INNER JOIN kategorije kat ON p.id_kategorije = kat.id_kategorije
ORDER BY p.datum DESC LIMIT :limit,:offset ";
    $select = $conn->prepare($query);
   $limit = LIMIT_NEWESTPOST;
   $select->bindParam(":limit", $limit, PDO::PARAM_INT);
   $offset = OFFSET NEWESTPOST;
   $select->bindParam(":offset", $offset, PDO::PARAM_INT);
   $select->execute();
   $result = $select->fetchAll();
    return $result;
function getSinglePost($id)
    global $conn;
    $query = "SELECT p.id post AS id,p.naslov,p.tekst,p.datum,k.ime,k.prezime,p.
slika_src AS src,kat.naziv,kat.id_kategorije FROM postovi p INNER JOIN korisnici
k ON p.id_korisnik = k.id_korisnik INNER JOIN kategorije kat ON p.id_kategorije =
 kat.id_kategorije WHERE p.id_post = :id";
   $select = $conn->prepare($query);
   $select->bindParam(":id", $id);
   $select->execute();
    $result = $select->fetch();
    return $result;
function insertComm($comment, $postId, $userId)
    global $conn;
    $query = "INSERT INTO komentari (tekst,id_post,id korisnik) VALUES (:tekst,:p
ostId,:userId)";
   $insert = $conn->prepare($query);
    $insert->bindParam(":tekst", $comment);
   $insert->bindParam(":postId", $postId);
   $insert->bindParam(":userId", $userId);
   $result = $insert->execute();
    return $result;
function getComments($id)
   global $conn;
```

```
$query = "SELECT ko.tekst,ko.vreme_unosa,k.ime,k.prezime FROM komentari ko IN
NER JOIN korisnici k ON ko.id_korisnik = k.id_korisnik WHERE ko.id post = :id";
    $select = $conn->prepare($query);
    $select->bindParam(":id", $id);
    $select->execute();
    $result = $select->fetchAll();
    return $result;
function mostPopularPost()
    define("OFFSET_MOSTPOPULAR", 3);
    define("LIMIT_MOSTPOPULAR", 0);
    global $conn;
    $query = "SELECT p.id_post AS id,p.naslov,p.tekst,p.datum,k.ime,k.prezime,p.s
lika src AS src,kat.naziv,COUNT(ko.id komentar) AS brKomenatara FROM postovi p IN
NER JOIN korisnici k ON p.id_korisnik = k.id_korisnik INNER JOIN kategorije kat O
N p.id kategorije = kat.id kategorije INNER JOIN komentari ko ON p.id_post = ko.i
d_post GROUP BY p.id_post,p.naslov,p.tekst,p.datum,k.ime,k.prezime,p.slika_src,ka
t.naziv ORDER BY COUNT(ko.id komentar) DESC LIMIT :limit,:offset ";
    $select = $conn->prepare($query);
    $limit = LIMIT_MOSTPOPULAR;
    $select->bindParam(":limit", $limit, PDO::PARAM_INT);
    $offset = OFFSET MOSTPOPULAR;
    $select->bindParam(":offset", $offset, PDO::PARAM_INT);
    $select->execute();
    $result = $select->fetchAll();
    return $result;
define("OFFSET_LINKS", 5);
function allPostsForUSer($id, $limit)
    global $conn;
    $query = "SELECT * FROM postovi WHERE id_korisnik = :id LIMIT :limit,:offset"
    $select = $conn->prepare($query);
    $select->bindParam(":id", $id);
    $limit *= OFFSET LINKS;
    $select->bindParam(":limit", $limit, PDO::PARAM_INT);
    $offset = OFFSET_LINKS;
    $select->bindParam(":offset", $offset, PDO::PARAM_INT);
    $select->execute();
    $result = $select->fetchAll();
   return $result;
```

```
function countRowsForUser($id)
    global $conn;
    $query = "SELECT COUNT(*) AS postsNumber FROM postovi WHERE id korisnik = :id
    $select = $conn->prepare($query);
    $select->bindParam(":id", $id);
    $select->execute();
    $result = $select->fetch();
    return $result;
function numberOfPagesForUser($rows)
    $numberofPages = ceil($rows->postsNumber / OFFSET POSTS);
    return $numberofPages;
function delete($id, $table, $col)
   global $conn;
   $query = "DELETE FROM $table WHERE $col = :id";
    $delete = $conn->prepare($query);
    $delete->bindParam(":id", $id);
    $result = $delete->execute();
    return $result;
function updatePost($title, $desc, $id kor, $category, $newFileName, $id post)
    global $conn;
    $query = "UPDATE postovi SET naslov = :naslov,tekst = :tekst,id korisnik = :i
d_kor,id_kategorije = :id_kat,slika_src = :src WHERE id_post = :id_post";
    $update = $conn->prepare($query);
    $update->bindParam(":naslov", $title);
    $update->bindParam(":tekst", $desc);
    $update->bindParam(":id_kor", $id_kor);
    $update->bindParam(":id_kat", $category);
    $update->bindParam(":src", $newFileName);
    $update->bindParam(":id_post", $id_post);
    $result = $update->execute();
    return $result;
function getAllWithLimit($limit = 0, $table)
```

```
global $conn;
    $query = "SELECT * from $table LIMIT :limit ,:offset";
   $select = $conn->prepare($query);
    $limit *= OFFSET_POSTS;
   $select->bindParam(":limit", $limit, PDO::PARAM_INT);
   $offset = OFFSET POSTS;
   $select->bindParam(":offset", $offset, PDO::PARAM_INT);
   $select->execute();
   $result = $select->fetchAll();
   return $result;
function insertMsg($subject, $message, $email)
   global $conn;
   $query = "INSERT INTO poruke (email, tema, tekst) VALUES (:email, :subj,:msg)";
   $insert = $conn->prepare($query);
   $insert->bindParam(":email", $email);
   $insert->bindParam(":subj", $subject);
   $insert->bindParam(":msg", $message);
   $result = $insert->execute();
   return $result;
function insertCategory($categories)
   global $conn;
   $query = "INSERT INTO kategorije (naziv) VALUES (:naziv)";
   $insert = $conn->prepare($query);
   $insert->bindParam(":naziv", $categories);
   $result = $insert->execute();
    return $result;
function insertSurv($question)
    global $conn;
   $query = "INSERT INTO anketa (pitanje,aktivna) VALUES (:question,:active)";
   $active = 0;
   $insert = $conn->prepare($query);
   $insert->bindParam(":question", $question, PDO::PARAM_STR);
   $insert->bindParam(":active", $active, PDO::PARAM INT);
```

```
$result = $insert->execute();
    return $result;
function insertAnswers($lastId, $a)
    global $conn;
    $upit = "INSERT INTO anketa_odgovori (odgovor, id_anketa) VALUES
(:odgovor, :id)";
    $prepare = $conn->prepare($upit);
   $prepare->bindParam(":odgovor", $a, PDO::PARAM_STR);
   $prepare->bindParam(":id", $lastId, PDO::PARAM_INT);
   $prepare->execute();
   $res = $prepare->rowCount();
   return $res;
function getActiveSurvey()
   global $conn;
   $aktivna = 1;
   $query = "SELECT * FROM anketa WHERE aktivna = :aktivna";
    $prepare = $conn->prepare($query);
   $prepare->bindParam(":aktivna", $aktivna, PDO::PARAM_INT);
   $prepare->execute();
   $res = $prepare->fetch();
   return $res;
function getOptions($id)
   global $conn;
   $query = "SELECT * FROM anketa_odgovori WHERE id anketa = :id";
   $prepare = $conn->prepare($query);
   $prepare->bindParam(":id", $id, PDO::PARAM_INT);
   $prepare->execute();
   $res = $prepare->fetchAll();
   return $res;
function insertAnswears($idAnswear, $idSurvey, $idUser)
    global $conn;
   $query = "INSERT INTO anketa_korisnik_odgovor (id_odgovor, id_korisnik,
    id anketa) VALUES (:answear, :user, :survey)";
   $insert = $conn->prepare($query);
   $insert->bindParam(":answear", $idAnswear, PDO::PARAM_INT);
```

```
$insert->bindParam(":user", $idUser, PDO::PARAM_INT);
$insert->bindParam(":survey", $idSurvey, PDO::PARAM_INT);
$result = $insert->execute();
return $result;
}
```

7.6 config

7.6.1 connection.php

```
<?php
include("php.ini");
try {
    $conn = new PDO("mysql:host=$serverBaze;dbname=$bazaPodataka;charset=utf8", $
username, $password);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
} catch (PDOException $e) {
    echo $e->getMessage();
}
```

7.6.2 php.ini

```
<?php
    $serverBaze = "sql211.epizy.com";
    $username = "epiz_28450086";
    $password= "up3uprjscVXCx";
    $bazaPodataka = "epiz_28450086_watchtime";
?>
```

7.7 CSS

7.7.1 style.css

```
@import url("https://fonts.googleapis.com/css2?family=Lato&display=swap");
:root {
    --secondary-color: #fcb891;
```

```
--primary-color: #252523;
  --font-color: #bbb7b7;
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  overflow-x: hidden;
body {
  font-family: "Lato", sans-serif;
 background-color: var(--primary-color);
  color: var(--font-color) !important;
 text-decoration: none !important;
  color: var(--font-color) !important;
ul {
  list-style: none !important;
img {
  width: 100%;
.hide {
  display: none;
.err {
  border: 3px solid red;
.succ {
  border: 3px solid green;
/* nav */
nav {
  font-size: 16px;
.navbar-brand {
  font-size: 1.6rem;
.logo {
  color: var(--secondary-color);
#navbarNav a:hover {
```

```
color: var(--secondary-color) !important;
.navbar-toggler {
 background: var(--secondary-color);
.showcase {
 width: 100%;
 height: 450px;
 background: url("../img/showcase.jpg") center center / cover no-repeat;
 position: relative;
 color: #fff;
 overflow-y: hidden;
showcase-other {
 width: 100%;
 height: 250px;
 background: url("../img/showcase2.jpg") center center / cover no-repeat;
 position: relative;
 color: #fff;
.showcase-other h1 {
 color: var(--font-color);
.showcase::before,
showcase-other::before,
.baner::before {
 content: "";
 position: absolute;
 width: 100%;
 height: 100%;
 background: rgb(0, 0, 0, 0.5);
.showcase p {
 line-height: 1.6;
 font-size: 22px;
.baner {
 height: 250px;
 background: url("../img/baner2.jpg") fixed center / cover no-repeat;
 position: relative;
.my-btn {
```

```
background: var(--secondary-color);
 padding: 8px 30px;
 display: inline-block;
 color: #fff !important;
 border: 1px solid var(--secondary-color);
.my-btn:hover {
 background-color: transparent;
 transition: 0.5s;
.link {
 text-decoration: underline !important;
 font-size: 16px;
.section {
 margin: 100px 0 30px;
.author {
 margin: 140px 0;
.title-post {
 position: relative;
 overflow: hidden;
 padding: 10px;
.line {
 position: absolute;
 width: 50px;
 height: 2px;
 background-color: var(--secondary-color);
 bottom: 0%;
 left: 1%;
cardd {
 background: rgba(61, 55, 55, 0.733);
 border-radius: 10px;
 box-shadow: 0 2px 20px rgba(0, 0, 0, 0.1);
 overflow: hidden;
 width: 350px;
 color: #fff;
.card-header img {
 width: 100%;
 height: 200px;
```

```
object-fit: cover;
.card-body {
 display: flex;
 flex-direction: column;
 align-items: start;
 padding: 20px;
 min-height: 250px;
.tag {
 background-color: var(--secondary-color);
 border-radius: 50px;
 font-size: 12px;
 margin: 0;
 color: #000;
 padding: 2px 10px;
 text-transform: uppercase;
card-body h4 {
 margin: 10px 0;
.card-body p {
 font-size: 13px;
 margin: 10px 0 30px;
.user-info h5 {
 margin: 0;
.user-info small {
 color: #888785;
.page-link {
 padding: 10px 20px !important;
 background-color: rgba(61, 55, 55, 0.733) !important;
 border: 1px solid var(--font-color) !important;
/* footer */
.section-footer {
 background: rgb(27, 27, 27);
 color: #fff;
 padding: 4rem 0;
.section-footer h2 {
 font-size: 2rem;
```

```
margin-bottom: 1rem;
.section-footer h3 {
 margin-bottom: 0.7rem;
.section-footer a {
 line-height: 1.9;
 color: #ccc;
.section-footer a > i {
 color: #555;
 margin-right: 0.5rem;
email-form {
 width: 100%;
 display: inline-block;
 background-color: #555;
 position: relative;
 border-radius: 20px;
 line-height: 0;
 margin-top: 1rem;
email-form .control {
 display: inline-block;
 border: 0;
 outline: 0;
 font-size: 1rem;
 color: #ddd;
 background-color: transparent;
 font-family: inherit;
 margin: 0;
 padding: 0 3rem 0 1.5rem;
 width: 100%;
 height: 45px;
 border-radius: 20px;
email-form .submit {
 display: inline-block;
 position: absolute;
 top: 0;
 right: 0;
 width: 45px;
 height: 45px;
 background-color: #eee;
```

```
font-size: 1rem;
text-align: center;
margin: 0;
padding: 0;
outline: 0;
border: 0;
color: #333;
cursor: pointer;
border-radius: 0 20px 20px 0;
}
@media screen and (max-width: 750px) {
   .showcase p {
    font-size: 17px;
   }
}
.white-color {
   color: #fff !important;
   line-height: 1.6;
}
```

7.7.2 dashboard.css

```
body {
  font-size: 0.875rem;
}

/*
  * Sidebar
  */

.sidebar {
  position: fixed;
  top: 0;
  bottom: 0;
  left: 0;
  z-index: 100; /* Behind the navbar */
  padding: 48px 0 0; /* Height of navbar */
  box-shadow: inset -1px 0 0 rgba(0, 0, 0, 0.1);
}

@media (max-width: 767.98px) {
  .sidebar {
```

```
top: 5rem;
.sidebar-sticky {
 position: relative;
 top: 0;
 height: calc(100vh - 48px);
 padding-top: 0.5rem;
 overflow-x: hidden;
 overflow-
y: auto; /* Scrollable contents if viewport is shorter than content. */
.sidebar .nav-link {
 font-weight: 500;
 color: #333;
.sidebar-heading {
 font-size: 0.75rem;
 text-transform: uppercase;
#sidebarMenu a {
  font-size: 1.2rem;
   * Navbar
.navbar-brand {
 padding-top: 0.75rem;
 padding-bottom: 0.75rem;
 font-size: 1.3rem;
 box-shadow: inset -1px 0 0 rgba(0, 0, 0, 0.25);
.navbar .navbar-toggler {
 top: 0.25rem;
 right: 1rem;
```

7.8 main.js

```
window.onload = function(){
    function fetchAjax(url,method,funcSucc,funcErr,dataUI){
            $.ajax({
               url : url,
               method : method,
               dataType : "json",
               data : dataUI,
                success : function(data){
                   // console.log(data)
                    funcSucc(data);
                },
               error : function(xhr){
                    funcErr(xhr)
          });
       }catch(e){
          console.log(e);
  var location = window.location.pathname;
   //console.log(location);
  //registracija
   var reEmail = /^{(a-zA-Z0-9 -..)}@([a-zA-Z0-9 -..]+).([a-zA-Z]{2,5})$/;
   var rePassword = /^{?=.*[a-z]}(?=.*[A-Z])(?=.*d)[a-zA-Zd]{8,}$/;
   var reFristName = /^([A-Z][a-z]{2,15})+$/;
   var reLastName = /^([A-Z][a-z]{2,20})+$/;
  if(location == '/phpSajt/register.php'){
    btnReg.addEventListener('click',function(){
         let fname = document.querySelector('#fname');
        let lname = document.querySelector('#lname');
        let emailRegister = document.querySelector('#emailRegister');
         let password = document.querySelector('#password');
         let passwordRe = document.querySelector('#passwordRe');
        var err = 0;
        validRegex(fname,reFristName);
        validRegex(lname, reLastName);
         validRegex(emailRegister,reEmail);
```

```
validRegex(password, rePassword);
        if(password.value !== passwordRe.value){
           passwordRe.nextElementSibling.classList.remove('hide');
           passwordRe.classList.add('err')
           err++;
        }else{
            if(passwordRe.value.length > 1){
               passwordRe.classList.remove('err');
               passwordRe.classList.add('succ');
               passwordRe.nextElementSibling.classList.add('hide');
        function validRegex(obj,reg){
           if(!reg.test(obj.value)){
               obj.classList.add('err');
               obj.nextElementSibling.classList.remove('hide');
            }else{
               obj.classList.remove('err');
               obj.classList.add('succ');
               obj.nextElementSibling.classList.add('hide');
          if(err==0){
              let dataUI = {
                  fnameUI : fname.value,
                  lnameUI : lname.value,
                  emailUI : emailRegister.value,
                  passwordUI : password.value,
                  passwordReUI : passwordRe.value
             fetchAjax("models/processRegistration.php","POST",regSucc,regErr,da
taUI);
          }
    })
  function regSucc(data){
   msg.innerHTML = `${data.msg}`;
   setTimeout(function(){
   window.location.href = 'login.php';
   }, 2000);
```

```
function regErr(xhr){
       msg.innerHTML = `
5">${JSON.parse(xhr.responseText).msg}`;
       clearInput(fname);
       clearInput(lname);
       clearInput(emailRegister);
       clearInput(password);
       passwordRe.value = '';
   function clearInput(obj){
       obj.value = '';
       obj.classList.remove('succ');
   if(location == '/phpSajt/contact.php'){
   btnMsg.addEventListener('click',function(){
       let subject = document.querySelector('#subject');
       let emailMsg = document.querySelector('#emailMsg');
       let message = document.querySelector('#message');
       var err = 0;
       let subjectRe = /^([A-Z]|[0-9])[\sA-Za-z\d.?,!_-]{2,19}$/;
       validRegex(subject, subjectRe);
       validRegex(emailMsg,reEmail);
       function validRegex(obj,reg){
          if(!reg.test(obj.value)){
              obj.classList.add('err');
              obj.nextElementSibling.classList.remove('hide');
              err++;
           }else{
              obj.classList.remove('err');
              obj.classList.add('succ');
              obj.nextElementSibling.classList.add('hide');
         if(message.value < 20){</pre>
           message.classList.add('err');
           message.classList.remove('succ');
           message.nextElementSibling.classList.remove('hide');
               err++;
       }else{
           message.classList.remove('err');
           message.classList.add('succ');
           message.nextElementSibling.classList.add('hide')
```

```
if(err==0){
             let dataUI = {
              subjectUI : subject.value,
               emailMsgUI : emailMsg.value,
              messageUI : message.value,
            fetchAjax("models/proccessMessages.php","POST",msgSucc,msgErr,dataUI
);
   })
  function msgSucc(data){
       msg.innerHTML = `${data.msg}`;
       setTimeout(function(){
       window.location.reload();
       }, 2000);
  function msgErr(xhr){
       msg.innerHTML = `
5">${JSON.parse(xhr.responseText).msg}`;
       setTimeout(function(){
           msg.innerHTML = '';
       }, 2000);
  }
  if(location == "/phpSajt/login.php"){
   //event za logovanje
   btnLog.addEventListener('click',function(){
       let email = document.querySelector('#email');
       let passwordLog = document.querySelector('#passwordLog');
       let err = 0;
       if(!reEmail.test(email.value)){
           email.classList.add('err');
           email.nextElementSibling.classList.remove('hide');
              err++;
       }else{
           email.classList.remove('err');
           email.classList.add('succ');
           email.nextElementSibling.classList.add('hide');
        if(!rePassword.test(passwordLog.value)){
```

```
passwordLog.classList.add('err');
           passwordLog.nextElementSibling.classList.remove('hide');
               err++;
       }else{
           passwordLog.classList.remove('err');
           passwordLog.classList.add('succ');
           passwordLog.nextElementSibling.classList.add('hide');
        if(err == 0){
           let dataUI = {
               emailUI : email.value,
               passwordUI : passwordLog.value,
           fetchAjax("models/processLogin.php","POST",logSucc,logErr,dataUI)
   })
   function logSucc(data){
       msg.innerHTML = `${data.msg}`;
       setTimeout(function(){
       window.location.href = 'profile.php';
       }, 1000);
   function logErr(xhr){
       msg.innerHTML = `
5">${JSON.parse(xhr.responseText).msg}`;
       setTimeout(function(){
           msg.innerHTML = '';
       },1000);
       clearInput(email);
       clearInput(passwordLog);
   //event za dugme za komentare
  if(location == "/phpSajt/blog-details.php"){
   // alert("tu");
   btnComm.addEventListener('click',function(){
       let comment = document.querySelector("#taComment");
       if(comment.value.length < 2){</pre>
           comment.classList.add('err');
           comment.classList.remove('succ');
           comment.nextElementSibling.nextElementSibling.classList.remove('hide'
);
       else{
```

```
comment.classList.remove('err');
          comment.classList.add('succ');
          comment.nextElementSibling.nextElementSibling.classList.add('hide')
          let dataUI = {
              commentUI : comment.value,
              postIdUI : comment.dataset.idpost
          };
          fetchAjax("models/processComment.php","POST",commSucc,commErr,dataUI)
   });
   function commSucc(data){
       msg.innerHTML = `${data.msg}`;
       setTimeout(function(){
          window.location.reload();
       },1000);
   function commErr(xhr){
       msg.innerHTML = `
5">${JSON.parse(xhr.responseText).msg}`;
  if(location == "/phpSajt/profile.php" || location == "/phpSajt/admin.php"){
   $(document).on("click",".deletePost",function(e){
      e.preventDefault();
      let id = this.dataset.idpost;
      dataUI = {
          idPost : id
      };
   fetchAjax("models/deletePost.php", "POST", proba1, proba2, dataUI);
   });
  function proba1(data){
   msg.innerHTML = `${data.msg}`;
   setTimeout(function(){
       window.location.reload();
   },1000);
   function proba2(xhr){
       msg.innerHTML = `
5">${JSON.parse(xhr.responseText).msg}`;
       setTimeout(function(){
          msg.innerHTML = '';
      },2000);
```

```
if(location == "/phpSajt/admin.php"){
       $("#allUsers").on("click",function(){
           $.ajax({
               url : 'models/adminGetUsers.php',
               dataType : 'json',
               type : 'GET',
               success : function(result){
               adminContent.innerHTML = result;
               },
               error: function(xhr){
                  adminContent.innerHTML = `${JSON.parse(xhr.re
sponseText).msg}`;
           })
       });
       $(document).on("click",".link-limit-user",function(){
           let limitNum = this.dataset.idusers;
           $.ajax({
               url : 'models/adminGetUsers.php',
               dataType : 'json',
               method : 'GET',
               data : {
                   limit :limitNum
               },
               success : function(result){
               adminContent.innerHTML = result;
               error: function(xhr){
                   adminContent.innerHTML = `${JSON.parse(xhr.re
sponseText).msg}`;
           })
       });
       $(document).on("click",".deleteUser",function(e){
          e.preventDefault();
          let id = this.dataset.iduser;
          dataUI = {
               idUser : id
       fetchAjax("models/deleteUser.php", "POST", proba1, proba2, dataUI);
       $("#allPosts").on("click",function(){
          $.ajax({
```

```
url : 'models/adminGetPosts.php',
               dataType : 'json',
               type : 'GET',
               success : function(result){
               adminContent.innerHTML = result;
               error: function(xhr){
                   adminContent.innerHTML = `${JSON.parse(xhr.re
sponseText).msg}`;
           })
       });
       $(document).on("click",".link-limit-post",function(){
           let limitNum = this.dataset.idpos;
           $.ajax({
               url : 'models/adminGetPosts.php',
               dataType : 'json',
               method : 'GET',
               data : {
                   limit :limitNum
               },
               success : function(result){
               adminContent.innerHTML = result;
               },
               error: function(xhr){
                   adminContent.innerHTML = `${JSON.parse(xhr.re
sponseText).msg}`;
               }
           })
       $(document).on("click",".deleteCat",function(e){
           e.preventDefault();
           let id = this.dataset.idcat;
           dataUI = {
                idCat : id
            };
         fetchAjax("models/deleteCategory.php","POST",proba1,proba2,dataUI);
   $("#allCats").on("click",function(){
       $.ajax({
           url : 'models/adminGetCats.php',
           dataType : 'json',
           type : 'GET',
```

```
success : function(result){
           adminContent.innerHTML = result;
           error: function(xhr){
               adminContent.innerHTML = `${JSON.parse(xhr.respon
seText).msg}`;
       })
   });
   $(document).on("click",".link-limit-cats",function(){
       let limitNum = this.dataset.idcats;
       $.ajax({
           url : 'models/adminGetCats.php',
           dataType : 'json',
           method : 'GET',
           data : {
               limit :limitNum
           },
           success : function(result){
           adminContent.innerHTML = result;
           },
           error: function(xhr){
               adminContent.innerHTML = `${JSON.parse(xhr.respon
seText).msg}`;
       })
   $(document).on("click","#addCat",function(){
      let newCat = document.querySelector("#addCategories");
      let catRe = /^([A-Z]|[0-9])[\sA-Za-z\d.?,!_-]{2,48}$/;
      if(!catRe.test(newCat.value)){
       newCat.classList.add('err');
       newCat.classList.remove('succ');
    }else{
       newCat.classList.remove('err');
       newCat.classList.add('succ');
       let dataUI = {
           nameCatUI : newCat.value
        fetchAjax("models/addCategory.php","POST",proba1,proba2,dataUI);
   $("#survey").on("click",function(){
       $.ajax({
```

```
url : 'models/adminGetSurveys.php',
            dataType : 'json',
            type: 'GET',
            success : function(result){
            adminContent.innerHTML = result;
            error: function(xhr){
               adminContent.innerHTML = `${JSON.parse(xhr.respon
seText).msg}`;
       })
    });
   $(document).on("click",".link-limit-survey",function(){
        let limitNum = this.dataset.idsurv;
       $.ajax({
            url : 'models/adminGetSurveys.php',
            dataType : 'json',
            method : 'GET',
            data : {
               limit :limitNum
            },
            success : function(result){
            adminContent.innerHTML = result;
            },
            error: function(xhr){
               adminContent.innerHTML = `${JSON.parse(xhr.respon
seText).msg}`;
       })
    });
   $(document).on("click","#addSurv",function(){
       let output = `<form method="post" action="models/insertSurvey.php"</pre>
            onsubmit=" return checkSurvey();">
            <div id="surveyForm">
            <label for="question">Survey question:</label>
            <input type="text" name="question" id="question"</pre>
            class="form-control">
            <label for="answer">Survey answer 1:</label>
            <input type="text" name="answer[]" id="answer1"</pre>
            class="form-control answer">
            </div>
            <button type="button" name="addAnswer"</pre>
            id="addAnswer" class="btn btn-primary mt-3">Add a new answer</button>
            <button type="submit" name="addSurvey"</pre>
```

```
value="addSurvey" class="btn btn-primary mt-3">Add</button>
            </form>`;
            adminContent.innerHTML = output;
            var numAnswers = 1;
            $(document).on('click', '#addAnswer',function(){
            let odgovor = `<label>Survey answer ${++numAnswers}:</label>
            <input type="text" name="answer[]" class="form-control odg</pre>
            odg${numAnswers}">`;
            $("#surveyForm").append($(odgovor));
    })
    $(document).on("click",".deleteSurv",function(e){
        e.preventDefault();
        let id = this.dataset.idsurv;
        dataUI = {
             idSurv : id
         };
      fetchAjax("models/deleteSurvey.php", "POST", proba1, proba2, dataUI);
     $(document).on("click","#btnSend",function(){
        let rb = document.getElementsByName("rb");
        let hidden = document.querySelector("#hiddenSurvey").value;
       let id = '';
        for(i in rb){
           if(rb[i].checked){
                id = rb[i].value;
       if(id){
           let dataUI = {
               idSurvey : hidden,
               idAnswear : id
        fetchAjax("models/processSurvey.php","POST",proba1,proba2,dataUI);
      }
     })
function checkSurvey(){
    let question = document.querySelector("#question");
    let answer = document.querySelectorAll(".answer");
    let questionRe = /^([A-Z][[0-9])[\sA-Za-z\d.?,!-]{2,48}$/;
   let err = 0;
   for(a of answer){
```

```
if(!questionRe.test(a.value)){
            a.classList.add('err');
            a.classList.remove('succ');
            err++;
        }else{
            a.classList.remove('err');
            a.classList.add('succ');
    if(!questionRe.test(question.value)){
        question.classList.add('err');
        question.classList.remove('succ');
    }else{
        question.classList.remove('err');
        question.classList.add('succ');
    if(err==0){
        return true;
    }else{
        return false;
let loc = window.location.pathname;
if(loc=="/phpSajt/newpost.php"){
    function checkPost(){
        let title = document.querySelector("#postTitle");
        let category = document.querySelector("#ddl");
        let descPost = document.querySelector("#tekstPost");
        let file = document.querySelector("#file");
        let titleRe = /^([A-Z]|[0-9])[\sA-Za-z\d.?,!_-]{2,78}$/;
        let err = 0;
        if(!titleRe.test(title.value)){
            title.classList.add('err');
            title.classList.remove('succ');
            title.nextElementSibling.classList.remove('hide');
                err++;
        }else{
            title.classList.remove('err');
            title.classList.add('succ');
            title.nextElementSibling.classList.add('hide')
```

```
if(category.options.selectedIndex =="0"){
            category.classList.add('err');
            category.classList.remove('succ');
            category.nextElementSibling.classList.remove('hide');
                err++;
        }else{
            category.classList.remove('err');
            category.classList.add('succ');
            category.nextElementSibling.classList.add('hide')
        if(descPost.value < 100){</pre>
            descPost.classList.add('err');
            descPost.classList.remove('succ');
            descPost.nextElementSibling.classList.remove('hide');
                err++;
        }else{
            descPost.classList.remove('err');
            descPost.classList.add('succ');
            descPost.nextElementSibling.classList.add('hide')
        if(file.value==""){
            file.classList.add('err');
            file.classList.remove('succ');
            file.nextElementSibling.classList.remove('hide');
                err++;
        }else{
            file.classList.remove('err');
            file.classList.add('succ');
            file.nextElementSibling.classList.add('hide')
        if(err==0){
           return true;
        }else{
            return false;
if(loc=="/phpSajt/edit-post.php"){
    function checkEditedPost(){
        let editTitle = document.querySelector("#editTitle");
        let ddlEdit = document.querySelector("#ddlEdit");
        let editText = document.querySelector("#editText");
        let editFile = document.querySelector("#editFile");
```

```
let titleRe = /^([A-Z]|[0-9])[\sA-Za-z\d.?,!_-]{2,78}$/;
let err = 0;
if(!titleRe.test(editTitle.value)){
    editTitle.classList.add('err');
    editTitle.classList.remove('succ');
    editTitle.nextElementSibling.classList.remove('hide');
}else{
    editTitle.classList.remove('err');
    editTitle.classList.add('succ');
    editTitle.nextElementSibling.classList.add('hide')
if(ddlEdit.options.selectedIndex =="0"){
    ddlEdit.classList.add('err');
    ddlEdit.classList.remove('succ');
    ddlEdit.nextElementSibling.classList.remove('hide');
        err++;
}else{
    ddlEdit.classList.remove('err');
    ddlEdit.classList.add('succ');
    ddlEdit.nextElementSibling.classList.add('hide')
if(editText.value < 100){</pre>
    editText.classList.add('err');
    editText.classList.remove('succ');
    editText.nextElementSibling.classList.remove('hide');
        err++;
}else{
    editText.classList.remove('err');
    editText.classList.add('succ');
    editText.nextElementSibling.classList.add('hide')
if(editFile.value==""){
    editFile.classList.add('err');
    editFile.classList.remove('succ');
    editFile.nextElementSibling.classList.remove('hide');
        err++;
}else{
    editFile.classList.remove('err');
    editFile.classList.add('succ');
    editFile.nextElementSibling.classList.add('hide')
if(err==0){
```

Visoka škola strukovnih studija za informacione I telekomunikacione tehnologije

```
return true;
}else{
    return false;
}
}
```