FIRE ALARM AND EMERGENCY COMMUNICATION SYSTEM RECORD OF COMPLETION

To be completed by the system installation contractor at the time of system acceptance and approval. It shall be permitted to modify this form as needed to provide a more complete and/or clear record.

Insert N/A in all unused lines.

Attach additional sheets, data, or calculations as necessary to provide a complete record.

1.	PROPERTY INFORMATION			
	Name of property:			
	Address:			
	Occupancy type:			
	Name of property representative:			
	Phone:	Fax:	E-mail:	
	Authority having jurisdiction over t	his property:		
	Phone:	Fax:	E-mail:	
2.	INSTALLATION, SERVICE, A Installation contractor for this equip	ND TESTING CONTRACTOR oment:		
	Address:			
			E-mail:	
	Service organization for this equipm	nent:		
	Address:			
	License or certification number:			
	Phone:	Fax:	E-mail:	
	A contract for test and inspection in	accordance with NFPA standards is	in effect as of:	
	Contracted testing company:			
	Address:			
	Phone:	Fax:	E-mail:	
	Contract expires:	Contract number:	Frequency of routine inspections:	
3.	DESCRIPTION OF SYSTEM (OR SERVICE		
	☐ Fire alarm system (nonvoice)			
	- · · · · · · · · · · · · · · · · · · ·	emergency voice alarm communication	on system (EVACS)	
	☐ Mass notification system (MNS)	Fire alarm with in-building fire emergency voice alarm communication system (EVACS) Mass notification system (MNS)		
	☐ Combination system, with the fo			
	• •	· .		

NFPA 72, Fig. 10.18.2.1.1 (p. 1 of 12)

☐ Two-way, in-building, emergency communication system

☐ Fire alarm

☐ Other (specify):

☐ EVACS

☐ MNS

3. DESCRIPTION OF SYSTEM OR SERVICE (continued)

NFPA 72 edition:	Additional desc	ription of s	ystem(s):
3.1 Control Unit			
Manufacturer:			Model number:
3.2 Mass Notification System			☐ This system does not incorporate an MNS
3.2.1 System Type:			
☐ In-building MNS—combination			
☐ In-building MNS—stand-alone	☐ Wide-area MNS ☐	Distributed	recipient MNS
Other (specify):			
3.2.2 System Features:			
☐ Combination fire alarm/MNS	☐ MNS autonomous contr	rol unit	☐ Wide-area MNS to regional national alerting interface
☐ Local operating console (LOC)	☐ Direct recipient MNS (I	ORMNS)	☐ Wide-area MNS to DRMNS interface
☐ Wide-area MNS to high-power speaker array (HPSA) interface ☐ In-building MNS to wide-area MNS interface			
Other (specify):			
3.3 System Documentation			
☐ An owner's manual, a copy of the n	nanufacturer's instructions, a	written sec	quence of operation, and a copy of
the numbered record drawings are	stored on site. Location:		
3.4 System Software		This systen	n does not have alterable site-specific software.
Operating system (executive) software	revision level:		
Site-specific software revision date:		Revision	completed by:
☐ A copy of the site-specific software	is stored on site. Location:		
3.5 Off-Premises Signal Transmission	on	☐ This sy	stem does not have off-premises transmission.
Name of organization receiving alarm	signals with phone numbers	:	
Alarm:			Phone:
Supervisory:			Phone:
Trouble:			Phone:
Entity to which alarms are retransmitted	ed:		Phone:
Method of retransmission:			
If Chapter 26, specify the means of tra	nsmission from the protected	l premises t	to the supervising station:
If Chapter 27, specify the type of auxil	iary alarm system:	al energy	☐ Shunt ☐ Wired ☐ Wireless

4. CIRCUITS AND PATHWAYS

4.1 Signaling Line Pathways		
4.1.1 Pathways Class Designations	and Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.	Survivability level:	Quantity:
4.1.2 Pathways Utilizing Two or M	ore Media	
Quantity:	Description:	
4.1.3 Device Power Pathways		
☐ No separate power pathways from	the signaling line pathway	
☐ Power pathways are separate but o	f the same pathway classification as t	he signaling line pathway
☐ Power pathways are separate and o	lifferent classification from the signal	ing line pathway
4.1.4 Isolation Modules		
Quantity:		
4.2 Alarm Initiating Device Pathwa	nys	
4.2.1 Pathways Class Designations	and Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.	Survivability level:	Quantity:
4.2.2 Pathways Utilizing Two or M	ore Media	
Quantity:	Description:	
4.2.3 Device Power Pathways		
☐ No separate power pathways from	the initiating device pathway	
☐ Power pathways are separate but o	f the same pathway classification as t	he initiating device pathway
☐ Power pathways are separate and o	lifferent classification from the initiat	ing device pathway
4.3 Non-Voice Audible System Path	ıways	
4.3.1 Pathways Class Designations	and Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.	Survivability level:	Quantity:
4.3.2 Pathways Utilizing Two or M	ore Media	
Quantity:	Description:	
4.3.3 Appliance Power Pathways		
☐ No separate power pathways from	the notification appliance pathway	
☐ Power pathways are separate but of	f the same pathway classification as t	he notification appliance pathway
☐ Power pathways are separate and o	lifferent classification from the notific	cation appliance pathway

5. ALARM INITIATING DEVICES

5.2.4 Gas Detectors

Number of devices: Addressable:

Type and number of devices: Addressable:

Type of detector(s):

Type of coverage:

5.2.5 Heat Detectors

5.1 Manual Initiating Devices 5.1.1 Manual Fire Alarm Boxes ☐ This system does not have manual fire alarm boxes. Coded: Type and number of devices: Addressable: Conventional: Transmitter: Other (specify): 5.1.2 Other Alarm Boxes ☐ This system does not have other alarm boxes. Description: Type and number of devices: Addressable: Conventional: Coded: Transmitter: Other (specify): 5.2 Automatic Initiating Devices 5.2.1 Smoke Detectors ☐ This system does not have smoke detectors. Type and number of devices: Addressable: Conventional: Other (specify): Type of coverage: Complete area Partial area Nonrequired partial area Other (specify): Other (specify): **5.2.2 Duct Smoke Detectors** ☐ This system does not have alarm-causing duct smoke detectors. Type and number of devices: Addressable: Conventional: Other (specify): Type of coverage: **5.2.3 Radiant Energy (Flame) Detectors** ☐ This system does not have radiant energy detectors. Type and number of devices: Addressable: Conventional: Other (specify): Type of coverage:

☐ This system does not have gas detectors.

☐ This system does not have heat detectors.

☐ Rate compensated

Conventional:

Conventional:

Type of coverage:
Complete area Partial area Nonrequired partial area Linear Spot

Type of heat detector sensing technology:

Fixed temperature

Rate-of-rise

5. ALARM INITIATING DEVICES (continued) 5.2.6 Addressable Monitoring Modules ☐ This system does not have monitoring modules. Number of devices: 5.2.7 Waterflow Alarm Devices ☐ This system does not have waterflow alarm devices. Type and number of devices: Addressable: Conventional: Coded: Transmitter: 5.2.8 Alarm Verification ☐ This system does not incorporate alarm verification. Number of devices subject to alarm verification: Alarm verification set for 5.2.9 Presignal ☐ This system does not incorporate pre-signal. Number of devices subject to presignal: Describe presignal functions: 5.2.10 Positive Alarm Sequence (PAS) ☐ This system does not incorporate PAS. Describe PAS: **5.2.11 Other Initiating Devices** ☐ This system does not have other initiating devices. Describe: 6. SUPERVISORY SIGNAL-INITIATING DEVICES 6.1 Sprinkler System Supervisory Devices ☐ This system does not have sprinkler supervisory devices. Type and number of devices: Addressable: Conventional: Coded: Transmitter: Other (specify): 6.2 Fire Pump Description and Supervisory Devices ☐ This system does not have a fire pump. Type fire pump: ☐ Electric pump ☐ Engine Type and number of devices: Addressable: Conventional: Coded: Transmitter: Other (specify): **6.2.1 Fire Pump Functions Supervised** ☐ Power ☐ Running ☐ Phase reversal ☐ Selector switch not in auto ☐ Engine or control panel trouble ☐ Low fuel Other (specify): 6.3 Duct Smoke Detectors (DSDs) ☐ This system does not have DSDs causing supervisory signals. Type and number of devices: Addressable: Conventional: Other (specify): Type of coverage: Type of smoke detector sensing technology: Innization Photoelectric Aspirating Beam **6.4 Other Supervisory Devices** ☐ This system does not have other supervisory devices. Describe:

7. MONITORED SYSTEMS 7.1 Engine-Driven Generator ☐ This system does not have a generator. 7.1.1 Generator Functions Supervised ☐ Selector switch not in auto ☐ Low fuel ☐ Engine or control panel trouble ☐ Generator running ☐ Other (specify): 7.2 Special Hazard Suppression Systems ☐ This system does not monitor special hazard systems. Description of special hazard system(s): 7.3 Other Monitoring Systems ☐ This system does not monitor other systems. Description of special hazard system(s): 8. ANNUNCIATORS ☐ This system does not have annunciators. 8.1 Location and Description of Annunciators Location 1: Location 2: Location 3: 9. ALARM NOTIFICATION APPLIANCES 9.1 In-Building Fire Emergency Voice Alarm Communication System ☐ This system does not have an EVACS. Number of single voice alarm channels: Number of multiple voice alarm channels: Number of speakers: Number of speaker circuits: Location of amplification and sound-processing equipment: Location of paging microphone stations: Location 1: Location 2: Location 3: 9.2 Nonvoice Notification Appliances ☐ This system does not have nonvoice notification appliances. Bells: Horns: With visible: With visible: Chimes: With visible: Other (describe): Visible only: 9.3 Notification Appliance Power Extender Panels ☐ This system does not have power extender panels.

Quantity: Locations:

10. MASS NOTIFICAT	TION CONTROLS, APPLIA	NCES, AND CIRCUITS	system does not have an MNS.
10.1 MNS Local Oper	rating Consoles		
Location 1:			
Location 2:			
Location 3:			
10.2 High-Power Spea	aker Arrays		
Number of HPSA speal	ker initiation zones:		
Location 1:			
Location 2:			
Location 3:			
10.3 Mass Notification	n Devices		
Combination fire alarm	/MNS visible appliances:	MNS-only visible ap	opliances:
Textual signs:	Other (describe	e):	
Supervision class:			
10.3.1 Special Hazard	l Notification		
☐ This system does no	t have special suppression predi-	scharge notification.	
☐ MNS systems DO N predischarge notifica		nces required to provide special suppres	ssion
11. TWO-WAY EMER	GENCY COMMUNICATION	N SYSTEMS	
11.1 Telephone System	m	☐ This system does not have	a two-way telephone system.
Number of telephone ja	acks installed:	Number of warden stations in	ıstalled:
Number of telephone h	andsets stored on site:		
Type of telephone syste	em installed: Electrically po	owered Sound powered	
11.2 Two-Way Radio	Communications Enhanceme	nt System	
☐ This system does not have a two-way radio communications enhancement system.			
Percentage of area cove	ered by two-way radio service:	Critical areas: % General	building areas: %
Amplification compone	ent locations:		
Inbound signal strength	n: dBm	Outbound signal strength:	dBm
Donor antenna isolation	n is: dl	B above the signal booster gain	
Radio frequencies cove	ered:		
Radio system monitor p	panel location:		

11. TWO-WAY EMERGENCY COMMUNICATION SYSTEMS (continued)

11.3 Area of Refuge (Area of Rescue Assistance) Emerger	acy Communications Systems		
☐ This system does not have an area of refuge (area of rescu	e assistance) emergency communications system.		
Number of stations: Location of central	l control point:		
Days and hours when central control point is attended:			
Location of alternate control point:			
Days and hours when alternate control point is attended:			
11.4 Elevator Emergency Communications Systems			
☐ This system does not have an elevator emergency communications system.			
Number of elevators with stations: Location of central control point:			
Days and hours when central control point is attended:			
Location of alternate control point:			
Days and hours when alternate control point is attended:			
11.5 Other Two-Way Communication Systems			
Describe:			
☐ Hold-open door releasing devices ☐ Smoke managen ☐ Door unlocking ☐ Elevator recall ☐ Fuel source ☐ Elevator shunt trip ☐ Mass notification system overred Other (specify):	_ ·		
3. SYSTEM POWER			
13.1 Control Unit			
13.1.1 Primary Power			
Input voltage of control panel:	Control panel amps:		
Overcurrent protection: Type:	Amps:		
Location (of primary supply panel board):			
Disconnecting means location:			
13.1.2 Engine-Driven Generator	☐ This system does not have a generator.		
Location of generator:			
Location of fuel storage:	Type of fuel:		

NFPA 72, Fig. 10.18.2.1.1 (p. 8 of 12)

13. SYSTEM POWER (continued)

13.1.3 Uninterruptible Power System	☐ This system does not have a UPS.
Equipment powered by a UPS system:	
Location of UPS system:	
Calculated capacity of UPS batteries to drive the system	a components connected to it:
In standby mode (hours):	In alarm mode (minutes):
13.1.4 Batteries	
Location: Type:	Nominal voltage: Amp/hour rating:
Calculated capacity of batteries to drive the system:	
In standby mode (hours):	In alarm mode (minutes):
☐ Batteries are marked with date of manufacture	☐ Battery calculations are attached
13.2 In-Building Fire Emergency Voice Alarm Com	munication System or Mass Notification System
☐ This system does not have an EVACS or MNS system	m.
13.2.1 Primary Power	
Input voltage of EVACS or MNS panel:	EVACS or MNS panel amps:
Overcurrent protection: Type:	Amps:
Location (of primary supply panel board):	
Disconnecting means location:	
13.2.2 Engine-Driven Generator	☐ This system does not have a generator.
Location of generator:	
Location of fuel storage:	Type of fuel:
13.2.3 Uninterruptible Power System	☐ This system does not have a UPS.
Equipment powered by a UPS system:	
Location of UPS system:	
Calculated capacity of UPS batteries to drive the system	n components connected to it:
In standby mode (hours):	In alarm mode (minutes):
13.2.4 Batteries	
Location: Type:	Nominal voltage: Amp/hour rating:
Calculated capacity of batteries to drive the system:	
In standby mode (hours):	In alarm mode (minutes):
☐ Batteries are marked with date of manufacture	☐ Battery calculations are attached

13. SYSTEM POWER (continued) 13.3 Notification Appliance Power Extender Panels ☐ This system does not have power extender panels. 13.3.1 Primary Power Input voltage of power extender panel(s): Power extender panel amps: Overcurrent protection: Type: Amps: Location (of primary supply panel board): Disconnecting means location: 13.3.2 Engine-Driven Generator ☐ This system does not have a generator. Location of generator: Type of fuel: Location of fuel storage: 13.3.3 Uninterruptible Power System ☐ This system does not have a UPS. Equipment powered by a UPS system: Location of UPS system: Calculated capacity of UPS batteries to drive the system components connected to it: In standby mode (hours): In alarm mode (minutes): 13.3.4 Batteries Location: Type: Nominal voltage: Amp/hour rating: Calculated capacity of batteries to drive the system: In standby mode (hours): In alarm mode (minutes): ☐ Batteries are marked with date of manufacture ☐ Battery calculations are attached 14. RECORD OF SYSTEM INSTALLATION Fill out after all installation is complete and wiring has been checked for opens, shorts, ground faults, and improper branching, but before conducting operational acceptance tests. Permit number: ☐ Modification to an existing system The system has been installed in accordance with the following requirements: (Note any or all that apply.) ☐ *NFPA 72*, Edition: ☐ NFPA 70, National Electrical Code, Article 760, Edition:

NFPA 72, Fig. 10.18.2.1.1 (p. 10 of 12)

Date:

Phone:

Printed name:

Title:

☐ Manufacturer's published instructions

System deviations from referenced NFPA standards:

Other (specify):

Signed:

Organization:

15. RECORD OF SYSTEM OPERATIONAL ACCEPTANCE TEST ☐ New system All operational features and functions of this system were tested by, or in the presence of, the signer shown below, on the date shown below, and were found to be operating properly in accordance with the requirements for the following: ☐ Modifications to an existing system All newly modified operational features and functions of the system were tested by, or in the presence of, the signer shown below, on the date shown below, and were found to be operating properly in accordance with the requirements of the following: ☐ *NFPA 72*, Edition: ☐ *NFPA 70, National Electrical Code,* Article 760, Edition: ☐ Manufacturer's published instructions Other (specify): ☐ Individual device testing documentation [Inspection and Testing Form (Figure 14.6.2.4) is attached] Date: Signed: Printed name: Title: Phone: Organization: 16. CERTIFICATIONS AND APPROVALS 16.1 System Installation Contractor: This system, as specified herein, has been installed and tested according to all NFPA standards cited herein. Signed: Printed name: Date: Organization: Title: Phone: **16.2 System Service Contractor:** The undersigned has a service contract for this system in effect as of the date shown below. Printed name: Date: Signed: Phone: Title: Organization: 16.3 Supervising Station: This system, as specified herein, will be monitored according to all NFPA standards cited herein. Signed: Printed name: Date:

Phone:

Title:

Organization:

16. CERTIFICATIONS AND APPROVALS (continued)

16.4 Property or Owner Representative:

I accept this system as having been installed and tested to its specifications and all NFPA standards cited herein.

Signed:	Printed name:	Date:
Organization:	Title:	Phone:
16.5 Authority Having Jurisd	iction:	
<u> </u>	acceptance test of this system and find it to be inst plans and specifications, with its approved seque	1 61 1 2
Signed:	D 1	Date:
	Printed name:	Date.