

+ Create automation

× Create automation



Create new automation

Start with an empty automation from scratch



Motion-activated Light

By Home Assistant



Zone Notification

By Home Assistant



Tip! [Discover more community blueprints](#)

When

A trigger is a specific event happening in or around your home, for example: 'When the sun sets'. Any trigger added here will start your automation.

+ Add trigger

✕ Add trigger

Search

Device

Entity

Time and location

Other triggers

Geolocation

Home Assistant

Manual event

MQTT

Persistent notification

Sentence

Tag

Template


Webhook

Triggers

Numeric state

123 When the numeric value of an entity's state (or attribute's value) crosses a given threshold.

+



State

When the state of an entity (or attribute) changes.

+

When

When Door Sensor 02_Postbox Door changes from Closed to Open

+ Add trigger

And if (optional)

All conditions added here need to be satisfied for the automation to run. A condition can be satisfied or not at any given time, for example: 'If Dave is home'. You can use building blocks to create more complex conditions.

+ Add condition

Then do

All actions added here will be performed in sequence when the automation runs. An action usually controls one of your areas, devices, or entities, for example: 'Turn on the lights'. You can use building blocks to create more complex sequences of actions.

+ Add action

×

State

Trigger

⋮

Entity

Door

Door Sensor 02_Postbox

×

⌵

≡

+ Add entity

Attribute (optional)

⌵

From (optional)

Closed

×

⌵

From (optional)

⌵

To (optional)

Open

×

⌵

To (optional)

⌵

For

hhmmss

Then do

All actions added here will be performed in sequence when the automation runs. An action usually controls one of your areas, devices, or entities, for example: 'Turn on the lights'. You can use building blocks to create more complex sequences of actions.

+ Add action

✕ Add action

🔍 Search

Actions

Blocks

Blocks



Choose

Choose what to do based on conditions (Similar to If-then, but more powerful).



Condition

Test a condition (and stop the sequence if the condition is not met).



Define variables

Define variables to be used later in the sequence.



If-then

Do something conditionally.



Repeat for each

Repeat a sequence for each element of a list.



Repeat multiple times

Repeat a sequence of actions a fixed number of times.



Repeat until

Repeat a sequence of actions until a condition is satisfied. The condition is checked after each run of the sequence.



Then do



Repeat an action 2 times



Actions:



Add action

✕ Add action

🔍 Search

Actions

Blocks

Climate

Conversation

Cover

Image

Light

Lock

Media player

Notifications

Number

Remote

Scene

Select

Actions

 **Send a notification** 
Sends a notification message to selected targets.

 **Send a notification message** 
Sends a notification message.

Select any of these

 **Send a notification via alexa_media_dave_s_alex_app_for_wearos_watch** 
Sends a notification message using the alexa_media_dave_s_alex_app_for_wearos_watch integration.

 **Send a notification via alexa_media_dave_s_echo_auto** 
Sends a notification message using the alexa_media_dave_s_echo_auto integration.

 **Send a notification via alexa_media_dave_s_echo_dot** 
Sends a notification message using the alexa_media_dave_s_echo_dot integration.

When

When Door Sensor 02_Postbox Door changes from Closed to Open

+ Add trigger

And if (optional)

All conditions added here need to be satisfied for the automation to run. A condition can be satisfied or not at any given time, for example: 'If Dave is home'. You can use building blocks to create more complex conditions.

+ Add condition

Then do

Repeat an action 2 times

Actions:

Notifications 'Send a notification'

+ Add action

+ Add action

Perform action

Action

Sends a notification message to selected

▶ Run action

Message

Message body of the notification.

📄 Rename

⌘ Duplicate

Title

Title for your notification.

📄 Copy Ctrl+C

✂ Cut Ctrl+X

🔧 Edit in YAML

Target

Some integrations allow you to specify the notification. For more information, refer to the integration documentation.

⏸ Disable

🗑 Delete Ctrl+Del

Data

Some integrations provide extended functionality via this field. For more information, refer to the integration documentation.

data:

message: <audio src='https://**your-external-url**/local/mp3/mail.mp3'/>

data:

type: tts

action: notify.alexmedia_**YourAmazonEchoDevice**

```
1 data:
2   message: <audio src='https://**your-external-url**/lo
3   data:
4     type: tts
5   action: notify.alexmedia_**YourAmazonEchoDevice**
6
```

When

 When Door Sensor 02_Postbox Door changes from Closed to Open

+ Add trigger

And if (optional)

All conditions added here need to be satisfied for the automation to run. A condition can be satisfied or not at any given time, for example: 'If Dave is home'. You can use building blocks to create more complex conditions.

+ Add condition

Then do

 Repeat an action 2 times

Actions:

 Perform action 'notify.alexmedia_**YourAmazonEchoDevice**'

+ Add action

+ Add action

Perform action

Action

```
1 data:
2   message: <audio src='https://**your-external-url**/lo
3   data:
4     type: tts
5   action: notify.alexmedia_**YourAmazonEchoDevice**
6
```

✕ Add action

🔍 Search

Actions

Blocks

Blocks



Repeat while

Repeat a sequence of actions as long as a condition is satisfied. The condition is checked before each run of the sequence.



Run in parallel

Perform actions in parallel.



Run in sequence

Run a group of actions in sequence.



Stop

Stop the sequence of actions.



Wait for a template

Wait for a template to be evaluated to true to perform a sequence of actions.



Wait for a trigger

Wait for a trigger to perform a sequence of actions.



Wait for time to pass (delay)

Wait some time to perform a sequence of actions.



When

When Door Sensor 02_Postbox Door changes from Closed to Open

+ Add trigger

And if (optional)

All conditions added here need to be satisfied for the automation to run. A condition can be satisfied or not at any given time, for example: 'If Dave is home'. You can use building blocks to create more complex conditions.

+ Add condition

Then do

Repeat an action 2 times

Actions:

Perform action 'notify.alexmedia_**YourAmazonEchoDevice**'

Delay for 5 seconds

+ Add action

+ Add action

Wait for time to pass (delay)

Action

Duration *

hh*	mm*	ss*	ms*
0	00	05	000

When

 When Door Sensor 02_Postbox Door changes from Closed to Open

+ Add trigger

And if (optional)

All conditions added here need to be satisfied for the automation to run. A condition can be satisfied or not at any given time, for example: 'If Dave is home'. You can use building blocks to create more complex conditions.

+ Add condition

Then do

 Repeat an action 2 times

Actions:

 Perform action 'notify.alexmedia_**YourAmazonEchoDevice**'

 Delay for 5 seconds

+ Add action

+ Add action

Wait for time to pass (delay)

Action

Duration *

hh*	mm*	ss*	ms*
0	00	05	000

✕ Add action

🔍 Search

Actions

Blocks

Blocks



Repeat while

Repeat a sequence of actions as long as a condition is satisfied. The condition is checked before each run of the sequence.



Run in parallel

Perform actions in parallel.



Run in sequence

Run a group of actions in sequence.



Stop

Stop the sequence of actions.



Wait for a template

Wait for a template to be evaluated to true to perform a sequence of actions.



Wait for a trigger

Wait for a trigger to perform a sequence of actions.



Wait for time to pass (delay)

Wait some time to perform a sequence of actions.



When

When Door Sensor 02_Postbox Door changes from Closed to Open

+ Add trigger

And if (optional)

All conditions added here need to be satisfied for the automation to run. A condition can be satisfied or not at any given time, for example: 'If Dave is home'. You can use building blocks to create more complex conditions.

+ Add condition

Then do

Repeat an action 2 times

Actions:

Perform action 'notify.alexmedia_**YourAmazonEchoDevice**'

Delay for 5 seconds

+ Add action

Delay for 15 seconds

+ Add action

Wait for time to pass (delay)

Action

Duration *

hh*	mm*	ss*	ms*
0	00	15	000

Save

