
	<b>GILES CHEMICAL ~ PREMIER MAGNESIA</b> <b>Lot Production Record</b>											
	Title: <b>Process Specific Gravity</b>				Number: <b>P12-FM-100-052</b>							
	Owner: <b>Jason Bumgarner</b>				Revision: <b>01</b>							
	Effective Date: <b>07/07/2016</b>				Page: <b>1 of 1</b>							

	8:00	10:00	12:00	14:00	16:00	18:00	20:00	22:00	0:00	2:00	4:00	6:00	
Mud Density	1.410												
	1.404												
	1.398												
	1.391												
	1.385												
	1.378												
	1.372												
	1.366												
	1.359												
	Results -												

	8:00	10:00	12:00	14:00	16:00	18:00	20:00	22:00	0:00	2:00	4:00	6:00	
Brine Density	1.410												
	1.404												
	1.398												
	1.391												
	1.385												
	1.378												
	1.372												
	1.366												
	1.359												
	Results -												

	8:00	10:00	12:00	14:00	16:00	18:00	20:00	22:00	0:00	2:00	4:00	6:00	
Mother Liquor Densit	1.330												
	1.320												
	1.310												
	1.300												
	1.290												
	1.280												
	1.270												
	1.260												
	1.250												
	Results -												

<i>Time</i>	<i>Action taken when out of limits</i>	<i>Time</i>	<i>Action taken when out of limits</i>
1:--		1:--	
1:--		1:--	
1:--		1:--	

Solids	1												
	2												
	3												
	4												
	5												
Check yes or no if all of the items below are operating correctly													
Fine Salt													
City Water													
Chiller													
Initials													
DATE:		Production's Initials					QA's Initials						

**Controlled Document**

Only those quality documents viewed through the Giles Chemical electronic Documentation System are officially controlled. All other copies, whether viewed through another computer program or a printed version, are not controlled and, therefore, the Quality Unit at Giles assumes no responsibility for the accuracy of the document.